

Asset Sales, Inc.



Late Model CNC Multi-Axis, Machines & Accessories

Mori Seiki, Mazaks, Hwacheon, Nakamura, Doosan & Other
CNC Machinery

11131 Kiley Drive
Huntley
Illinois
60142
United States

Started Jul 16, 2020 10am CT (4pm BST)

Lot	Description
1	Miller Syncrowave 200 Portable Tig Welder, sn:LG130034L
2	Husky 3 Stage 4.7 HP 80 Gallon Vertical Tank Air Compressor
3	Milltronics Partner Model MB 20 3-Axis CNC Milling Machine with Variable Spindle Speeds to 3600 RPM, #40 Taper with Power Drawbar, 54" x 16" Table, Milltronics Centroid CNC Pendant Control, sn:4095, mfg.2005
4	OKK VM 4II CNC Vertical Machining Center with CAT40 Taper Spindle Speeds to 12,000 RPM, 31" x 16" Table, 24.8" X-Axis Travel, 16.14" Y-Axis, 18.11" Z-Axis, 20 Position ATC, Thru-Spindle Coolant, Fanuc 180IS CNC Control with Remote Pulse Generator, sn:1614, mfg.2004
5	Mazak Integrex 200SY CNC Multi-Tasking Turning & Milling Center with 8"/6" 3-Jaw Main & Sub-Spindle Chuck Diameters, Spindle Speeds to 5,000 RPM, 21.25" Swing, 19.69" Turning Diameter, 39.56" Turning Length, B-Axis Milling Head Speeds to 6,000 RPM, Indexes +/- 225 Degrees, 40 ATC, 20 H ...[more]
6	Mazak E 650HS/2000 CNC Multi-Tasking Turning Center with W/B & Y-Axis, (2) 24" 3-Jaw Hydraulic Chucks, 36.2" Swing and Turning Diameter, Chuck Spindle Speeds to 1600 RPM, 88" Turning Length, CAT50 Big Plus B-Axis Milling Head Speeds to 10,000 RPM, Indexes -30/+210 Degrees, 40 ATC, 50 HP Mill ...[more]
7	LNS Hydrobar Mini Sprint 12' 1.25 Capacity Programmable Bar Feeder
8	G.E. Type QL 75 KVA 3 Phase Transformer, sn:9T83B3874
9	Basler Electronics Model BE25173-001 55.5 KVA 3 Phase Transformer, 55KVA 200 – 480V plus Taps for 110 and 200 with temperature sensor
10	Tsubakimoto Mayfran MT10 Motorized Chip Conveyor, sn:OTS150-5000-REAR, mfg.2011
11	Stevenson Engineering Tombstone 16" x 16" Base x 29"H
12	Mazak A-12 Megaturn Face Plate
13	Mazak Quick Turn 6GXP CNC Chucking Center with Gantry Robot System, Collet Chuck, 18" Swing, 3" Turning Diameter, 2" Machining Length, Spindle Speeds to 7,000 RPM, 6 Position Gang Style Cross Slide, Coolant, Gantry Robot GL6F B-Axis Extension with 20 Pallets, Chip Conveyor, Mazak Mazatrol EIA CN ...[more]

- 15 Kitamura Mycenter 4XD CNC Vertical Machining Center with CAT40 Taper Spindle Speeds to 12,000 RPM, 50" x 25.2" Table, 43.3" X-Axis Travel, 24" Y-Axis Travel, 24" Z-Axis Travel, 30 Position ATC, Prepped for Thru-Spindle Coolant, Fanuc OIMD CNC Control, sn:31030, mfg.2013
-
- 16 Bridgeport / Hardinge GX1600 CNC Vertical Machining Center with CAT50 Big Plus Spindle Speeds to 6,000 RPM, 63.93" x 27.55" Table, 62.9" X-Axis Travel, 27.5" Y-Axis, 26" Z-Axis, 24 Position ATC, Prepped for Thru-Spindle Coolant, Fanuc OIMD CNC Control with Remote Pulse Generator, sn:195697, mf ...[more]
-
- 17 Mori Seiki NV4000 CNC Vertical Machining Center Wired for 4th/5th Axis with CAT40 Taper Spindle Speeds to 12,000 RPM, 27.6" x 17.7" Table, 23.6" X-Axis Travel, 15.7" Y-Axis, 15.7" Z-Axis, 20 Position ATC, Mori Seiki MSG-501 CNC Control, sn:NV401DA0086, mfg.2004 **located in Altamonte Springs, ...[more]
-
- 18 Hwacheon VTS 1150 CNC Vertical Turning Center with 40" 3-Jaw Hydraulic Chuck, 40" Table with Speeds to 500 RPM, 53.15" Swing, 37.4" Turning Height, 12 Position Turret, X & Z Feedback Scales, Chip Conveyor, Fanuc OITD CNC Control with Remote Pulse Generator, sn:MO9615613G, mfg.2009
-
- 19 Doosan VT900 CNC Vertical Turning Center with 24" 3-Jaw Hydraulic Chuck, 24" Table with Speeds to 1,800 RPM, 39.4" Swing, 33.5" Turning Height, 12 Position Turret, Chip Conveyor, Fanuc I Series CNC Control, sn:MT0029-001300, mfg.2013
-
- 20 Samchully HCH 32" VT900 3-Jaw Chuck with Drawbar & Adaptor Plate (new) (used on Doosan 900)
-
- 21 Assorted Tooling (used on Doosan 900)
-
- 22 Samsung PL800V CNC Vertical Turning Center with 18" 3-Jaw Hydraulic Chuck, 18" Table with Speeds to 2,000 RPM, 35.04" Swing, 31.89" Turning Diameter, 31.5" Turning Height, 12 Position Turret, Tool Presetter, Chip Conveyor, Fanuc OITD CNC Control, sn:16C950025, mfg.2016
-
- 23 DMG Mori NT6600DCG/4000 CS CNC Multi-Tasking Center with 10.8" Spindle Bore L/R, Dual Opposed 21" 3-Jaw Hydraulic Chucks, 42.1" Swing & Turning Diameter, 177" Between Spindles, 160" Turning Length, 10.8" L/R Thru-Holes, 6.4" Bar Capacity, Main Spindle Speeds to 1,000 RPM, B-Axis CAT50 Mi ...[more]
-
- 24 Assorted Tooling (Mori NT6600)
-
- 25 Nakamura Super NTMX Multi-Tasking Center with W/Y/B-Axis & (2) ATC, (2) 6" Chucks, 9" Swing, 7.87" Turning Diameter, 30.7" Turning Length, Spindle Speeds to 5,000 RPM, B-Axis Milling Head Speeds to 12,000 RPM, Indexes +/- 95 Degrees, 30.3" W-Axis Sub Spindle, 24 Position Lower Turret, Lase ...[more]
-
- 26 Nakamura WT300MMY Multi Turret Tasking Center with Y-Axis & Gantry Robot, (2) 8" 3-Jaw Hydraulic Chucks, Spindle Speeds to 4,500 RPM, 10.63" Swing & Turning Diameter, 30.71" Turning Length, (2) 24 Position Turrets (12 Milling), Rotary Tool Speeds to 3,600 RPM, Y-Axis for Upper Turret, Hi ...[more]
-
- 26A Assorting Tooling (for Nakamura WT300)
-
- 28A Makino SNC64 High-Speed CNC Vertical Machining Center with HSKF63 Spindle Speeds to 30,000 RPM, 29.5" x 15.75" Table, 23.6" X-Axis Travel, 15.7" Y-Axis, 15.7" Z-Axis, 15 Position ATC, Blum TC52 Probe & Laser, Makino Professional A CNC Control, sn:724, mfg.2004 **located in Altamonte Spring ...[more]
-
- 29 Daewoo Puma 240B CNC Turning Center with 8" Hydraulic Chuck, 21" Swing, 13" Turning Diameter, 21" Machining Length, Spindle Speeds to 4,500 RPM, 12 Station Turret, Tailstock, Automatic Tool Presetter, Automatic Parts Catcher, Daewoo Fanuc I Series CNC Control, with SMW Barfeed, sn:PM241226, mfg ...[more]
-

- 31 Samsung SL 35BMC/1500 CNC Turning Center with Milling, 15" 3-Jaw Hydraulic Chuck, 23" Swing, 16" Turning Diameter, 60" Machining Length, Main Spindle Speeds to 2,500 RPM, 12 Position Turret with Milling Speeds to 4,500 RPM, Programmable Tailstock, Tool Presetter, Chip Conveyor, Fanuc OITD Contr ...[more]
-
- 32 Mazak Nexus HCN 5000 II CNC Horizontal Machining Center with (2) 19" x 19" Pallets, CAT40 Spindle Speeds to 15,000 RPM, 28.74" X-Axis Travel, 28.74" Y-Axis, 29.3" Z-Axis, 0.001 Degree B-Axis Positioning, 60 ATC, High Pressure Coolant System, Chip Conveyor, Mazak Mazatrol Matrix CNC Control, sn ...[more]
-
- 33 Mazak Nexus QTN 250II-M CNC Turning Center with Milling, Collet Chuck, 26" Swing, 14" Turning Diameter, 19" Machining Length, Spindle Speeds to 4,000 RPM, 12 Position Turret with Milling Speeds to 4,500 RPM, Programmable Tailstock, High Pressure Coolant, Automatic Parts Catcher, Chip Conveyor, M ...[more]
-
- 34 DMG Mori DMF 260II Linear CNC 5-Axis Vertical Machining Center with HSK 100A Spindle Speeds to 10,000 RPM, 126" x 43" Table with Integrated 41.3" Diameter Rotary Table, 0.001 Degrees Rotation (C-Axis) and +/- 100 Degrees Tilt (B-Axis), 102.36" X-Axis Travel, 43.3" Y-Axis, 35.43" Z-Axis, 120 P ...[more]
-
- 35 Mazak VCU-400 5X CNC 5 Axis Vertical Machining Center with CT40 Taper Spindle Speeds to 12,000 RPM, 15.74" Diameter Rotary Trunnion Table, 0.001 Deg. (C-Axis) Table Tilts +95 -45 Degrees (B-Axis), 19" X-Axis Travel, 15.75" Y-Axis, 20" Z-Axis, 30 Position ATC, Thru-Spindle Coolant, Mazatrol Matr ...[more]
-
- 36 Weiler Model E110/3000 10.2" Bore CNC Flatbed Lathe with 43" Swing x 123" Machining Length, 39" Chuck with 10.2" Bore, 700 RPM, 60 HP, C-Axis & rotary Tool Milling Attachment with 2000 RPM, 22,000 lb Capacity Turning Between Centers, sn:197, mfg.2005
**located - Edmonton, Canada
-