

# Auction Industries



Surplus Assets Packaging and Process Equipment

Packaging and Process Equipment

105 Evans Row  
Cheraw  
South Carolina  
29520  
United States

Ended Nov 16, 2017 2:36pm EST (7:36pm GMT)

Lot	Description
1	38mm Metal Lug Twist Cap, Stainless Steel Chain, Touch Screen, Stainless Steel Frame, PLC Controlled, Stainless Steel Hopper Included Asset Number: 223 Serial Number: 183B Dimensions: 9ft Long x 4ft Wide x 8ft High Speed: 700BPM Electricity: 460v 60hz 3ph
2	Stainless Steel Package Asset Number: 225 Serial Number: 102 Dimensions: 9 ft 6 in long x 7 ft 1 in wide x 7 ft 10 in high Electricity: 480 V 60 Hz 3 Ph
3	Allen Bradley SLC 5/03 PLC. Quick Panel Touch Screen. Extended Lid 58 Hopper. Rate of Production: Up to 28 c.p.m, Size Capacity: Length 10in Min - 24in Max, Width 10in Min - 18in Max. Depth 8in Min - 14in Max, Air usage per cycle in SCFM 1.209 Asset Number: 267 Year: 1998 Serial Number: 901 ...[more]
4	Includes Stand Asset Number: 346 Serial Number: 0400 Dimensions: 3 ft L x 3 ft W x 4 ft H Speed: 150 PP Electricity: 120v 60hz 3ph
5	Mild Steel Construction with Stainless Steel Manifold Piping, Max Pressure 65PSI, Max Temperature 130°F, National Board Number 1780, Includes Valve Clusters and Great Lakes Digital Display and Bray Double Acting Sensors, Clean and Painted, 2 Available Asset Number: 505 Serial Number: LS-400 ...[more]
6	Change Parts for 12oz, 500ml, 20oz, Allen Bradley SLC 5/03 PLC, Cut and Stack Labeler with Pressure Sensitive Neck Asset Number: 527 Serial Number: 019-377 Dimensions: 10 ft L x 8 ft W x 7 ft H Speed: 600 BPM Electricity: 460v 60hz 3ph
7	Canmatic Style with a Solomatic Aggregate (never used), Allen Bradley SLC 5/02 PLC Controls. Has Auto Lube System, Kronen Label Inspection System, Infeed Conveyor and Discharge Conveyors, Multiple Change Parts from Glass: 300ml, 12oz, 23oz, 1Liter to PET 1.25L and 18oz. Asset Number: 529 Ser ...[more]
8	Last Ran 202/211 Cans Asset Number: 590 Dimensions: 10ft Long x 8ft Wide x 7ft High Speed 1300 CP Electricity: 460v 60hz 3ph Shipping Weight: 10000
9	Double Pre Evac Monoblock Filler/Capper last setup for soft drinks, Will also fill PET Water Bottles with proper change parts, Neck Support Features, Capper setup for 28mm PTOC and 1881, Stainless Steel Shrouding, Allen Bradley PLC with Panelview 1000 Operator Touch Screen, Stainless Steel Cons ...[more]
10	Maltese Cam for Rectangular Bottles or Cans, Allen Bradley PLC Controlled, Nordson Pro Blue 10, Nordson Eclipse Pattern Control, Asset Number: 1023 Serial Number: 73-F17 Dimensions: 12 ft long x 9 ft wide x 8 ft high Speed: Last Ran 64ox-225 BPM (Line Max); 275 BPM (Machine Max) Electricity ...[more]
11	Rotary Can Filler last running carbonated soft drinks at 1300 cans/minute on 12oz. cans, Removed 2011 from production, Last ran with Angelus 121L Seamer, sits on mild steel base, includes transfer conveyor and spare parts Asset Number: 1035 Serial Number: CF 92-181 Dimensions: 133 in W x 13 ...[more]

- 12 Applies Roll Fed Label with Hot Glue to Round Bottles, 810mm Diameter Carousel, 18 Bottle Plates, 2 Cutters, Container Diameters from 55mm to 115mm, Label Lengths from 180mm to 375mm, Currently setup for 32oz. or 1L PET, Programmable Formatting for Labels and Positioning, Servo Drives with Alle ...[more]
- 
- 13 Nordson 3400V Glue Unit, Setup for .5L, 20oz, 24oz PET Bottles, Adjustable label basket with Continuous Loading for zero down time, 57-110mm min/max container diameter, Label Height 25-235mm min/max, Label Length 190-430mm min/maxAsset Number: 1137Serial Number: E62-97094Dimensions: 10 f ...[more]
- 
- 14 Includes On- Board Glue Pod, Set-Up with 11 oz. Change Parts, Label Check System, Left to Right MachineAsset Number: 1233Serial Number: 745-165Dimensions: 7 ft 6 in Long x 6 ft 8 in Wide x 7 ft 6 in HighSpeed: 300 BPMElectricity: 460v 60hz 3phShipping Weight: 2500
- 
- 15 Includes Casters, Runs RSC CasesAsset Number: 1261Serial Number: 72574Dimensions: 4ft Long x 4ft Wide x 4ft HighSpeed: 20-25 CPMElectricity: 120v 60hz 3phShipping Weight: 500
- 
- 16 Hankison Model HPR10-115 Air Dryer: 10 SCFM @ 100PSIG & 100°F 17.2 m, Includes Controls and (2) 5HP PumpsAsset Number: 1283Serial Number: QDU507 0441655Dimensions: 15ft Long x 6ft Wide x 8ft HighSpeed: 15 GPM @ 30PSIElectricity: 460v 60hz 3ph 4.7aShipping Weight: 2500
- 
- 17 5 SCFM @ 65 PSIAAsset Number: 1292Serial Number: 002016-A1Dimensions: 10ft Long x 5ft Wide x 3ft HighSpeed: 5 SCFMElectricity: 480v 60hz 3phShipping Weight: 1000
- 
- 18 New Never Used, 2 Available, Capacitive Level MeasurementAsset Number: 1319Serial Number: D6008B150F0Dimensions: 5ft HighShipping Weight: 25
- 
- 19 Dual Nordson Pro Blue Glue System with Touchscreen Controls, Allen Bradley SLC 5/03 PLC, Full Guarding, Full Wraparound Hot Melt Glue,Asset Number: 1324Serial Number: 073-R30Dimensions: 10ft Long x 8ft Wide x 7ft HighSpeed: .5l @ 400 BPMElectricity: 460v 60hz 3phShipping Weight: 40 ...[more]
- 
- 20 36 Plate Series 60 Chiller Tank, 48 Plate Series 60 Carbonating Tank, M Flo Mix, Hot CIP Capable, Gravity Ammonia System, Tubular BaseAsset Number: 1325Serial Number: 9858Dimensions: 12ft Long x 7ft Wide x 8ft HighSpeed: 5000 GPH MaxElectricity: 460v 60hz 3phShipping Weight: 5000 ...[more]
- 
- 21 Rebuilt 2007, Setup for Glass. Perfect for Soft Drink or BeerAsset Number: 1326Serial Number: D-45-6-UB-75Dimensions: 10ft Long x 8ft Wide x 7ft HighSpeed: 400 BPMElectricity: 460v 60hz 3phShipping Weight: 5500
- 
- 22 With Dual Drives, Aprox. 18 inch W Belt x 8 foot L, Allen Bradley MicroLogix 1500 PLC Controls, Allen Bradley and 300 Micro Display and (2) ABB VFD'sAsset Number: 1361Serial Number: 2003225010092Dimensions: 10ft Long x 3ft Wide x 5ft HighSpeed: 30CPMElectricity: 230-460v 60hz 3phSh ...[more]
- 
- 23 With Dekka Sentry 4 Tape Head, Flap Folding Station, Allen Bradley MicroLogix 1500 PLC, Allen Bradley PanelView 300 Micro Display, Eco Drives, (2) VFD's, 460 V, 3 Phase, Plexiglass Enclosure, Max Case Size 26in Long x 26in Wide x 19in High Min Case Size 12in Long x 8in Wide x 3in High,Asset ...[more]
- 
- 24 Allen Bradley SLC 5/03 PLC, Last Ran .5L PET @ 350 BPM, Full Guarding, Full Wraparound Hot Melt Glue, Dual Nordson Pro Blue Glue Units with Allen Bradley Panel View 1000Asset Number: 1389Serial Number: 073-R29Dimensions: 10ft Long x 8ft Wide x 7ft HighSpeed: .5L PET @ 300-350 BPMElec ...[more]
- 
- 25 Automatic Wraps Bottles/Cans with Clear or Print Registered Film, No Trays or Pads, Uses FILM ONLY, Includes Infeed Spacing Conveyor, Wrapper, Heat Tunnel, Discharge Conveyor, Allen Bradley PLC, Currently setup for 6 packs but able to run other packagesAsset Number: 1391Serial Number: 2178 ...[more]
-

- 26 Seals Random Case Automatically, Allen Bradley SLC 5/03 PLC Controlled ,RSC, CSSC, Split Minor Tray, Bliss Cases, 4.68 kVA  
Pneumatic: 0.82 SCF/Cycle @ 80 PSI (0.023 m3/cycle @ 551.2 KPa) Shipping Weight: 5200 lbs (2363kg)Asset Number: 1392Serial  
Number: 2003-04751068Dimensions: 15ft Long ...[more]
- 
- 27 overfill and underfill check with foam compensation, closure detection, residual air detection, leakage check, bottle burst management,  
label check, serial fault detection which emits a switch-off pulse, continuous monitoring of the filler valves and the closer heads,  
automatic sampling, reliab ...[more]
- 
- 28 Aries Packaging Over Wrapper (Sleeve) Model 602. Taking bundles of drinkable yogurt bottles and overwrapping a cardboard sleeve.  
Allen Bradley panelview 1000 operators station. Nordson Vista gluerAsset Number: 1438Serial Number: 41Dimensions: 260in L x 64in  
W x 94in HElectricity: 240 ...[more]
- 
- 29 Laurent Bottle Unscrambler With Bulk Hopper And Discharge •Sorter: •Number of feeding plates: 39, bars pitch: 209.55, length:1604mm  
•Right direction •Max speed: 625 units/minute bottles 207 ml. •Hopper: •Max speed: 1200/units/min •Number of feeding cap lates: none,  
2X Uni Light belt wide 382, p ...[more]
- 
- 30 I&H Bottle Air Lowerator Cleaner Complete with Nercon 5-Lane Table Infeed Conveyor, Single Lane Discharge Conveyor, Stainless  
Steel Elevated Operator Platform with Stainless Steel Access StairwayAsset Number: 1475
- 
- 31 Single Head CapperAsset Number: 1480Serial Number: J216Dimensions: 6'H x 4' 1"W x 4' 1"LElectricity: 63Hz, 3Phase
- 
- 32 Dual Chamber System, Last Ran 16oz and 32oz @ 650 BPM, 54 Pockets (28 per chamber) with Ptrans-Flex Conveyor, Machine  
Operation is to the Left, 300ft of Gebo Air Conveyor with control panel and incline hopper transfer from air conveyor to silo available,  
Excellent ConditionAsset Number: 1490 ...[more]
- 
- 33 POSISILO, with its patented pressure-less output system, is such an innovative and meticulously designed silo concept for plastic  
bottles that even the most delicate containers do not get damaged or deformed. Stainless steel exit ramps + stainless steel wallsAsset  
Number: 1491Electricity: ...[more]
- 
- 34 Includes (9) Blowers (7) 90° Curves (3) 45° Curves (1) 180° Curve, Setup for 28 and 38mm, Auto Adjustable, Last Ran with a Slidel SBO  
20 and Posimat UnscramblerAsset Number: 1493Dimensions: 500ftElectricity: 220v 60hz 3ph
- 
- 35 Currently Setup for 16oz and 32oz PET 12/24 Packs, Allen Bradley SLC 5/05 PLC Controlled, AB PanelView 1000 Touchscreen,  
Nordson 3500V Glue Unit, Includes extended tray magazine and Metering In-feed Screws for High Speed Packaging,Asset Number:  
1499Serial Number: M4814Dimensions: 30ft Lo ...[more]
- 
- 36 Arol Cap Sorter is Brand New (never used), Last Setup for 28mm CapsAsset Number: 1505Dimensions: 3ft Diameter x 1ft  
HighElectricity: 230-460V 60HZ 3PH
- 
- 37 Strips the ends off wire and crimps on a terminal, (2) crimp presses w/ Eurodrive motorsAsset Number: 1506Serial Number: 51243-  
003Dimensions: 8ft Long x 3ft Wide x 4ft HighElectricity: 230-460V 60HZ 3PHShipping Weight: 2500
- 
- 38 Allen Bradley PLC Controlled, 56 Plate Series 60 Carbonating Tank, Gravity Ammonia System, M Flow Mix, Hot CIP Capable, Updated  
DSI Controls, Mild Steel Tubular FrameAsset Number: 1522Serial Number: 9439Dimensions: 20ft Long x 8ft Wide x 7ft HighSpeed:  
6000 GPHElectricity: 220/460v 6 ...[more]
- 
- 39 Pulsar EX CO2 Quality Assurance System, provides real-time information on contaminant levels in carbon dioxide. With the Pulsar EX,  
you can detect contamination before it reaches the final product, The analyzers in the Pulsar EX use one of two measurement methods,  
Pulsed Ultraviolet Fluorescenc ...[more]
-

- 40 Mild Steel Frame, 3 to 1 switch Asset Number: 1526 Serial Number: DK62357-ADimensions: 8ft Long x 6ft Wide x 1ft High Electricity: 220 Volts, 3PH, 60HZ Shipping Weight: 1500
- 
- 41 Stainless Steel Frame, Bi-directional Center Drive Intralox Plastic Belt, Includes Rails and Legs, discharge conveyor available at additional cost. Asset Number: 1530 Dimensions: 30' L x 10' W x 5'2" H Electricity: 120v AC/Dc
- 
- 42 Klippenstein High Level Adjustable Tape Case Sealer Model SK600TH, Taped Two Fridge Packs Together to send to a palletizer, Year 2005, serial number 2505, dimensions 10ft Long x 3ft Wide x 5ft High, Speed 25-30 CPM, Electricity 240v 60hz 3ph Asset Number: 1541 Serial Number: 12505 Dimensions ...[more]
- 
- 43 Last Setup Glueing (2) 12 Pack Fridge Packs Together, Allen Bradley Compact Logix C31 PLC Controlled, Pneumatic: 3.0 SCFM @ 80 PSI (0.085 m3/minute @ 551.2 KPa), Nordson Pro Blue Glue Unit, AB Panelview 600 Asset Number: 1542 Serial Number: 2005224010761 Dimensions: 15 fg L x 6 ft W x 6 ft ...[more]
- 
- 44 Oi Contour Applicator Carrier Supply Chute Support-Adjustable Carrier Supply Chute Holds Approx. 500 Carriers Vac. Pump Rebuilt 1999. Stainless steel. 11'11 long x 4'6 wide x 7ft high. Holds 240 volts 60 hz 480 amps Asset Number: 1543 Serial Number: 104-235 Dimensions: 11ft 11in Long x 4ft ...[more]
- 
- 45 Grasso Compressor. 9'2 High x 5'6 Wide x 5'9 High. 460/575 volts 200 HP Asset Number: 1544 Serial Number: 7411-6179 Dimensions: 9'2 L x 5'6 W x 5'9 H Electricity: 460/575v 200hp
- 
- 46 Alliance Pallet Feeder/Stacker, Stainless Steel. 10'9 Long x 4'8 Wide x 8'1 High. Holds 240 volts 60 hz 480 amps. Type: 4x, 12 k CAT NO: HBLDS3 Asset Number: 148 Serial Number: 29460 Dimensions: 10'9 L x 4'8 W x 8'1 H Electricity: 600v 30amps
- 
- 47 Baltimor Aircoil Company Cooling tower. Has matching chiller if needed. 8'9 High x 5'2 Wide x 19'2 Long. Actual cooling pump runs 480 volts 5 kw and 3 PH. Fan runs 230/460 volts 60 Hz 15.0 HP 3 PH 1745 RPM and 40.0/20.0 FL Amps. Asset Number: 1551 Serial Number: 95200491 Dimensions: 19ft 2i ...[more]
- 
- 48 Includes Control panel GFLO Mix, 22 Plate series 60 system tank, 48 plate series 60 carbonating tank, GP 48 plate carbonating plate, injection ammonia systems. Asset Number: 1552 Serial Number: 7534 Dimensions: 1ft 8in Long x 8ft 4in Wide x 7ft 10in High Speed: 4000 GP H Electricity: 240v ...[more]
- 
- 49 Hytrol Case Conveyor. 15 inch wide conveyor, 34ft all together with curve. Curve with a drive 10ft. 3/4 HP 1725 RPM 208-230 Volts 208-3.0 AMPS 60 Hz. Asset Number: 1555 Serial Number: 255683 Dimensions: 44ft L x 15in W Electricity: 208-230v 60hz 2.8-3.0 amps
- 
- 50 Stainless Steel Frame, Includes Control Panel, Adjustable from 1in to 6in Diameter Glass or PET Bottles Asset Number: 1556 Serial Number: 41504-92 Dimensions: 20ft Long x 4ft Wide x 5ft High Speed: 300 BP M Electricity: 230v 60hz 3ph
- 
- 51 High resolution, clear codes, 21 CFR Part 11 compliant, Simple user interface with user definable, security levels, Dual printhead capability, print RSS/ Composite bar codes and 2D symbols, Font Sizes: Scalable from 0.01" to 5.0" (0.025 cm to 12.7 cm), based on lens option, Mixed font capabilit ...[more]
- 
- 52 R22 Refrigerant Asset Number: 2030 Serial Number: 232108 Dimensions: 6ft Long x 3ft Wide x 6ft High Speed: 400 CF M Electricity: 460v 60hz 3ph 14.4 amps Shipping Weight: 1500
- 
- 53 ASP Series, Previously Ran 34.4 MM @ 550 CPM Asset Number: 2031 Serial Number: P2616 Speed: 550 CP M Electricity: 240 V, 3 PH, 40 HZ
- 
- 54 Stainless Steel Frame, Allen Bradley PLC Controlled, Touch Screen, Servo Driven, Last Setup for 24 Pack 12oz Glass x 2, Capable of up to 50 CPM when packing two cases at a time Asset Number: 2032 Serial Number: 949-118 Dimensions: 19ft Long x 4ft Wide x 7ft High Speed: 50 CP M Electricity: ...[more]

55	2 AvailableAsset Number: 2055Serial Number: 393263-05
56	Waukesha Positive Displacement Pump w/ 2-1/2" Clamp Type S/S Head (NOTE: Missing Impellers and Cover Assembly Plate)Asset Number: 2056Serial Number: 1209251-97
57	Complete w/ Allen Bradley SLC 5/04 CPU Allen Bradley Panelview 1000 Touch Screen ControllerAsset Number: 2058Dimensions: 86in H x 19in W x 127in L
58	Cermex Single Door Control Cabinet Complete w/ Allen Bradley SLC 5/04 CPUAsset Number: 2059Dimensions: 75in H x 19in W x 36in L
59	2003 Moorfeed 30" S/S Vibratory Feeder System Includes 30" x 24" S/S Feed Hopper Mounted on Base w/ ControlsAsset Number: 2067Serial Number: 441620Dimensions: 30" S/S Vibratory Feeder System / 30" x 24" S/S Feed HopperElectricity: 250 V, 60 Hz
60	Sperry Vickers 20 HP Hydraulic Pump w/ Oil TankAsset Number: 2079Serial Number: 680870Dimensions: 4ft Long x 3ft Wide x 3ft HighSpeed: 20 HPElectricity: 230/460 60hz 3ph 25a
61	Sentry Pallet Conveyors All S/S Horse Shoe Formation w/ 2 Side Discharge TablesAsset Number: 2085Dimensions: 50 feet long x 4 feet wide x 2 feet highElectricity: 230v 60hz 3ph
62	Siemens S5 PLC Controlled, Touch Screen Slip Sheet Inserter, Pallet Feeder, 40x48 Pallets, Metering Belt, 200ft of 2008 Hytrol Case Conveyor availableAsset Number: 2090Serial Number: 01-K4441112Speed: 60 CPMElectricity: 480v 60hz 3phShipping Weight: 10000
63	96 Computer Controlled Filling Valves with Probe Sensor Integration, 24 Head Series 7000 Alcoa Cap in Head Capper with Chucks for 33mm, 38mm, 43mm White Cap, 43mm Wing Nut and 48mm, Stainless Steel Package, Heat Retention for Hot Fill Capability, Burst Bottle Control, Includes Primary Flow Tank ...[more]
64	Includes Control Panel with Allen Bradley 5/30 PLC, Change Parts for 10oz 12 oz and 16oz Round Bottles, Upgraded in 2005 with new glue parts, label baskets and change parts, Right to Left In-feed, Last Ran 800 BPM with KHS Innofil 96/24 Hot Fill Juice Filler CapperAsset Number: 2143Serial ...[more]
65	Allen Bradley SLC 5/04 PLC with AB PanelView 600, Setup for .5L and 20oz PET Bottles,Asset Number: 2144Serial Number: 745-170 & 745-171Speed: 300 BPMElectricity: 460V 3PH 60HZShipping Weight: 10000
66	Stainless Steel Cabinet, Membrane Touch Pane, Includes Stand, Self-Cleaning Ink System, Flexible Applications Up to 4 lines in a variety of print formatsAsset Number: 2152Dimensions: 9.6" x 18.7" x 28.5"Speed: 4 LinesElectricity: 120v 60hz 1phShipping Weight: 100
67	*Parts Only*Asset Number: 2174Serial Number: M-104044Dimensions: 251 in L x 96 in W x 96 in HElectricity: 240v 60hz 3phShipping Weight: 2500
68	Includes Allen Bradley Control Logix PLC, AB Kinect Servos, AB Panelview 1250, Lane Diverter/Combiner: Series 47; Type 270. Rotary Placer for Sleeve. Wrap Around Station. Hot Melt Glue Nordson Pro Blue 7. This Applied the Overwrap/Sleeve to 4-6-8-12 Packs of Yogurt. Product Flow: Right to Left ...[more]
69	Lane Diverter/Combiner: Series 47; Type 270 Rotary Placer for Sleeve Wrap Around Station Hot Melt Glue Nordson Pro Blue 7 This Applied the Overwrap/Sleeve to 4-6-8-12 Packs of Yogurt Product Flow: Left to Right Type: 602 Series 134Asset Number: 2176Serial Number: 134Dimensions: 414in L x ...[more]

70	*Parts Only*Asset Number: 2177Serial Number: M-104045Dimensions: 251in L x 96in W x 96in HElectricity: 240v 60hz 3phShipping Weight: 2500
71	No Plates Frame Only 4 Inch Outlets Plate Size Approximately 63 x 17 Inches WideAsset Number: 2186Serial Number: 26920Dimensions: 114in L x 56in W x 93in H
72	Approximately 13 GEW Tuchenhausen Valves Type: XW-0D"-SZ-TM1. P2AAY-DD-L0-12N/52 Serial Numbers: 1249225/0030 and 1239642/0040 2 Promag 50 Flow Controllers Stainless SteelAsset Number: 2188Dimensions: 96in L x 43in W x 72in HShipping Weight: 1500
73	Stainless Steel Frame, Allen Bradley 5/04 PLC Controlled, AB Panel View 600Asset Number: 2202Serial Number: W64885SEDimensions: 16ft L x 7ft W x 11.5ft H (ships 8ft high x 32ft Long)Speed: 600 BPMElectricity: 460V 3PH 60HZ
74	includes Accurate Flow Meter, Set-Up to Run 1/2 Gal. (LBA Filler) and Liquid Box S/S Filler Control Panel including Ohaus Digital Scale, MasterFlex Vitamin Pump and Eaton Dynamic AF1500 VFD (LBA Filler HM1)Asset Number: 2203Serial Number: PC-01Electricity: 230-460V 60HZ 3PH
75	Allen Bradley Micrologix PLC Controlled, AB Panel View 600 Touch Screen, Triple Head Design, Stainless Steel Frame, Skidded and Ready for ShipmentAsset Number: 2205Serial Number: TPA-2001Dimensions: 8ft L x 3ft W x 4ft HElectricity: 230-460V 60HZ 3PH
76	Includes Hartness Arol Tri-Block Rinser Filler Capper currently setup for 750ml and 1L bottles with 28mm ROPP Caps, Tri-Block System 21-60-12Asset Number: 2206Serial Number: W8100003Speed: 240 BPMElectricity: 230-460V 60HZ 3PH
77	Stainless Steel Frame, CEREBUS IV: versatile strain gauge load cell, Up to 25 Stored Programs, Touch Screen InterfaceAsset Number: 2207Serial Number: 980087Dimensions: 4ft L x 2ft W x 4ft H
78	Allen Bradley Panel View 1000 Touch Screen, Allen Bradley SLC 5/05 PLC Controlled,Asset Number: 2208Serial Number: 128-1890Dimensions: 15ft L x 6ft W x 8ft HSpeed: 30-35 CPMElectricity: 460V 3PH 60HZ
79	Includes 20ft of Pallet Conveyor, Allen Bradley SLC 5/04 PLC ControlledAsset Number: 2216Serial Number: 51016-RSpeed: Up to 100 Loads per HourElectricity: 460v 60HZ 3PHShipping Weight: 5000
80	Last Setup for 16oz 24 Pack Cans, "Soft Catch System", Stainless Steel FrameAsset Number: 2217Serial Number: 8240-8653Dimensions: 16ft L x 3ft W x 6ft HSpeed: 35-40 CPMElectricity: 460V 60HZ 3PHShipping Weight: 5000
81	High Speed Floor Level Wrapper, Includes Control PanelAsset Number: 2218Serial Number: 7097632Dimensions: 9ft High x 8ft DiameterSpeed: 30-40 Loads per HourElectricity: 115v 60v 1ph, 15 ampsShipping Weight: 1500
82	Auto Pallet Index Feeder, Auto Take Off Conveyor Feed, Allen Bradley PLC Controlled, Includes 20ft of Pallet ConveyorAsset Number: 2221Serial Number: 22-0441-014Dimensions: 25ft L x 8ft W x 10ft HSpeed: 35-40 CPMElectricity: 460V 60HZ 3PH 35AShipping Weight: 12000
83	(2) Kronen Checkmate Fill Checkers, (1) Cap Checker, (1) Fill Level CheckerAsset Number: 2223Speed: 700 BPMElectricity: 230-460V 60HZ 3PH
84	Allen Bradley SLC 5/01 PLC, 35 loads per hour, Maximum Load Size: 56in Long x 44in Wide x 110in High, 460V 60HZ 3PH 15A, Power Roller-Stretch® Plus Film Delivery System 250% Stretch, 20in Film SizeAsset Number: 2225Serial Number: SC001031Dimensions: 19ft L x 12ft W x 11.5ft H (Erected wi ...[more]

85	Including Pallet Dispenser, Allen Bradley SLC 5/03 CPU, PanelView 550 Display, Infeed/Outfeed Conveyor Asset Number: 2227 Dimensions: 25ft L x 8ft W x 10ft H Speed: 20-25 CPM Electricity: 460V 3PH 60HZ Shipping Weight: 9500
86	CP6502 Panel PC display and control system, 2 Available Asset Number: 2231 Serial Number: 0244324 Dimensions: 2ft L x 2ft W x 5ft H Electricity: 120v 60hz 1ph
87	Max Operating Pressure 100, R22 Refrigerant, Temp 48-70 Asset Number: 2232 Serial Number: 78633 Dimensions: 6ft L x 4ft W x 4ft H Electricity: 460v 60hz 3ph 11amp 30 Hp motor with pump Shipping Weight: 1500
89	2 Zones, Stainless Steel Asset Number: 2245 Serial Number: T0863 Dimensions: 6ft L x 2ft W x 6ft H Electricity: 240V 3PH 60HZ 53AMPS
90	Includes Small Compressor Asset Number: 2246
91	Stainless Steel Frame, Last Ran .5L 20oz 24oz 12 and 24 Pack, 3.5ft Bottle Infeed Height, 1.5ft Case Infeed Height Asset Number: 2248 Dimensions: 15ft L x 5ft W x 6ft H Speed: 15-20 CPM Electricity: 460v 60hz 3ph Shipping Weight: 4000
92	Stainless Steel Frame, Includes Portable Rack Asset Number: 2249 Serial Number: 93-270-008 Dimensions: 6ft L x 2ft W x 4ft H
93	Setup for 5 Gallon Bag in Box, Speed up to 20 CPM, 440V 60HZ 3PH Asset Number: 2251 Serial Number: CE97G960 Dimensions: 8ft L x 5ft W x 5ft H Speed: 10-15 CPM Electricity: 460v 60hz 3ph
94	Stainless Steel Frame, Automatic Height Adjustment Asset Number: 2256 Serial Number: 9213 Dimensions: 5ft L x 2ft W x 4ft H
95	Stainless Steel Frame, Includes Waukesha Model 30 PD Pump, Model MM Flow Mix, (2) 2in Mass Flow Meters, Ammonia Injection System, Hot CIP Capable Asset Number: 2260 Serial Number: 10613MM Dimensions: 15ft L x 8ft W x 9ft H Speed: 8000 GPM Electricity: 460v 60hz 3ph
96	Adjustable Case Sealer, 115V 60HZ 1PH 3.8 amps Asset Number: 2266
97	3ft Diameter x 7ft High Asset Number: 2268
98	Setup for 50ml Bottles, 18 Station, Label Unwind Station, Allen Bradley SLC 5/04 PLC Asset Number: 2270 Serial Number: 747-167 Dimensions: 10ft L x 6ft W x 6ft H Speed: 300 BPM Electricity: 460v 60hz 3ph Shipping Weight: 5000
99	2,000,000 Input BTU/HR 1,600,000 Output BTU/HR, 30psi Working Pressure, Setup for Natural Gas Asset Number: 2271 Serial Number: 93-920-CD Dimensions: 6ft L x 3ft W x 5ft W Speed: 1,600,000 BTU/H Electricity: 230/460v 60hz 3ph Shipping Weight: 2500
100	BTU: 1,800,000 Nat Gas Parts/Service: debbie@tsmboilers.com Factory: 817.281.0602 Asset Number: 2273 Serial Number: 07-1333W Dimensions: 7ft L x 4ft W x 6ft H Speed: BTU: 1,800,000 Nat Gas Electricity: 230-460V 60HZ 3PH
101	BTU: 1,800,000 Nat Gas Parts/Service: debbie@tsmboilers.com Factory: 817.281.0602 Asset Number: 2274 Serial Number: 05-1305W Dimensions: 7ft L x 4ft W x 6ft H Speed: BTU: 1,800,000 Nat Gas Electricity: 230-460V 60HZ 3PH
102	Features 7.5hp Motor Asset Number: 2289 Serial Number: 19453 S Electricity: 230/460v 60hz
103	Atlas Copco Air Compressor, Air cooled, Max final pressure (e) bar 7.5, Free air delivery l/s 40.4, Motor power kW 15, Max speed r/min 1500, 20 HP Asset Number: 2294 Serial Number: 777132 Dimensions: 5ft L x 3ft W x 4ft H

104	Atlas Copco Air Compressor, Air cooled, Max final pressure (e) bar 7.5, Free air delivery l/s 36.8, Motor power kW 15, Max speed r/min 1500, 20 HPAsset Number: 2295Serial Number: 769995Dimensions: 5ft L x 3ft W x 4ft H
105	Complete Spirit Rinsing Filling and Capping Line (Running Glass) Running 0.2L Flasks, 0.75 Round Bottles 1L and 1.75L at Speeds Between 300BPM and 216 BPM depending on Bottle Sizes Cap Sizes 36x52 Ropp, Prima 36 and 30x44mm Caps Plus the Flame Arrest Insert This Line Includes the following Item ...[more]
106	CP6502 Panel PC display and control system, 2 AvailableAsset Number: 2302Serial Number: 022475Dimensions: 2ft L x 2ft W x 5ft HElectricity: 120v 60hz 1ph
107	4 Draw system, CE Rated, 128 VAC Capacity, Type: 78922, Part Number: 700137 Rev. NAsset Number: 2315Serial Number: 128-305Dimensions: 29" L x 24" W x 16.5" HElectricity: 100-250 Volts 50-60Hz
108	Vacuum Conveyor, Stainless Steel Frame, Down Bottle PanAsset Number: 2316Serial Number: M3048Dimensions: 25ft L x 6ft W x 4ft HSpeed: 800+ BPMElectricity: 230/460 60hz 3ph
109	Stainless Steel Frame, Setup for CrownsAsset Number: 2320Serial Number: C04-36-0001Dimensions: 9ft H x 4ft W x 4ft LElectricity: 480v 50hz 3ph 13.1a
110	66-valve Filler With 11-head Capper, Setup for 20oz 28mm caps, H&K Delta 600-66-11 66-valve Filler With 11-head Capper. Capper New Main Bushing On Main Spindle, New Gear Box. Filler New Bull Gear. S/N-VF66-84-71Asset Number: 2323Serial Number: VF66-84-71Dimensions: 10ft L x 8ft W x 7 ...[more]
111	Stainless Steel FrameAsset Number: 2325Dimensions: 25ft L x 6ft W x 4ft HSpeed: 800 BPMElectricity: 460V 3PH 60HZ
113	Sentry Depalletizer Discharge Conveyor W/dust Off Suction. With NY Blower 100-153 AVF Year of Mfg. 2005Asset Number: 2330Dimensions: 5-1/2ft L x 5ft W x 7-1/2ft HSpeed: 800 CPMElectricity: 460V 3PH 60HZ
114	Electric, Dual RollerAsset Number: 2331
115	Alliance 8' x 30' Stainless Steel Accumulation Table, Center DriveAsset Number: 2337Dimensions: 30ft L x 8ft W x 4ft HElectricity: 460V 3PH 60HZ
116	GEA/Tuchenhagen Liquid Mixproof 87-Total-Valves Matrix Distribution Assembly, With 1-Total Allen-Bradley/Siemens Control Panel Cabinet, Valve Assembly In 2 Sections: 1@49-Valves Set Section 9'Lx6'W ; 1@38-Valves Set Section 5'Lx6'WAsset Number: 2341
117	Ingersoll Rand Centac-1CV14M2 400-hp Centrifugal Air Compressor [s/n-M99-10371 ; Year 1999. Design: CFM 1852 ; PSIA 14.2 ; PSIG 115 ; RPM 3575. With Siemens 400-hp Induction MotorAsset Number: 2344Serial Number: M99-10371Speed: 400HP 1852 CFMElectricity: 460V 3PH 60HZ
118	Ingersoll Rand Centac-C15M2 400-hp Centrifugal Air Compressor [s/n-M93-7128 ; Year 1993. Design: CFM 1574 ; PSIA 14.1 ; PSIG 125 ; RPM 3565. With Siemens 400-hp InductionAsset Number: 2346Serial Number: M93-7128Speed: 1574 CPM 400HP
119	Zeks Heatsink/1600HSEA400 1600-CFM Air Dryer, s/n-222965-303Asset Number: 2347Serial Number: 222965-303Speed: 1600 CFM
120	Richmond Engineering 100-1 400-Gallon Air Receiver Tank [s/n-K-41659. 96"Strightside x 36"Diameter]Asset Number: 2348Serial Number: K-41659



122	Vilter A12K458XLB(450XL) 150-hp 8-Cylinder Ammonia Compressor. s/n-48010Asset Number: 2358Serial Number: 48010Speed: 150HPElectricity: 460V 3PH 60HZ
123	Vilter A446 100-hp 6-Cylinder Ammonia Compressor. s/n 14283 A RAsset Number: 2356Serial Number: 14283 A RSpeed: 100HPElectricity: 460V 3PH 60HZ
124	Evapco PMCA-1170, 830-Ton Evaporative Condenser, s/n-943064Asset Number: 2359Serial Number: 943064Speed: 830 TonElectricity: 460V 3PH 60HZ
125	Phillips Refrigeration Ammonia Accumulator Tank (Ammonia Suction Trap) (Tank: 12' Straightside x 6'Diameter ; 250 PSI), s/n-S 0406481-01. Also Includes Vilter/Baldor 7.5hp Ammonia Liquid Pump, 2500 GallonsAsset Number: 2367Serial Number: S 0406481-01Dimensios: 12' Straightside x 6' Diame ...[more]
126	BAC FXV-432 73-Ton Closed Circuit Cooling Tower, s/n-U071770401Asset Number: 2368Serial Number: U071770401Speed: 73 TonElectricity: 460V 3PH 60HZ
127	Setup for 750ml glass with ROPP 30 x 60 mm Long Skirt Cap, Includes Cap Sorter and ElevatorAsset Number: 2369Dimensions: 5ft L x 4ft W x 8ft HSpeed: 350+ BPMElectricity: 460V 3PH 60HZ
128	Signode Table-Tyer (5)Available- Changeable leg height, Strapping size 1/4" - 1/2" - 3 ft L x 2 ft W x 3 ft HAsset Number: 2370Serial Number: TT-4409Dimensions: 3ft L x 2ft W x 3ft HElectricity: 110v 60hz 1ph 3amp
129	Video Jet Maxum Coder - 4 AvailableVideo Jet Maxum Coder - 4 Available 115 Volts - 2 Amp - 60 Hz - 1PHAsset Number: 2380Serial Number: H97G26013Electricity: 115 Volts - 2 Amp - 60 Hz - 1PH
130	Maxco Case Erector 220 Volts, 3 Ph, with Nordson Glue Unit - Model 2302, S/N AA91K01614 50/60 Hz 200-230 vac 15.8 AmpsAsset Number: 2385Serial Number: L1030Electricity: 220v 3Ph
131	Duall Condesate return pump - Unit Model DSS - U X0353, 1.5 Hp, Voltage 460/3/60, Electrical Control Panel S/N 58944, Motor Voltage 460/60, 3Ph Control Voltage 115/60, 1Ph,1.5HPAsset Number: 2386Serial Number: 58944Electricity: 1.5Hp 460V 60Hz 3 Ph
132	Extended Pallet HeightAsset Number: 2387Serial Number: QM003994Speed: 25-35 loads per hourElectricity: 230-460V 60HZ 3PH
134	LeRoi Air Compressor Package - Includes Air Dryer & Water Cooling System, 100 PSI air compressor with water cooler, 300 Hp Motor and hankison compressor air dryer model, CLD1550, S/N H1657926001-1Asset Number: 2389Serial Number: 4222x141Electricity: 300Hp, 460Volts, 340Amps, 60Hz, 3P ...[more]
135	60 Hz - (3450 Rpm) , 50 Hz - (2875 Rpm)Asset Number: 2390Serial NUmber: C39830919R-1Dimensions: 8ft L x 6" WElectricity: 60Hz-(3450 Rpm) 50Hz-(2875 Rpm)
136	Klippenstein Independent Pallet Stacker (2) Available both Models CSK894, 7-1/2 ft L x 5 ft W x 7 ft HAsset Number: 2395Serial Number: 13809Dimensions: 7-1/2ft L x 5ft W x 7ft HElectricity: 230/460V, 60Hz, 3Ph, 1Hp
137	Klippenstein Independent Pallet Stacker (2) Available both Models CSK894, 7-1/2 ft L x 5 ft W x 7 ftAsset Number: 2396Serial Number: 13709Electricity: 230/460v 60hz
138	Ambec Pallet Stacker - 7 ft L x 5 ft W x 9 1/2 ft H, 3 ft x 3 ft PalletsAsset Number: 2398Electricity: 230/460V 60Hz 3Ph .5Hp

139	Sentry Pallet Stacker, 8 ft L x 4 ft W x 11 ft H, 3 ft x 3 ft PalletsAsset Number: 2399Dimensions: 8ft L x 4ft W x 11ft HElectricity: 230/460v 60hz 3ph .75hp
140	Meyer 52/12 Filler - Alcoa CapperAsset Number: 2400Serial Number: 5275Dimensions: 12ft L x 12ft W x 8ft HElectricity: 460v 60hz 3ph
143	Stewart Systems Case Switch, Model 42A -DO - 157Asset Number: 2406Dimensions: 7ft L x 5ft W x 4ft HElectricity: 1.5Hp 115V 60Hz 1Ph
144	T - Tek Steel Frame, 2 to 1 Case Switch. Overall Dimensions 8 ft L x 6' 4" W x 6 ft H, Inside Dimensions 7 1/2 ft L x 4 ft WAsset Number: 2407Dimensions: 8ft L x 6'4" W x 6ft HElectricity: 1.5Hp 230/460V 60Hz 3Ph
145	10 ft. Long 5-Tier 1 x 1,000.00 1,000.00 Spiral Accumulation Conveyor, Stainless Steel Construction with Plexiglass Panels, Bypass Conveyor and Allen Bradley Panelview 550 Touch Screen ControlsAsset Number: 2409Serial Number: 64-100Dimensions: 16ft L x 7ft W x 11.5ft HSpeed: 600 BPME ...[more]
146	10 ft. Long 5-Tier Spiral Accumulation Conveyor, Stainless Steel Construction with Plexiglass Panels, Bypass Conveyor and Allen Bradley Panelview 550 Touch Screen ControlsAsset Number: 2410Serial Number: 64-101Dimensions: 16ft L x 7ft W x 11.5ft H (Ships 8ft H x 32ft L)Speed: 600 BPM ...[more]
147	Baler Total Height (outside) 147" (92 + 55) (Top 1 Down) Baler Width (outside) 77" Baler Depth (outside) 37" Up to Four Wire Strapping 10HP Motor 208-230v 60hz 3ph 28/13 amps Fill Load 87.5% Excellent ConditionAsset Number: 2411Dimensions: 6ft L x 3ft W x 12ft HSpeed: 500lb. BaleElectr ...[more]
148	Nordson Hot Glue Unit Pro Blue 10 with Stainless Steel StandAsset Number: 2415Serial Number: SA05F19545
150	Aquionics UV Water Treatment System 600 Gal Per Min, Includes Two Control Boxes, Box of Replacement BulbsAsset Number: 2419
151	Intermittent Motion Sealing with total closure wraps for large rectangular or round products ranging up to 32 inches In diameter Speeds up to 25 cycles per minute, Stainless Steel FrameAsset Number: 2422Serial Number: 3121Speed: 25 CPMElectricity: 230-460V 60HZ 3PH
152	Includes Nordson Pro Blue 10 Model 1022234 S/N SA12B82705Asset Number: 2431Serial Number: 0490-1227
153	BEL 252 Pressure Sensitive Case Taper, Adjustable, Speed: 25 cases per minute Quick case size changes Runs various case sizesAsset Number: 2438Serial Number: 252-6113Speed: 25 CPMElectricity: 5 Hp 115-208/230V 60hz
154	Chicago Stainless Equipment 3000 Gal. Horizontal Jacketed TankAsset Number: 2439Serial Number: 1837Dimensions: 7ft dia 15ft L 9-1/2ft H
155	Includes Mojonnier Model K Flo Mix, (2) Divert Panels, Batch Tank with Control Panel, (2) Pump Stations, Fowler 22 Station Tank WasherAsset Number: 2441
157	Mojonnier Deaerator with Tri-Flow 5 Hp Pump, Stainless Steel FrameAsset Number: 2457Dimensions: 8ft H x 4ft L x 3ft WElectricity: 230-460V 60Hz 3Ph 5Hp
158	Century CND 24 - Deaerator with Fristam 5Hp Pump, Stainless Steel FrameAsset Number: 2458Serial Number: 0133-B-JFDimensions: 6ft L x 3ft W x 12ft HElectricity: 460v 60hz 3ph 5Hp

159	2in inlet and 2in outlet, Hot Water or Glycol Jacket, CIP Spray Ball, Side Manway, Side Mounted Agitator Asset Number: 2462 Dimensions: 12ft L x 7ft W x 7ft H
160	Douglas Infeed Conveyor Asset Number: 2466
161	**Parts Only**Douglas Machine Axiom Case Packer Asset Number: 2467
162	APV Crepaco Plate & Frame Heat Exchanger, WO # 33387-3 Asset Number: 2469 Serial Number: SR 25 Dimensions: 3-1/2ft L x 2ft W x 3-1/2ft H
163	Includes Digital Controller Asset Number: 2472 Serial Number: 90139
164	Includes Mojonier Carbo Cooler tanks, Gravity ammonia system. U/V light mounted on base Asset Number: 2473
165	Orbisphere Laboratories ProBrix-3624(32100A) Serial/VIN# 21144. Brix/CO2 Analyzer. 230V 50/60Hz. Asset Number: 2474 Serial Number: 21144
166	Setup to run 1L with module. Asset Number: 2476 Serial Number: 26-150
167	Asset Number: 2477
168	Setup for 20 oz Asset Number: 2478 Serial Number: 26-122
169	Nordson Pro Blue 10, Eclipse Pattern Control Asset Number: 2483 Dimensions: 8ft L x 6ft W x 5ft H Electricity: 460V 3PH 60HZ
170	Allen Bradley SLC 5/05 PLC, Includes Slip Sheet and Frame Removal, Setup for both Glass and PET Bottles Asset Number: 2482 Speed: 800+ BPM**Located in Ixonia, WI
171	Crown Cork & Seal Century Carbonator, Stainless Steel frame Asset Number: 2484 Serial Number: 0125-D-JD Dimensions: 5ft L x 4-1/2ft W x 9ft H
172	Size 3x4-8, Impellor Diameter 7 11/16, 60HP Motor Asset Number: 2485 Serial Number: PH004986-A Dimensions: 4ft L Speed: 650 GPM Electricity: 230/460 60hz 3ph 136/68
173	Stainless Steel Housing Asset Number: 2487 Serial Number: 983065
174	Stainless Steel Housing Asset Number: 2488 Serial Number: 483180
176	5000 Gallon Horizontal Stainless Steel Jacketed Tank, Side Man Way, 8ft Dia, 14ft L x 9ft H Asset Number: 2491 Dimensions: 8ft Dia 14ft L x 9ft H
177	6500 Gallon Horizontal Stainless Steel Jacketed Tank, Side Man Way, 9ft Dia, 16ft L x 10ft H Asset Number: 2492 Dimensions: 9ft Dia 16ft L x 10ft H
178	Evapco Closed Circuit Cooling Tower, Model ATW - 22A2 Asset Number: 2493 Serial Number: 971183 Dimensions: 6ft L x 4ft W x 6ft H

179	GCI Industrial Refrigeration Ice Wagon Chiller, Model: DE3AC - SPL, 3Ton Ac cooled, 1/3HP 208-230/460V, 60Hz, 3Ph, BTU 27,000Asset Number: 2494Serial Number: DE3AC0209116Electricity: 1/3 Hp 208-230/460V 60Hz 3Ph
180	GCI Industrial Refrigeration Ice Wagon Chiller, Model: DE3AC - SPL, 3Ton Ac cooled, 1/3HP 208-230/460V, 60Hz, 3Ph, BTU 27,000Asset Number: 2495Serial Number: DE3AC0209117Electricity: 1/3 Hp 208-203/460V 60Hz 3Ph
181	API Versa Jet LS Shrink Wrapper, Type VJLS1800-80V L Bar Sealer, 3/4Hp 208-230/460V, 60Hz, 3Ph, Tray set up 12in L x 7in W x 3-1/2in H, 6in W matte top chainAsset Number: 2496Serial Number: 624Dimensions: 12-1/2ft L x 5ft W x 6-1/2ft HElectricity: 3/4Hp 208-230/460V 60Hz 3Ph
182	BFT 8 x 24 Hydraulic Bottle/Can Warmer, Overall Dimensions 26ft L x 12ft W x 6ft HAsset Number: 2497Serial Number: J-0186Dimensions: 24ft L x 8ft W x 6ft H
183	BFT 8 x 24 Accumulation Table, Overall Dimensions 24ft L x 12ft W x 3-1/2ft H, 8ft x 24ft Matte Top ChainAsset Number: 2498Serial Number: J-0186Dimensions: 24ft L x 12ft W x 3-1/2ft H
184	Mojonnier Carbo Cooler - 88-60, Q Flow mix Hot water capable, MicroMotion Flow Meter with Controls, Twin 48 Plate Series 60 Carbonating Tanks, Dual Ammonia Ejection System, 275 Gallon Balance TankAsset Number: 2499Dimensions: 14ft L x 8ft W x 9ft H
186	Free Standing Vertical Stainless Steel 700Gal Process Cooling Water Tank, 4in Dia, 6ft H , Top man way, 8 " inlet - Outlet 7Asset Number: 2506Dimensions: 4ft Dia x 6ft H
187	SJI 8 x 24 Bottle/Can Warmer, Steam or Hot Water, 7.5Hp, 208-230/460V, 60Hz, 3 PhAsset Number: 2508Serial Number: 400450004Dimensions: 8 x 24 x 7Speed: 700+ BPMElectricity: 7.5Hp 208-230/460V 60Hz 3Ph
188	Raymond 38-CSR30TT Side Load Lift Truck, 1342 hours, Collapsed Height 202 inches, Elevated 395 inches, Fork Height 96 inches, 395 inch MaxAsset Number: 2511Serial Number: 038-91-00894
189	Bottle/Can Warmer 6 x 12, Stainless Steel Frame, Single Zone, 7.5Hp, 230/460V, 60Hz, 3PhAsset Number: 2512Dimensions: 6 x 12Electricity: 7.5Hp 230/460V 60Hz 3Ph
190	Packaging Systems Bottle/Can Warmer 6 x 12, Stainless Steel Frame, Single Zone, 7.5Hp, 230/460V, 60Hz, 3PhAsset Number: 2513Serial Number: 481-1970Dimensions: 6 x 12Electricity: 7.5Hp 230/460V 60Hz 3Ph
192	Holland Applied Technologies Stainless Steel Free Standing 200 Gallon Tank 2-1/2ft Dia x 5-1/2ft H and Stainless Steel Frame with Control Panel, Fristam 5Hp Pump, 208-230/460V, 60Hz, 3Ph, Overall dimensions 5ft L x 4-1/2ft W x 9-1/2ft HAsset Number: 2516Serial Number: 030100-01Dimensions ...[more]
193	Includes Control PanelAsset Number: 2519Serial Number: R99292335Shipping Weight: 400
194	Video Jet Excel 273se Ink Jet Coder, Stainless Steel Frame, Stainless Steel Cabinet, Dual Printing Heads, 100 psi, 50/60 Hz, 1Ph, 100-240VAsset Number: 2523Serial Number: 3ft L x 3ft W x 6ft HElectricity: 100 psi 50/60Hz 1Ph 100-240V
195	Intermittent Motion Sealing with total closure wraps for large rectangular or round products ranging up to 32 inches In diameter Speeds up to 25 cycles per minute, Stainless Steel FrameAsset Number: 2529Serial Number: 3122Speed: 25 CPMElectricity: 230-460V 60HZ 3 PH
196	Can Lines Inc. Case Elevator, Stainless Steel Frame, with Infeed Conveyor and Control Panel, Infeed Conveyor 2-1/2ft H, Discharge 7ft HAsset Number: 2531Dimensions: 5ft L x 4ft W x 8ft HElectricity: 5Hp 208-230/460V 60Hz 3Ph

197	Moen Bliss Box PF106-HL Case Erector with Nordson Series 3700v Glue Unit Asset Number: 2535 Serial Number: 1401
198	Fowler 22 Head Station Tank Washer, Model SSV-450-SC, Stainless Steel, 3Hp, 3Ph, 60Hz, 460V Asset Number: 2536 Serial Number: 91037 Dimensions: 18ft L x 7ft W x 6-1/2ft H Electricity: 3Hp 3Ph 60Hz 460V
199	SJI Stainless Steel Case Washer Model CW-40, Blower motors 75Hp, 460V, 60Hz, 3Ph Asset Number: 2537 Serial Number: 800-040-006 Dimensions: 26ft L x 5ft W x 7ft H Electricity: .5Hp 460V 60Hz 3Ph
200	Convay Systems Stainless Steel Dual Lane Tray Washer, 53.7Hp 480V, 60Hz, 3Ph Asset Number: 2538 Serial Number: 89-0407 Dimensions: 20ft L x 8ft W x 6ft H Electricity: 53.7Hp 480V 60Hz 3Ph
201	Allen Bradley PLC Controlled, Includes Wrap Station, 10ft of Pallet Conveyor and Control Panel Asset Number: 2543 Serial Number: 4054162 Dimensions: 14ft L x 12ft W x 10ft H Speed: 50-60 Loads/Hour Electricity: 460V 3PH 60HZ 15a
202	Stainless Steel Frame, Includes Drives and Control Panel, 2 Available Asset Number: 2545 Serial Number: 12118 Dimensions: 50ft L x 8ft W x 4ft H Speed: 600+ BPM Electricity: 460v 60hz 3ph
203	MAWP 200/250 PSI at 230 F MWDT -20 at 200/250 PSI Asset Number: 2555 Serial Number: 30110563000 Dimensions: Area 403.6 Sq FT
204	Setup for 20oz PET Bottles, Stainless Steel Frame, Touch Screen Controller, Includes Glue Unit, (3) Available Asset Number: 2556 Serial Number: 084 Dimensions: 12ft L x 5ft W x 6ft H Speed: 300 BPM Electricity: 460V 3PH 60HZ Shipping Weight: 4000
205	Servo Driven, Nordson Pro Blue Glue Unit, Change Parts for 7oz, 10oz, 11oz, 16oz and 32oz in 4, 6 and 12 packs at 200 BPM Asset Number: 2557 Serial Number: 305 380 01 Dimensions: 18ft 6in L x 8ft 6in W x 10ft H Speed: Last Ran 200 BPM Electricity: 200-240V 60Hz 35A** Located in Ixonia ...[more]
206	12ft Discharge Height, 16in Slat Width, Type A Configuration (see OEM Catalog) Asset Number: 2558 Serial Number: 58014610 Dimensions: 12ft H x 7ft Diameter Speed: up to 200 FPM
207	Allen-Bradley PanelView Plus 1000 Touch Screen Controls, Set Up for 20 oz Bottles, S/N: 000127684 Asset Number: 2560 Serial Number: 25000028 Dimensions: 16ft L x 8ft W x 8.5ft H
208	Installed but never ran, Dual Nordson Pro Blue Glue Units, Stainless Steel Frame Asset Number: 2561 Serial Number: 1197 Dimensions: 13ft L x 11ft W x 10ft H Speed: 400+ BPM
209	Stainless Steel Frame, Touch Panel Asset Number: 2562 Serial Number: 073 Speed: 300 BPM
210	Dual unwind station, Stainless Steel frame, Nordson Glue Unit, Allen Bradley PLC Controlled, (2) available, Change Parts for .5L 20oz and 24oz PET Bottles Asset Number: 2564 Serial Number: 2412-B5-0034-SP-CW Dimensions: 12ft L x 9ft W x 8ft H Speed: 400+ BPM Electricity: 460V 3PH 60HZ
211	(2) available, Stainless Steel Frame Asset Number: 2567 Dimensions: 25ft L x 6ft W x 4ft H Speed: 600+ BPM Electricity: 230-460V 60HZ 3PH
212	Stainless Steel Package, Includes Control Panel, Cap Size 33 x 4.3 Asset Number: 2568 Serial Number: 21323 Dimensions: 7ft L x 2ft W x 7ft H Speed: 500 PPM

213	Setup for Clear or Printed FilmAsset Number: 2571Serial Number: M-4350Dimensions: 30ft L x 6ft W x 8ft HSpeed: 70 CPMElectricity: 460V 3PH 60HZ
214	Includes Drive, (3) 8ft sectionsAsset Number: 2572Serial Number: F-2848Dimensions: 24ft L x 8ft WElectricity: 230/460V 60Hz 3Ph
216	Runs Clear or Printed Film, Contour Heat Tunnel, Upgraded Allen Bradley ControlsAsset Number: 2581Serial Number: M306023Dimensions: 30ft L x 8ft W x 7ft HSpeed: 70 CPMElectricity: 480v 60hz 3ph 16.5a
217	Stainless Steel Frame, Includes Control PanelAsset Number: 2582Serial Number: 10313Dimensions: 35ft L x 5ft W x 3ft HElectricity: 230-460V 60HZ 3PHShipping Weight: 230
218	**Parts Only**Asset Number: 2190Serial Number: M-106011Dimensions: 468in L x 108in W x 120in HElectricity: 480v 60hz 3ph
219	Bag in Box case sealerAsset Number: 2191Dimensions: 100in L x 62in W x 78in HShipping Weight: 1500
220	Running 70/2 Drinkable Yogurt Infeed star and Grippers Flighted Top Drive Belt Lane DiverterAsset Number: 2192Serial Number: 122Dimensions: 288in L x 72in W x 96in HSpeed: 30 CPM
221	Currently Used as a Rope Wrapper To Stabilize Product for Moving with Fork Lift 46 x 84 Inch Table With Some Barrier Guarding Allen Bradley Panel View Plus 700 Touch ScreenAsset Number: 2199Serial Number: 20732BDimensions: 324in L x 15in W x 48in HElectricity: 460v 60hz 3phShipping W ...[more]
222	Nominal Pump Performance: Boost 565psi 39bar, Flow 140 GPM 31.8 m3/h, Max Inlet Pressure 200psi 14bar, Max Discharge Pressure 750psi 51bar, Max Liquid Temperature 125°F, 75HP MotorAsset Number: 1309Serial Number: 129832399Dimensions: 8ft L x 2ft W x 2ft HSpeed: 140 GPMElectricity: 23 ...[more]
223	Includes pipingAsset Number: 2593Serial Number: 8544/1 LHSpeed: 715 tonsElectricity: 460V 3PH 60HZ
224	Includes PipingAsset Number: 2594Speed: 1180 TonsElectricity: 460V 3PH 60HZ
225	Model Crown 72-20 Beer-C-HSerial H-72-20-BEERMissing crowner
226	Setup for1/2 Liter, 20oz, 24oz