

# A2C Equipment Solutions



## CANNABIS & HEMP EQUIPMENT MULTI-LOCATION CONSIGNMENT AUCTION Powered by A2C

Cannabis, Hemp, Cannabis Processing, Hemp Processing, THC  
Oil, CBD Oil, Surplus Equipment,

Multiple locations  
Chicago  
Illinois  
60007  
United States

Ended Aug 11, 2021 5:39pm CT (11:39pm BST)

Lot	Description
1A	Bidding Ends: Wednesday, August 11th 12:30pm CTAuction Contact: info@a2cequipmentsolutions.com18% Buyers Premium.All Items are Subject to Prior Sale.Loading Fees are at the end of each lot description. ADDITIONAL CHARGES FOR SPECIAL REQUESTS; SKIDDING, CRATING, ETC.Note: Although all inf ...[more]
1B	Equipment must be coordinated for pick up no later than Wednesday, August 28th, 2021Payment in full prior to pickup. Coordinate pickup by email at: shipping@a2cequipmentsolutions.comIf for any reason buyer fails to remove any of buyer purchases within the time specified, ...[more]
1C	---PAYMENT---Payment Due On Receipt . If for any reason buyer fails to make full payment by the due date any of buyer purchases will be sold to the next highest bidder and/or considered abandoned and forfeited.Payment can be made by PayPal, Check, ACH, or wire transfer. Paypal Payments may ...[more]
1D	Winning Bidder's will receive a Notification from Bidspotter and a Proforma Invoice from A2C Equipment Solutions*****PLEASE ENSURE THAT YOUR INFORMATION IN YOUR BIDSPOTTER PROFILE IS CONSISTENT WITH WHERE WE SHOULD SEND THE INVOICE***** Your Invoice Will be Sent After the Sale has Been Enter ...[more]
088	LOCATED IN ROCHESTER, MN- Used Futurola USA Original Shredder. Model FRS-110. Throughput of 0.7 lbs in 2 seconds. Height: 27 in. Adjustable timer goes from 0 to 15 seconds. The tunnel is manufactured from food grade 304 stainless steel and the whips are made with food grade nylon. Also features ...[more]
089	LOCATED IN UBLY, MI-Used Henan Lanphan Industry 200 L Single-Effect Falling Film Evaporator w (2) Steam generators and Chiller (pictured). Model LPJM 200 / FFE-200. Evaporation Capacity: 200 Liters / Hour. Working Pressure of -0.025 Mpa. Heating Temp: 110-130 Degrees C. Includes extra fittings and b ...[more]
090	LOCATED IN UBLY, MI- Used Henan Lanphan Industry Co. Hemp Extraction Centrifuge. Model PP-45. Can extract 20 lbs per batch. - 80 Degrees C Operating Temperature. Drum Capacity of 45 Liters (450 MM dia x 250 MM Height). Speed: 1500 RPM. 97% Alcohol Removal w/ 98% Botanical Compound efficiency. Include ...[more]
091	LOCATED IN CATHEDRAL CITY, CA-Used-Lot of (2) Pnuematic Screw Capping Machines. Adjustable Cartridge Size and Torque. Caps 3,000 Cartridges per Shift. \$200 LOADING FEE.
091A	LOCATED IN ROCHESTER, MN-Used Across International Glacier 27 CuFt -86 Degrees C Ultra Low Freezer ETL 110V. Model G27. Temp Range: -40 Degrees C to -86 Degrees C. Time to Reach -86 Degrees C: 8.4 hrs. Central Control with Large 7" touch screen LCD display provides a live graoh of temperature v ...[more]
092	LOCATED IN CATHEDRAL CITY, CA-Used-Lot of (2) Haskel EXT420 Butane/Propane Extraction High Pressure Positive Displacement Piston Pumps. t:1 Ratio and 20 Cubic Inches of Pump Displacement each. \$200 LOADING FEE.

093	LOCATED IN RENO, NV-UNUSED/FACTORY-NEW "Revolution" Cannabis & Hemp Flower Finisher System. Model RDF 4300. Complete package designed for high-volume producers who want a whole new level of quality and control. Can easily produce at least 100-200 pounds of market-ready product per 8 hour shift w ...[more]
095	LOCATED IN EDMUNDS, WA-Used-Tumble Dryer w molecular sieve column, air cooled condenser and 55 gallon collection drum. Tumble dryer currently set up for atmospheric pressure but can be used under vacuum with an appropriate condenser and collection tank. Vessel is jacketed and set up for low pressure ...[more]
096	LOCATED IN EDMUNDS, WA-Used turn key CRCfilters EP-05 Ethanol extraction and purification system last used in cannabis. System is in excellent condition and can produce retail ready products without distillation.Promo video can be seen here: <a href="https://vimeo.com/518691607">https://vimeo.com/518691607</a> The EP-05 is a one step ...[more]
096A	LOCATED IN SEATTLE, WA-Used-20lb High Purity Ultrasonic Extraction System previously used in CBD extraction from hemp. System operates on vacuum only for fluid transfer and consists of two 10lb columns run in series. Each column has 500 watt transducers mounted vertically down the length of the colu ...[more]
097	LOCATED IN EDMUNDS, WA-Used/Factory Refurbished CRCfilters.com EDH-25 ethanol dehydration system for water removal from alcohol.The CRCfilters.com EDH-25 is a high efficiency ethanol dehydration system for use with 3A molecular sieve. Up-flow design allows for longer residency times assuring comple ...[more]
097A	LOCATED IN GALESBURG, MI-Used - MRX Supercritical CO2 Extractor Complete System. Includes: MRX 20LE Supercritical CO2 extractor w/PLC control, Automated flow control, trending analytics, and all safety certifications; Dimplex WVO-5001-M heating & chilling unit with 42,000 BTU/h cooling capa ...[more]
098	LOCATED IN SHAWNEE, OK- UNUSED/TESTED ONLY- Sunthai Extractor Ethanol Distillation and Recovery System. Model LPG5. Recovery Rate of 35-45 Gallons Per Hour. Jackted Condenser Column. (10) 5L Collection Pot. 50 Liter Ethanol Recovery Tank. Height: 2.5 Meters. Mounted on casters. \$500 LOADING FEE ...[more]
098A	LOCATED IN SANTA ROSA, CA,-UNUSED/Still-In-Crate-Pinnacle Stainless Complete Full Set Up Extraction Bundle. \$1500 LOADING FEE.Part 1 of 10 Pinnacle AES ( Alcohol Extraction Skid) Including : (2) Pinnacle Stainless 100L DimpleJacketed/Cryogenic Insulated Reactors - (1) Pinnacle Stainless ...[more]
099	LOCATED IN COLORADO SPRINGS COLORADO-Used- ExtraktLAB Supercritical CO2 Extraction System with PolyScience Chiller Included. Model E-140. Can Process Up to 422 Pounds Per Day. 8 kg per cycle of biomass. 60 minute/cycle at 10% plant potency. 90+% hemp efficiency. 95+% marijuana efficiency. 24 Square ...[more]
100	LOCATED IN COLORADO SPRINGS, CO-Used- Interchim Purification Prep HPLC, Model PuriFlash 4250. Flash and Prep HPLC in one instrument. Touch Screen Controller. InterSoft 5.0, Free Upgrades. Solvent Level Monitoring. Leak Detection. 4 USB Ports. Ethernet Ready. Flash Columns 4g - 800g. Normal & Rev ...[more]
100A	LOCATED IN ROCHESTER, MN-Used- Delta Separations CUP-15 Ethanol Alcohol Extraction System, Production Capacity: 8-14 Pounds of Plant Material per Batch (depending on mill size); Average Run Time is 10-20 Minutes (depending on SOP); Approximate 300 Pouns (135 kilograms) Processing per 8 Hour Shift; A ...[more]
101	LOCATED IN SUFFOLK, VA-Used Granville Hemp Flower Extractor & Shaker Table with Vacuum System made For Conveyor Style Loading. The Flower Extractor System can efficiently strip and clean 13,000 lbs of wet material after being dried in less than 4 hours. Easily separate biomass leaving ...[more]
101A	LOCATED IN CATHEDRAL CITY,CA-Used-Stainless Steel Portable Centrifugal Liquid Transfer Pump. Lenze AC Tech Controller and Stainless Steel 2 HP Gator Electric Motor. On a Stainless Steel Cart with Casters. \$200 LOADING FEE.

102	LOCATED IN TACOMA, WA-Used Apeks 5000 PSI 5L Extraction System. NO Compressor or Chiller Included. 2x 5L - holds up to 3 lbs of dry, ground material. Pressure - Max 5000psi. Temperature - Max 160F (71C). Materials - 304 Stainless with interior polished to food grade level. Closure - Threaded.&n ...[more]
102A	LOCATED IN ROCHESTER, MN-Used Cascade Sciences Standard Package CVO-5 Vacuum Oven. Model CVO-5. Benchtop Set Up. 5 removable, height adjustable aluminum shelves. Passive Filter Trap on vacuum pump inlet. Connections: 3/8th vacuum rated tubing, KF-16 connection hardware. Stable temperature ...[more]
103	LOCATED IN TRINIDAD, CO-Used- MRX 20 LE Supercritical CO2 Automated Extractor System. Model 20LE: Later model with electric pump and higher throughput. System includes the FIYRR 20L XTR-1 2000 PSI closed loop CO2 botanical extractor with a 20L extraction vessel, Dimplex/Koolant Koolers heater/chille ...[more]
103A	LOCATED IN ELBURN, IL-Used- Munch Machines "Mother Bucker" Bucking Machine. Model "Mother Bucker" w/ Mother Bucker Outdoor Wheels. Includes extra bucking plate. Bucks 150-250 pounds per hour, wet. 2560 pounds per hour, dry depending on your material. Hole Diameter Range: 3/16" 3/4". Powered by 1/2HP ...[more]
104	LOCATED IN VISALIA, CA-Used-Orange Photonics LightLab Portable Cannabis/Hemp Analyzer w/ hemp compliance module. Model LL02. Capable of analyzing flower, trim, concentrates, tinctures, raffinate. Results in under 10 minutes. Intuitive touchscreen interface. 8-hour battery life. Measured Components: ...[more]
104A	LOCATED IN ELBURN, IL-Used Twister BatchOne Dry Trimmer. Model BatchOne. Throughput of 88 lbs/hr dry. Quick Release Tumbler. Mounted on 360 degree casters. Industry leading horsepower to mitigate stalling. Built specifically for cultivators who prefer dry trimming and a batch-style workflow. In ...[more]
105	LOCATED IN CHARLESTOWN, WV-Used- Pinnacle Stainless Solvent Recovery Skid, Model SRS 100. 100L/HR Solvent Recovery Rate, 96.5% Feed Compositions Alcohol, 3.5% Feed Compositions Oil, 100-135LPH Alcohol Recovery Rate. Rising Film Technology for Mininal Cannabinoid Degradation, Touch Screen Operation, ...[more]
105A	LOCATED IN SANTA ROSA, CA-Used- Delta Separations Ethanol Extractor, Model CUP-15 Gen 1.2. Includes main apparatus Only. Upgraded with Cup 15 Rebuild Kit (All seals, bearings, seal spacers, seal retainers, and double stack refurbished) Designed to target botanical compounds from plant species by com ...[more]
106	LOCATED IN VISALIA,CA-Unused - Centurion Pro HP3 Bucker w/ Stand. Model HP3. Bucks 100 lbs per hour, dry. Bucks 500 lbs per hour, wet. industry highest buck rate per hour. 5 Feed Entry Sizes: 5-hole (3/16" , 1/4" , 3/8" , 1/2" , 3/4"). Takes stems up to 3/4 inch in diameter. made of stainless steel ...[more]
106A	LOCATED IN TACOMA, WA-Used Root Sciences Short Path Distillation Plant. Model VKS 70-5 RS. Throughput Capability: 3,000-3,500 ml per hour. Optimal Yields and Potency Analytic results up to 99.85% total cannabinoids. Fully Pump-Driven Operation: Integrated pumps provide full operator c ...[more]
107	LOCATED IN COLORADO SPRINGS, CO- Used- KannaMill Powered by Schutte Buffalo. Model KannaMill 4. Constructed of 304 grade stainless steel. Built to facilitate ease of maintenance and cleanliness in the extraction process, as well as in processed material for pre-rollsIncludes mill, infeed chute, disc ...[more]
107A	LOCATED IN MEMPHIS, TN-Used- Gifford-Wood AGI-Mixer, Model V/P-A, Serial# 1957. Consisting of: (1) J.C. Pardo & Sons Vacuum Kettle, 40 Gallon, 316 Stainless Steel. Approximate 26" diameter x approximate 26" deep. Lift out clamp on domed top cover, hemispherical bottom. Internal rated 15 psi or f ...[more]
108	LOCATED IN TACOMA, WA-Unused- DEVEX Cannabis Crude Oil / Ethanol Recovery / Decarboxylation Plant. Extracts 400lbs in 8hr shift. Fully automated in line Extraction/Decarb/Solvent recovery. Evaporation performance: 100 kg/h ethanolProcess steam: 3 barg (not more than 4 barg).&nbsp;nbsp; ...[more]

108A	LOCATED IN DANA POINT, CA-UNUSED- Convection Shark Oil Filling Machine w/ Disposable Cartridge Filler. Cartridge Filling System that Includes Convection Shark Oil Filling Machine. Model 710 v8.0. Up to 100 Cartridge or Disposable Fills in less than 60 seconds. An average is 30 Seconds for 100 Cartri ...[more]
109	LOCATED IN DANA POINT, CA-UNUSED- Convection 710 Captain Vape Cartidge Capping Machine. Model Captain H100. Caps 100 cartridges disposables or pods in 30 seconds. Works with snap top or lower PSI compression cartridges. Works with 10x10 or 9x13 Grid. Easy setup. One year parts an ...[more]
109A	LOCATED IN LANSING, MI-Unused-Fluid Chillers Inc -40 Degrees C Water-Cooled Fluid Chiller. Model WAT50,000-DC-ULT-RS. Capacity: 42.4KW @ -40°C . Inlet/Outlet Piping: 2" NPT to process. Pump Specs: 40 GPM at 40 PSI. Rated Load Amps: 99.4A @ 460/3 (approx.) Dime ...[more]
110	LOCATED IN Suffolk, VA-Used-Orange Photonics LightLab Portable Cannabis/Hemp Analyzer, Model LL03. Includes all the accessories you need to run a sample. With this purchase you also receive a sample shaker, scale, sample grinder, and a complimentary Flower Test Kit (test kit includes enou ...[more]
110A	LOCATED IN ANDERSON, IN-Used-Formation AG CleanCut Harvester. Model Clean Cut 1550. 15' cutting width, 50" belt. Harvest dense plants and convey them into a truck, cart, or a windrow without losing cannabinoil content. Adjustable cutting height adjustment: 8" min 15" max (or reach of loader). Live of ...[more]
111	LOCATED IN COLORADO SPRINGS, CO-Used- ExtraktLAB Supercritical CO2 Extraction System NO CHILLER INCLUDED. Model E-140. Can Process Up to 422 Pounds Per Day. 8 kg per cycle of biomass. 60 minute/cycle at 10% plant potency. 90+% hemp efficiency. 95+% marijuana efficiency. 24 Square Foot footprint. 67 ...[more]
111A	LOCATED IN ANDERSON, IN-Used-Orange Photonics LightLab Portable Cannabis/Hemp Analyzer, Model LL02. Capable of analyzing flower, trim, concentrates, tinctures, raffinate. Results in under 10 minutes. Intuitive touchscreen interface. 8-hour battery life. Measured Components: Delta 9 Tetrahydrocannabi ...[more]
112	LOCATED IN SARASOTA, FL-Used- Greco Science GPen Automatic Cartridge Filler for filling GPen cartridges. Includes two trays for Gio cartridges as well as two trays for GPen disposable vape device. Specs: 1. Dimension: Length 830mm x Width 520mm x Height 455mm (32.7 x 20.5 x 18.0 inches) 2. Output:10 ...[more]
113	LOCATED IN LUGOFF, SC-Used USA Lab 20 Liter Rotary Evaporator RotoVap. Model RE-1020. Includes USA LAB Refridgerated Chiller Model DLSB-30/30 (3,729-1,801 Watts/ 220 V/ 60HZ) and SHB-B95A Water Aspirator. Glass Material: GG-17 Borosilicate Glass. Evaporation Flask Capacity: 20 Li ...[more]
113A	LOCATED IN BELVIDERE, IL-Used-Sterling GP Series Portable Air Cooled Packaged Chiller, Model GPAC-20. 5.2 Tons Cooling Capacity at 50 Degrees LFT, Max Temperature 80 F, R410A Refrigerant Type. Includes H3 Display with Magnetic-Backing for full Control Access and Address Re-Programming.&n ...[more]
114	LOCATED IN EDMUNDS, WA-Used- 100 gallon low pressure stainless steel vacuum tank. Electro polished interior and exterior. Used since new as a collection vessel for ethanol and essential oil solution. Removable hinged lid with silicone gasket. Narrow design with handle and wheels allows for mobility ...[more]
114A	LOCATED IN EDMUNDS, WA- Used – Turn Key Ethanol Evaporation, Condensing and Drying set up. Atmospheric pressure operation and gravity design eliminate the need for any additional pumps. Air cooled condenser eliminates the need for chiller. 6 vessel set up allows for up to 6 different batches / strai ...[more]
115	LOCATED IN TACOMA, WA--Refurbished/Used- Root Sciences Wiped Film Short Path Distillation Automated System. Model VKL 70 - 5 RS. Throughput: 1500ml of BHO or CO2 winterized oil per hour. 80% yield of input material. Maximum Evaporator temperature of 300 Degrees C. Temperature controlled and stabiliz ...[more]

115A	LOCATED IN KANKAKEE, IL-Used- Frewitt Oscillating Granulator, Type GLT-001, 304 Stainless Steel. Approximate capacity up to 80 kg per hour depending on the type of material. Driven by a 0.25 kw, 1/60/110 volt, 1660 rpm variable speed gear motor with Heynau reducer. Top feed 6.5" long x 4.5" wide, an ...[more]
116	LOCATED IN SUFFOLK, VA- Unused-March Scientific Falling Film Evaporator Set Up. System includes: (1) Unused March Scientific FFE Dual, (1) Unused-TAEevo TECH-101 Industrial Process Water Chiller. Cooling Capacity. 9.8 ton. BTU/hr: 117,600. Reservoir Capacity: 70 Ga ...[more]
116A	LOCATED IN CATHEDRAL CITY, CA-Used-Lot of (5) Stainless Steel Winterization Filtration Systems, with Ball Valve and Ring to hold Filter Paper. \$100 LOADING FEE.
117A	LOCATED IN ROCHESTER, MN-Used Custom-Made Pinnacle Stainless Chromatography/ Filtration System. Consist of (2) Custom Fabriacted Columns. Comes with all clamps, gaskets, etc to do chromatography process. See Pictured parts for full inventory. Includes 3 batches of media for the chromotgra ...[more]
118	LOCATED IN VISALIA,CA-Used-Munch Machine Double Bucker. Model Double Bucker DUB-BKU. Production Capability: 300lbs/hr (wet); 76 lbs (dry). Maximum Stem Diameter: 3/4". Trimmer Type: Destemer/Bucker. Feed Type: Single Branch. Powered by Motor: 1 HP Lenze Gearmotor. 110 Volt 20 Amps. Last used in a Ca ...[more]
118A	LOCATED IN HAYWARD, CA-Used-Eastey Shrink Wrap L-Sealer and Tunnel. Performance Series. Model EM1622-TKV1. Seal size of 16" x 22" or 16" x 36". Maximum film width up to 19". Sealing a wide variety of films including polyolefin, polyethylene, and PVC. Seal head casting equipp ...[more]
119	LOCATED IN IRVINE, CA-Used- Heidolph HBX 20L Industrial Rotary Evaporator. Model HeiVap Industrial S. Includes Hei-VAP Industrial Distimatic Automatic Module including Residue Extraction and Glass Set R (SPECS AT END OF DESCRIPTION). Vacuum Pump Included. NO Chiller Included. Rotary Evaporator has 2 ...[more]
119A	LOCATED IN COAL CITY, IL-Used- York / Caterpillar Model PY-525A Containerized Packaged Mobile Chiller. Consisting of York Millennium Rotary Screw Liquid Chiller, Model YSECEAS4-CRDS. Rated 533 tons. Refrigerant R-22, charge 1300 lbs. 408 HP, 3/60/460 volt, 3600 rpm motor. Evaporator (182) tubes rate ...[more]
120	LOCATED IN SANTA ANA, CA- Used Complete Turnkey Wiped Film Distillation Set Up. Includes:---(2 Count) Green Distill Borosilicate Glass Short Path Wiped Film Fractional Molecular Distillation Sytem. Model YMD-150 w/ Upgraded Set #3 Comes with (3) Low Temp Coolant Pumps, (2) Low-Temp Constant Rea ...[more]
120A	LOCATED IN KANKAKEE, IL- Used- Highland Equipment Limited Flash Cooker Chamber, 96.4 Liter (25.4 Gallon), 316L Stainless Steel, Vertical. 18 Diameter x 18 straight side. Coned top with a 6 vent, coned bottom with a 3 outlet. Dimple jacket on side wall and coned bottom rated 55 psi at 20 to 300 degree ...[more]
121	LOCATED IN BELLINGHAM, WA-Used- Eden Labs 5L 5,000 PSI Extraction System. Load Capacity of 2.5 pounds. Run time of 3-5 hours. Flow Rate of 1.2 liters per minute. NO CHILLER INCLUDED. Unit is comprised of 5 Liter 2,000 psi Extractor Vessel which is Jacketed for Heating and Cooling. A 5 Liter 2, ...[more]
121A	LOCATED IN KANKAKEE, IL-Used- Feldmeier 90 Gallon Jacketed Tank, Stainless Steel, Vertical. Approximate 29.6" diameter X 24" straight side x 14" cone to 15" dish bottom. Dual zone jacketed 100 PSI at 200 degrees F. Stainless steel hinged top cover with (2) 2" tri-clamp fittings, (1) 2" opening ...[more]
122	LOCATED IN SUFFOLK, VA- Unused-TAEevo TECH-101 Industrial Process Water Chiller. Cooling Capacity(based on 45°F water outlet temp.; 10°F delta t @ 95°F ambient temperature): 9.8 ton. BTU/hr: 117,600. Reservoir Capacity: 70 Gallons. Electrical: Volts/Phase: 460/3Hz: ...[more]

123	LOCATED IN COLORADO SPRINGS, CO-Used- HAL Extraction C1D2 Hood Environment for Ethanol Extraction, Post-Extraction Processing, and Off-Gassing. Model 25H. Interior: 25 SqFt. Exterior Width: 10 ft. Exterior Depth: 3 ft 6.5 in. Exterior Height: 8 ft 5 in. Interior Height: 8'5". Min ...[more]
123A	LOCATED IN HYDE PARK, UT-Used- Munch Machines "Mother Bucker" Bucking Machine. Model "Mother Bucker" w/ Mother Bucker Outdoor Wheels. Bucks 150-250 pounds per hour, wet. 2560 pounds per hour, dry depending on your material. Hole Diameter Range: 3/16" 3/4". Powered by 1/2HP Motor. Power Require ...[more]
124	LOCATED IN IRVINE, CA-Used-Vapor Connoisseur Fully Automated Cart Filling Machine including Oil filling and Vape Pen Capper. Fully Automated Oil Cartridge Filling and Capping Machine. Produce 25 carts per minute. Just dump empty cartridges in one hopper, mouthpieces in another hopper, fill tank with ...[more]
124A	LOCATED IN KANKAKEE, IL-Used- Tote Systems Tote Bin, Approximately 14 Cubic Feet, 396 Liter, 320 Mirror Finish 316 Stainless Steel. Approximately 38" x 32" x 18" straight side x 30" coned bottom. 22-1/2" Diameter top opening with cover, 2" tri-clamp center bottom outlet. Includes an air operated rai ...[more]
125	LOCATED IN IRVINE,CA-Used- Agilent HPLC 1100 System. Supports efficient mixing and pulse-free pump action as well as advanced diagnostics and data analysis software. System Includes: G1312A Binary Pump, G1322A Degasser, G1313A Autosampler, G1315A DAD Detector, G1316A Column Compartment. Windows 10 P ...[more]
125A	LOCATED IN KANKAKEE, IL-Used- Latini-Hohberger Dhimantec 7-Tier (6) Rope Cooling / Drying Tunnel. Conveyor speed approximate 25 to 40 per minute. 3.5 to 5 Minute residence time, 119 travel. Rated 400 pounds per hour at 52 degrees F. Approximate 13" wide belts. Top 2-belts are flat, other 5 belts are ...[more]
126	LOCATED IN NORTHBROOK,IL-Used-New Brunswick Ultra Low Temp Freezer w/ NB CO2/LN2 Back Up Module. Model C340. Temperature range between -50 to -86 Degrees C. Temperatures are programmable from the microprocessor control panel in 1 Degrees C increments. Provides high quality, long term cold storage wi ...[more]
126A	LOCATED IN ROCHESTER, MN-Unused-Summit Research Pressurized Inert Gas Filter Press (P.I.G.). 304 Stainless Steel, 20 Plate System. Filter Aids in Achieving Superior Clarity in Curative Oils with the help of Specialty Filters and Proprietary Medias. Filtration Temp Ranges from -100C to 120C. Can be r ...[more]
127	LOCATED SACRAMENTO, CA-Unused - Shanghai Better Industry Co., Model SCFE-300L(150L x2) Supercritical CO2 Machine with CO2 Recovery Pump; The Super Critical CO2 Herbal Extraction Machine is used for the extraction of material (solid or liquid) under high pressure and suitable temperature extraction.C ...[more]
127A	LOCATED MEMPHIS, TN-Used- Ecolab Clean In Place (CIP) System, Model CIP3, 304 Stainless Steel. Consisting of: (1) 70 Gallon holding tank, 24" long x 24" wide x 32" deep, 2-1/2 tri-clamp side bottom outlet, 4" tri-clamp bottom outlet; (1) Fristan Pump, Model FT202-155, driven by a 10hp 3/60/230/460v ...[more]
128	LOCATED IN IRVINE, CA-Used-Custom Made Gpen/Pod Filling Machine. Automated filling machine. Trays hold 300 bottom fill PODS. Heated hopper with temperature control, adjustable volumetric fill and hopper with control valve. Spare Parts included. Last used in a Cannabis application. Sold as is. \$300 L ...[more]
128A	LOCATED IN COAL CITY, IL-Used- Pacific Press Co. Filter Press, Model P10E132C-40/50. Approximate 42 Cubic Feet Cake Capacity, approximate 862 Square Feet. (50) 39.37" x 39.37" (1000mm) Polypropylene gasketed plates, (1) head, (1) tail. 3" Diameter center feed, (4) 2" diameter corner discharge. Inclu ...[more]
129	LOCATED IN BELVIDERE, IL-Used- Brunner Model VC Vertical Semi Automatic Intermittent Motion Cartoner. Capable of speeds up to 30 cartons per minute. Carton size range: length 15mm to 60mm; width 20mm to 80mm; height 60mm to 100mm. Has manual load station for product loading. Currently set up for rev ...[more]

129A	LOCATED IN ROCHESTER, MN-Unused Viking 4197 Series Pump. Model HL4197-SEP1. Nominal Pump Rating: 30 GPM. ( 0 to 75 GPM Capacity. Viscosity: 28 to 25,000 SSU / 1-5500 cST). Max RPM: 1800. Pressure Rated for up to 200 PSI or 14 Bar. Operating Temperature: 0 to 350 Degrees F (-18 to 177 Degrees C) ...[more]
130	LOCATED IN DENVER,CO-Used Extraktion Tek Solutions Closed Loop Hydrocarbon Extraction System. w/ Honeypots. Model LHBES 1300. Max PSI: 350 PSIG. Max Temp: 125 Degrees F. Flexibility to run propane, butane, and blended solvents. Comes with everything needed to run the machine without the ha ...[more]
130A	LOCATED IN BELVIDERE, IL-Used- Pacemaker Unibagger Bag Loading and Sealing System. Rated up to 30 bagged/sealed packages per minute, depending on operator and product. 15" Wide seal jaw. Approximate bag sizes from 1" to 15" wide x 3" to 19-1/2" long x maximum 4" thick. Includes inclined cleated belt ...[more]
131	LOCATED IN SACRAMENTO, CA-Unused-Better Shanghai Industry Co. Winterization Machine; Approximate 600L/day Capacity. Used to refine the crude paste extracted by supercritical co2 extraction machine to get full spectrum crude oil; Includes: mixing, winterization, filter and ethanol recover ...[more]
132	LOCATED IN EUGENE, OR-Unused - Gongyi Guaxin Mesh Belt Hemp Dryer; Model GX-12. 12m Length. Includes Siemens controls. 480v 3 phase motors. Includes new 120v RW Beckett CG-15 propane burner with 1.5million BTU output and thermostatic controls. Custom ductwork completed to attach the heat exchanger t ...[more]
132A	LOCATED IN ROCHESTER, MN- Used Polyscience 7 Liter Heated Circulator Bath. Model AD07H200-A13D. Working Temperature Range: Ambient +10 Degrees C to 200 Degrees C. Temperature Stability: ±0.01 Degrees C.Controller Type: Advanced Digital Display 3.75" Touch-Pad LCD. Connectivity: Ethernet, ...[more]
133	LOCATED IN SUFFOLK, VA- Lot of (3) Used MetalCraft TranStore Tote Bins Used as Solvent Storage Tanks. Capcity: 550 Gallons (2081 Liters). Type 81A Group Y. See Pictures for more information. \$150 LOADING FEE.
134	LOCATED IN SARASOTA, FL-Used RX Count Automatic Tablet & Capsule Counter. Model RX-4. Easy, accurate way to automatically count tablets and capsules. Counting speed up to 500 pills per minute. 3 modes: fill a single vial, fill multiple vials, or count inventory. Compact design fits any ...[more]
135A	LOCATED IN BELVIDERE, IL-Used- Oberlin Pressure Filter, Model OPF-02. Filtering area 2 square feet. Capacity 95 gallon per minute (water base), 50 gpm (200SSu Oil). Stainless steel product contact area. Bottom discharge pan. Control panel with Allen bradley micrologix 1200 PLC & A/B Panelview 30 ...[more]
136	LOCATED IN COLORADO SPRINGS, CO- Used- Lot of (2) American Bio Tech Supply Ultra Low Freezers. Model ABT-EFS-20. Temp Range: -25 Degrees C to -15 Degrees C. Depth: 34.5 in. Height: 77.75 in. Total Capacity: 20 cu. ft. Width: 34 in. Number Of Shelves: 4. Refrigerant: R134a (6.7 Oz). Max PSI ...[more]
136A	LOCATED IN KANKAKEE, IL-Used- Hick Mechanical Booster Pump / Rotary Piston Blower, Model MB52. Driven by a 9.1 hp, 3/60/480 volt, 3415 rpm motor. Includes ABB CS300 speed control drive. Mounted on a painted carbon steel frame. Serial # 9M000843. \$100 LOADING FEE.
137	LOCATED IN WINNEPEG, MANITOBA, CANADA-Unused- Capna Systems Complete Cannabis/Hemp Cryogenic Ethanol Extraction Line. System Components as follows. Includes (1) Atles Extractor: Fully automatic. Ability to process 30-40 pounds of plant material every 30 minutes. 20 x 10 x 9 of clear space is necessa ...[more]
137A	LOCATED IN COAL CITY , IL-Used- Sharples P180 Super-D-Canter Centrifuge Gearbox, 47:1 ratio. \$50 LOADING FEE.
138	LOCATED IN BELVIDERE, IL-Used- Dough Extruder / Sheeter with Rotary Docking/Cutter Roller. Set up for (2) Rows. Top feed hopper, no cover. (2) Rolls, approximate 16" wide. Air actuated die cutter. Approximate 16" wide mesh discharge belt. Control panel with (2) Allen Bradley powerflex 40 drives. Mou ...[more]

138A	LOCATED IN COAL CITY, IL-Used- MTU 250kW Prime / Standby Diesel Generator Set, Model DP00250D65SRAH1574, SN-339581-1-1-1111. Tier 3 Rated. Engine: MTU / Detroit Diesel 6R1600G70S, SN-16301001572. 3/60/277/480 volt. 450 Amp main-line circuit breaker. Coolant heater. Battery charger. Sound Attenuated W ...[more]
139	LOCATED IN KANKAKEE, IL-Used- Amersham Biosciences EBA Streamline Direct 24 Column. Column 0.944 (24mm) diameter x 86.6" (2200mm) tall. Column cross section 1.77" (4.5cm) square. Maximum working height 62.7" (1595mm). Column volume 0.18 gallons (0.7 Liter), maximum pressure 72.5 psi (5 bar) at 39 to ...[more]
141	LOCATED IN MEMPHIS, TN-Used- KWS Manufacturing Ribbon Style Conveyor, 304 Stainless Steel. Approximate 14" diameter x 3" pitch x 172" long ribbon screw, approximate screw speed 8.1. Approximate 18' long trough with covers. Designed for 11 cubic feet an hour of 52 to 92 pounds cubic foot of product a ...[more]
142	LOCATED IN KANKAKEE, IL-Used- Wolfking Sanitary Screw Conveyor, Stainless Steel, Horizontal. Approximate 9" diameter x 168" long screw. Stainless steel trough 20" deep front wall, 28" deep back wall. Driven by a 4kw (5hp), 3/254/440 volt, 1700 rpm gear motor, 11:1 ratio, 155 final rpm. Mounted on ca ...[more]
143	LOCATED COAL CITY, IL-Used- Patterson-Kelley Twin Shell Solids Processor, 20 Cubic Feet, Stainless Steel. Internal rated Full Vacuum at 200 degrees F, carbon steel jacket rated 30 psi at 200 degrees FV. Maximum material density 65 pounds a cubic foot. (2) 17" Diameter top charge ports with quick rel ...[more]
144	LOCATED IN ST. CHARLES, IL-Used- Elliott Magnetek 300RD Genset, Serial # BT08J627. Rated at 300 kW / 208 Volts AC / 126.8 hours since new powered by a Volvo TAD 1232 GE serial no. 2120252119. Mfg 1998. Weather proof enclosure and approximate 350 gallon fuel base tank, block heater, battery charger a ...[more]
145	LOCATED IN ROCHESTER, MN-Used- Pinnacle Stainless Alcohol Extraction Skid (SKID ONLY). 200 L Capacity. Less than 500 lbs processed in this unit. Cold Clean Ethanol Extraction. 30-50 pounds Load Size Per Material Vessels (2x). 1,700 pounds to 2,000 pounds of Bio-Mass Material in 12 Hours of Processin ...[more]
146	LOCATED IN KANKAKEE, IL-Used- Pin Mixer, 304 Stainless Steel. Non-Jacketed, approximate 6" diameter x 23-1/2" long chamber. Driven by a 15hp, 3/60/230/460 volt, 1760 rpm motor. Approximate 1-3/8" diameter inlet/outlet. Mounted on stainless steel frame. No manufactures tag. Used for Margarine, Butter ...[more]
147	LOCATED IN MEMPHIS, TN-Unused- Netzsch Attritor Vertical Batch Mill, Model PRK 32-S. 304 Stainless Steel, 250 Liter (66 gallon). Double jacketed chamber approximate 26" diameter x 36" deep. Approximate 4" diameter shaft with (12) approximate 1-1/4" diameter agitator pegs, driven by a 40 hp, 3/60/480 ...[more]
149	LOCATED IN BELVIDERE, IL-Used- Durable Packaging (OK International) Model CA1800 Automatic Case Erector and Bottom Case Sealer. Right Hand Cases. Machine is Capable of erecting 18 cases per minute, 1080 cases per hour. Has a case size range: 9" - 15" long x 6" - 14" wide x 5" - 15" depth. Equi ...[more]
150	LOCATED IN PULASKI, VA-Used-John Deere 7450 Tractor. Model 7450. 1881 hrs. 688 Chopper Head. New Blade. 4x4 axle installed by Meede tractor in Oct. 2019. Complete rehab in October 2019. New clutched and main drive clutches. \$1000 LOADING FEE.
151	LOCATED IN PULASKI, VA-Unused-6" Inch Wiped Film Evaporator Glass Unit. New Never Used. \$100 LOADING FEE.
152	LOCATED IN TULSA, OK-Used- Custom Made Hemp Dryer. Burners run on natural gas but can be converted to propane. Burners deliver 2 million BTUs per hour. Fans run on 230V, 3 phase power and deliver approximately 20,000 cubic feet per minute. Burners are variable and thermostatically controlled up to 1 ...[more]

155	LOCATED IN FOOTHLL RANCH, CA-Used- Apeks Supercritical Co2 Extraction w/ Apeks diaphragm compressor model 4100. Model 2000-20LDX. 4.5 Liter Primary and 2.5 Liter Secondary Vessels with Full Length Water Jackets. Fully Automated and Totally Programmable Extraction Pressure, Temperature, and ...[more]
156	LOCATED IN TRINIDAD, CO- Used Bakers Pride Cyclone Series Single Deck Full Size Electric Decarb/Convection Oven. Model BCO-E1. Used for decarbing cannabis. 10.5 kW of Cooking Power. 208v 3-Phase model. Electronic temperature control. Independent door operation. 1 5/8" between each rack. Fr ...[more]