



Chris Hillseth Enterprises

Nutra Processing Packaging Manufacturing Equipment

Ended Nov 16, 2021 1:49pm PT (9:49pm GMT)

Assets at multiple locations.
1310 Mountain View Circle
Azusa
California
91072
United States

Lot	Description
1	1 Used Kanebo Tablet Inspection Machine Model: TVIS-EX2 S/N: T2330640 Overview: Tablet fed to the hopper, are transferred to teh flow control turntable by the vibratory feed. Tablets are properly aligned in a single line and sent o the inspection subsystem. At the inspection subsystem, tablets are ...[more]
2	1 Used Kanebo Tablet Inspection Machine Model:I S/N: T8531150 Overview: Tablet fed to the hopper, are transferred to teh flow control turntable by the vibratory feed. Tablets are properly aligned in a single line and sent o the inspection subsystem. At the inspection subsystem, tablets are transfer ...[more]
3	1 Used Kanebo Tablet Inspection Machine Model: TVIS-EX2 S/N: T6030530 Overview: Tablet fed to the hopper, are transferred to teh flow control turntable by the vibratory feed. Tablets are properly aligned in a single line and sent o the inspection subsystem. At the inspection subsystem, tablets are ...[more]
4	1 Used Kanebo Tablet Inspection Machine Model: TVIS-EX2 S/N: T1730360 Overview: Tablet fed to the hopper, are transferred to teh flow control turntable by the vibratory feed. Tablets are properly aligned in a single line and sent o the inspection subsystem. At the inspection subsystem, tablets are ...[more]
5	1 Used Kanebo Tablet inspection machine Model: TVIS-EX2 S/N: T3430250 Overview: Tablet fed to the hopper, are transferred to teh flow control turntable by the vibratory feed. Tablets are properly aligned in a single line and sent o the inspection subsystem. At the inspection subsystem, tablets are ...[more]
6	3 Pallets of parts and tooling. 1 Tool cage. Pallet 1Guide railsAir boxes4 light housingsCollection traysFace platesPallet 2Box of guide rails, bearings, and filtersBox of assorted screws, bolts, pulleys, fittings, and sensor switch gaugesBox of gaskets, pulley belts assorted sizesElec ...[more]
7	1 Used Fette 3090 Tablet Press Model: P 3090 IC S/N: 29 223 Mfg. Date: 1998 No. of Punch Holders: 27-73 Lighting Voltage: 20V Magnet Voltage: 24V Control Voltage: 24V Valve Voltage: 24V Phase: 3 Operating Voltage: 400V Current Rating: 30A Hz: 50/60 General Info: The 3090i is the "specialist" ...[more]
8	1 Pallet of assorted boxes of parts and tooling. Parts:Air TubingElectric FanBeltsLarge BearingsElectric motorsBox of small gears and bearingsBox of discountiued parts; plastic guides and assorted brass fitngsCase of washers, felt pads, fuseses3 Brass gearsBox of clutch and partsBox of ...[more]
9	1 New Hosokawa Jet Powder Mill and Micron Powder Systems Control Panel Includes: Micron Powder Systems Control PanelHosokawaJet Powder MillFilter Powder Collection SystemControl Panel Volts: 460 Amps: 30 Phase: 3 Hz: 60 Hosokawa Mill Type: 315AS S/N: P1195604/1000 Kg: 96 Mfg ...[more]
10	2 Used Prostar CM Hoist with tracks Capacities: 500 lbs.Standard Lift: 60 feetSpeed: 12 ft/min.Voltages: 1-phaseDC Electro-Mechanical Double Brakes Non-adjusting for low maintenance and quite operation. MJK0438 Skidding and Load out charges:&nbs ...[more]

26	1- Used DCI Stainless Steel Bio-Reactor Tank with bottom discharge and self-cleaning inner nozzle. S/N: 94PH49216B. MFG Date: 1994 Footprint: 46"H x 36"D Vessel MAWP: 50-15 PSI at 300°F Vessel Volume: 150 L Min. Design Metal Temp.: -20°F at 50-15 PSI Jacket MAWP: 115-15 PSI at 347°F Jacket Volu ...[more]
27	1- New LZ Company Automatic Labeler LZ300 MDL: LZ 300 S/N: 200811 Label Width (Max.): 4" Label Length: 1/2" - 10" Product Diameter: 1/2" - 4" Labeling Speed: 40 ~ 150 pcs/min Roll Inner Core (Dia.): 3" Roll Outer Diameter: 12" Machine Dimensions L: 72" W: 43" H: 47" Power Source: 120V 60Hz single ph ...[more]
28	1- New LZ Company Automatic Labeler LZ300 Model: LZ 300 S/N: 200812 Label Width (Max.): 4" Label Length: 1/2" - 10" Product Diameter: 1/2" - 4" Labeling Speed: 40 ~ 150 pcs/min Roll Inner Core (Dia.): 3" Roll Outer Diameter: 12" Machine Dimensions L: 72" W: 43" H: 47" Power Source: 120V 60Hz single ...[more]
29	1- New LCI Marumerizer QJ-700TG MDL: QJ-700TG P.O. No.: 634110 MFG Date: March 2005 S/N: 4130152 Equipment: Marumerizer General Info The Marumerizer spheronizer from LCI converts wet pellets into spheres of your desired size, ranging from 0.5mm to 10.0mm in diameter. Specs 700 mm diameter ...[more]
30	1 Used Pharmafill Cotton Inserter MDL: CS1 Type: AD0953-3 S/N: 244 Weight: 150 Lbs Volts: 115 Cycles: 60 Amps: 5 Dimensions: 22" Width, 33" Length, 60" Height MJK0239 Skidding and Load out charges: There will be loading and skidding charges added to your purchase at market rates for ...[more]
31	1 Used Develop MC Horizontal Packaging Machine with Auger Filler *Missing Hopper Measuring range 0-250ml measuring method Auger filler bag size length 60-300mm width50-250mm Capacity(max) 70 bags/min Control style PLC+ English touch screen Power 4KW Power supply AC 380V 50Hz Air pressure 0.6Mpa ...[more]
45	1- Unused Manual Single Punch Tablet Press MDL: TDP-0 Max Pressure (kn): 15 Max. Dia of Tablet: 10mm Max Depth of Fill: 10mm MJK0317 Skidding and Load out charges: There will be loading and skidding charges added to your purchase at market rates for your convenience.Location: A ...[more]
46	1- Unused Manual Single Punch Tablet Press MDL: TDP-0 Max Pressure (kn): 15 Max. Dia of Tablet: 10mm Max Depth of Fill: 10mm MJK0318Skidding and Load out charges: There will be loading and skidding charges added to your purchase at market rates for your convenience.Location: ...[more]
47	1- Unused Manual Single Punch Tablet Press MDL: TDP-0 Max Pressure (kn): 15 Max. Dia of Tablet: 10mm Max Depth of Fill: 10mm MJK0319 Skidding and Load out charges: There will be loading and skidding charges added to your purchase at market rates for your convenience.Loca ...[more]
48	1- Unused Manual Single Punch Tablet Press MDL: TDP-0 Max Pressure (kn): 15 Max. Dia of Tablet: 10mm Max Depth of Fill: 10mmMJK0320 Skidding and Load out charges: There will be loading and skidding charges added to your purchase at market rates for your convenience.Location: Azusa, ...[more]
49	1- Unused Manual Single Punch Tablet Press MDL: TDP-0 Max Pressure (kn): 15 Max. Dia of Tablet: 10mm Max Depth of Fill: 10mm MJK0321 Skidding and Load out charges: There will be loading and skidding charges added to your purchase at market rates for your convenience.Location: ...[more]
50	1- Unused Manual Single Punch Tablet Press MDL: TDP-0 Max Pressure (kn): 15 Max. Dia of Tablet: 10mm Max Depth of Fill: 10mm MJK0322Skidding and Load out charges: There will be loading and skidding charges added to your purchase at market rates for your convenience.Location: Azusa, ...[more]
51	1- Used LABH Volumetric Filler S/N: 5047 TECHNICAL SPECIFICATIONS Fill Size : 10 gm. to 1000 gm. With the help of telescopic cups Filling Accuracy : +/- 2 % on weight depending on the nature of granules. Container Size Diameter : 25 mm to 110 mm Height : max. 275 mm Speed : 5 to 20 ...[more]

52	1- Used LABH Powder Auger filler and LABH Powder Elevator Powder Auger S/N: 5046 Filling Range: 100g - 1kg Net Weight: 250 Gross Weight: 400 TECHNICAL SPECIFICATION Fill Size: 10 gm. to 1000 gm. With the help of auger and funnel Filling Accuracy: +/- 2 % on weight depend on the nature of powder and ...[more]
53	1 - Used Bosch Encapsulator 12 Hole Bosch 1500 Automatic Capsule Filler. The machine is capable of producing up to 1500 capsules per minute. The machine has Stainless Steel/Sanitary contact parts. Dimensions : 70" H X 46"W X 48" L. Electrics: 3 HP, 3/60/220-440 volts. Includes plexiglass guarding. T ...[more]
54	1 - Used Bohanan 1500 Encapsulation Machine 12 Hole Bohanan 1500 Capsule Filling Machine. Stainless steel construction. Compatible with Bosch change parts. Includes Size 1 tooling, 12 hole machine. Model: 1500 Serial: 301797 MJK0330 Skidding and Load out charges: There will be loadi ...[more]
55	1 - Used Bosch 1500 Encapsulation Machine 16 Hole Size "1" tooling Bosch 1500 Automatic Capsule Filler. The machine is capable of producing up to 1500 capsules per minute. The machine has Stainless Steel/Sanitary contact parts. Dimensions : 70" H X 46"W X 48" L. Electrics: 3 HP, 3/60/220-440 volts. ...[more]
56	1 - Used Bohanan Encapsulation Machine 1500 12 Hole Bohanan 1500 Capsule Filling Machine. Stainless steel construction. Compatible with Bosch change parts. Includes Size 0 tooling, 12 hole machine. Volts: 460 Phase: 3 Model: AWB 1500GKF Serial: 4001296 MJK0333 Skidding and Load ou ...[more]
57	1 Used Pharma-Palung Analagen Stainless Steel Tank Stainless Steel Tank Volume: 1715L Max Pressure: 1/-1bar Test Pressure: 1.3 Bar S/N: 08-263-001 Mfg. Date: 2008 Last Known use: Medical MixerDouble JacketedWith full sweepScrap surfaceHigh sheer MJK0350 Skidding and Load out ...[more]
60	1- Used Chang Sung Continuous Tumbler Dryer Specifications Power Consumption: 27500 W Power AC: 480V Frequency: 60Hz Weight: 660Kg Total Water Capacity: 300L / 1 tumbler Clean: 200 Liter Rinse: 100 Liter Compressed Air: 5Kg/ Over S/N: NO1938 MFG Date: 2001 MDL: CS-TJ-18 Tumble Dryer Features No ne ...[more]
61	1- Used Chang Sung Continuous Tumbler Dryer Specifications Power Consumption: 27500 W Power AC: 480V Frequency: 60Hz Weight: 660Kg Total Water Capacity: 300L / 1 tumbler Clean: 200 Liter Rinse: 100 Liter Compressed Air: 5Kg/ Over S/N: NO2102 MFG Date: 2001 MDL: CS-TJ-18 Tumble Dryer Features No ne ...[more]
62	1- Used Chang Sung Continuous Tumbler Dryer Specifications Power Consumption: 27500 W Power AC: 480V Frequency: 60Hz Weight: 660Kg Total Water Capacity: 300L / 1 tumbler Clean: 200 Liter Rinse: 100 Liter Compressed Air: 5Kg/ Over S/N: NO2099 MFG Date: 2001 MDL: CS-TJ-18 Tumble Dryer Features No ne ...[more]
63	1- Used Chang Sung Continuous Tumbler Dryer Specifications Power Consumption: 27500 W Power AC: 480V Frequency: 60Hz Weight: 660Kg Total Water Capacity: 300L / 1 tumbler Clean: 200 Liter Rinse: 100 Liter Compressed Air: 5Kg/ Over S/N: NO2098 MFG Date: 2001 MDL: CS-TJ-18 Tumble Dryer Features No ne ...[more]
64	1- Used Chang Sung Continuous Tumbler Dryer Specifications Power Consumption: 27500 W Power AC: 480V Frequency: 60Hz Weight: 660Kg Total Water Capacity: 300L / 1 tumbler Clean: 200 Liter Rinse: 100 Liter Compressed Air: 5Kg/ Over S/N: NO2102 MFG Date: 2001 MDL: CS-TJ-18 Tumble Dryer Features No ne ...[more]
65	1- Used Chang Sung Continuous Tumbler Dryer Specifications Power Consumption: 27500 W Power AC: 480V Frequency: 60Hz Weight: 660Kg Total Water Capacity: 300L / 1 tumbler Clean: 200 Liter Rinse: 100 Liter Compressed Air: 5Kg/ Over S/N: NO2093 MFG Date: 2001 MDL: CS-TJ-18 Tumble Dryer Features No ne ...[more]
66	1 Used Farmomac Model 47 Monoblock Filler and Capper Model: 47 S/N: F4736 Volts: 380 Hz: 50 Mfg. Date: 1987 Mfg. In: Bologna, Italy Dimensions: 9' x 6' x 7' General Info: Farmomac monoblock filler capper, model F47, comes with existing tooling, can be set up for up to 4 volumet ...[more]

67	1 Used Stokes Tablet Press 16 Station Model: 900-512-1 S/N: 663072 Dimensions: 3' x 3'11" x 6' General Info: 900-512-1 Stokes rotary tablet press, 16 stations, keyed upper punch guide, 4-ton compression, 5/8" max tablet diameter, 11/16" max depth of fill, rated up to 1,200 tablets ...[more]
69	1 Used Hamilton Full Jacketed Kettle With High Sheer Agitation Mfg. Date: 1968 S/N: A5397 Capacity: 20 Gal 1" Butterfly Valve bottom outlet MJK0400 Skidding and Load out charges: There will be loading and skidding charges added to your purchase at market rates for your convenienc ...[more]
70	1 Used Belcor Box Taper Series: 130-7101 Model: 130 Features: Bel 130 Case Sealer:2 inch, top, and bottom tape headsCase size range:Minimum: 6 inches long x 6 inches wide x 6 inches tallMaximum: infinite length x 17 inches wide x 20 inches tallBottom conveyor belts driv ...[more]
71	1 Used Belcor Box Taper Series: 130-7101 Model: 130 Features:Bel 130 Case Sealer:2 inch, top, and bottom tape headsCase size range:Minimum: 6 inches long x 6 inches wide x 6 inches tallMaximum: infinite length x 17 inches wide x 20 inches tallBottom conveyor belts drive case through tap ...[more]
72	1 Used Belcor Box Taper Series: 130-7101 Model: 130 Features:Bel 130 Case Sealer:2 inch, top, and bottom tape headsCase size range:Minimum: 6 inches long x 6 inches wide x 6 inches tallMaximum: infinite length x 17 inches wide x 20 inches tallBottom conveyor belts drive case through tap ...[more]
73	1 Used Bohle Bin General Info: Bowls and containers are used in the pharmaceutical, food and chemical industries for storage and transport. All containers are specially developed to meet the requirements of the industries. In addition, the containers can be completely cleaned with ease. ...[more]
74	1 Used Bohle Bin General Info: Bowls and containers are used in the pharmaceutical, food and chemical industries for storage and transport. All containers are specially developed to meet the requirements of the industries. In addition, the containers can be completely cleaned with ease.The bowls ...[more]
75	1 Used Bohle Bin General Info: Bowls and containers are used in the pharmaceutical, food and chemical industries for storage and transport. All containers are specially developed to meet the requirements of the industries. In addition, the containers can be completely cleaned with ease.The bowls ...[more]
76	1 Used Stainless Steel Tote Dimensions: 45" x 44" x 38" tall. MJK0491 Skidding and Load out charges: There will be loading and skidding charges added to your purchase at market rates for your convenience. Location: Los Angeles, CA Skidding: \$ 300Load Out: \$125
77	1 Used Stainless Steel Tote Dimensions: 46" x 44" x 38" tall MJK0492 Skidding and Load out charges: There will be loading and skidding charges added to your purchase at market rates for your convenience. Location: Los Angeles, CA Skidding: \$ 300Load Out: \$125
78	1 Used Stainless Steel Tote Dimensions: 45" x 45" x 42" MJK0493 Skidding and Load out charges: There will be loading and skidding charges added to your purchase at market rates for your convenience. Location: Los Angeles, CA Skidding: \$ 300Load Out: \$125
79	1 Used Stainless Steel Tote Dimensions: 46" x 46" x 37" MJK0494 Skidding and Load out charges: There will be loading and skidding charges added to your purchase at market rates for your convenience. Location: Los Angeles, CA Skidding: \$ 300 Load Out: \$125
81	1 Used Jacketed Mixing Tank Tank Diameter: 50" Tank Height: 46" Overall Height: 92" Opening: 17.5" x 13.5" MJK0496 Skidding and Load out charges: There will be loading and skidding charges added to your purchase at market rates for your convenience. Location: Azusa, CA Skidding: \$...[more]

82	1 Used Rico Walk Behind Pallet Jack Model: PWH-EX-60 Truck Capacity: 6000 Lb without attachment S/N: E-31246 Type: EX Volts: 24 Mfg.: Rico Batt Max A.H. CAP: 540 Battery Weight Min.: 1000 Lb Battery Weight Max: 1250 Lb Truck Weight Without Battery: 1850 LbMJK0497 Skidding and Load out ...[more]
84	1 Used Extender Legs Dimensions: 82" Height x 9" Diameter base Number of Legs: 4 MJK0542 Skidding and Load out charges: There will be loading and skidding charges added to your purchase at market rates for your convenience. Location: Azusa, CA Skidding: \$ 250Load Out: \$...[more]
86	1 Used Super Duty Portable Folding Roller Conveyor Dimensions: 5'7" x 12' 6" x 3' Height Adjustable Capacity: 500 Lb Rollers: 17 Portable Folding ConveyorMJK0545 Skidding and Load out charges: There will be loading and skidding charges added to your purchase at market rates for your convenience ...[more]
87	1 Used Conveyor SSFRC59 Profil Mfg.: Profil Model: SSFRC59 Dimensions: 5' x 1' x 35" With Variable speed control General Info: This conveyor is to transfer the product from one side to the other side. Features:Frame Width = 14" / Belt Width= 12"On/Off SwitchFood Gra ...[more]
89	1 Used Ohaus Scale Gold Series Model: PAJ4102N Max: 4100 g Volts: 8-14.5 Hz: 50/60 S/N: B705643817 MJK0548 Skidding and Load out charges: There will be loading and skidding charges added to your purchase at market rates for your convenience. Location: Los Angeles, CA 90021 Skidding:&n ...[more]
90	1 Used Ohaus Scale Gold Series Model: PAJ4102N Max: 4100 g Volts: 8-14.5 Hz: 50/60 S/N: B630809436 MJK0548 Skidding and Load out charges: There will be loading and skidding charges added to your purchase at market rates for your convenience. Location: Los Angeles, CA 90021 Skidding:&n ...[more]
93	1 Used Flexicon REAR-POST Bulk Bag Filler with Roller Conveyor Mfg: Felixcon Bulk Bag Filler Model: REAR-POST Bulk Bag Filler with Roller Conveyor General Info: Flexicon bulk bag fillers (also known as FIBC, Big Bag and Jumbo Bag Fillers) range from basic stand-alone units to soph ...[more]
94	1 Used 4 x 10 Fitzpatrick Chilsonator System Roller Compactor with Mezzanine Model: 4L X 10D Dimensions: 150"x140"x160" Height 10 Step Ladder Rollers: 4" x 10" diameter Auger screw: 4" diameter Control Panel S/N: 716 Dimensions: 36"x72"x18" Volts: 460 Phase: 3 Hz: 60 Control Voltage: 115 VAC Comm ...[more]
95	1 Used Roller Compactor TFC-220 Model: TFC-220 Capacity (KG/HR): 1kg - 30kg/hr Roll Width Diameter (MM): 31 x 200 Roll Speed (RPM): 2 - 17 Max Roll Force (KN): 50.4 General Info: The Freund-Vector Pilot TFC Roll Compaction system is a versatile densification and dry ...[more]
96	1 Used Gemco Blender 5CU-FT Model: DD-Blender Type: Double Cone Max Density: 100 lb/cf Mfg. Date: 4/16/1996 Capacity: 5 cu/ft Vessel Speed: 17 RPM +/- 3 Phase: 3 Volts: 230 Hz: 60 General Info: GEMCO cone blenders are designed to even for sensitive powders that can't sustain brute force ...[more]
97	1- Used Holmatic PR 1 Single Lane Stainless Cup Filler Model: PR-1 S/N: 379411 Air: 25 CFM/80 PSI Volts: 480 Phase: 1 Hz: 60 Amps: 15 Year: 1994Maximum output: up to 3000 cups per hour (50 cups per minute)Number of lanes: 1 Maximum container diameter: 5 inches (125 millimeters)Maximum con ...[more]
99	1 Used Clean Room with Plexi Glass Frame Material: Powder-Coated Steel Height: 8' Depth: 8' Width: 8' Overall Dimensions: 8' x 8' x 8' Panel Material: Clear Acrylic Unit of Measure: EA Marks & Listings: UL, ULC Electrical Specifications: 120 V, 18 A, 2,160 W, 1 Ph, 50/60 Hz Dimensions, Product: ...[more]
100	1 Used BS-B400 Thermal Shrink Tunnel Model: BS-B400 Volts: 220 Hz: 50/60 Power: 7.5 kW Tunnel Size: 830mmx400mmx200mm Conveyor Loading: 5 kg Machine Weight: 70kg Dimensions: 1250mmx740mmx670mm General Info: The new BS-B400 Infrared Heat Shrink Tunnel is an economical solution for heat sealing shr ...[more]

101	1 Used Techongda Single Piston Liquid Filler Model: GLWG Product: Paste Single Head Air Pressure: 0.4-0.6MPa Filling Range: 0-300 ML Filling Accuracy: +/- 0.5% Features:The temperature is controllable. The temperature can be adjustable from 0 to 200 degreesThis product is designed for liquids, ...[more]
102	1 Used Aluminum Foil Cap Sealer Control Panel Model: LFK-150B Voltage: 220v Hz: 50 Weight: 10KG Features: Using a high-quality stainless steel structure, the design of the machine is manufactured in accordance with the GMP systemUnique switching power supply design ensures a constant output pow ...[more]
103	1 Used Liquid Filling Machine with Foot Pedal Dimension(L*W*H): 30*26*16 Weight: 4kg Voltage: 220V/110V Machinery Capacity: 1000BPH Filling Material: Liquids Filling Accuracy: ±5% Drive Type: Pneumatic General Info: This numerical control liquid filling machine is compact and portable. The casin ...[more]
104	1- Used Viking Stick Pack Machine ST800 Model: ST800 Maximum Roll Diameter: 450 mm (17.75") Maximum Roll Width: 800 mm (31.49") Weight: 1,200 kg (2,650 lbs) Air Pressure: 6 bar (30 CFM at 90 PSI) Power Supply: 6.5 kVA (480V, three phase, 60 Hz., 20 AMPS)S/N: 3055Mfg. Date: 2013Set for 40MM ...[more]
105	1 Used Frewitt Oscillating Granulator S/N: 1295387 Model: MG-336 Opening: 11" x 9.5" Roller Length: 7.5" Overall Dimensions: 45" x 34" x 58" Height Outlet: 9.5" DiameterMJK0608 Skidding and Load out charges: There will be loading and skidding charges added to your purchase ...[more]
106	1 Used Roller Ball Conveyor Dimensions: 24" x 24" x 29" Height 64 Roller BallsMJK0609 Skidding and Load out charges: There will be loading and skidding charges added to your purchase at market rates for your convenience. Location: Azusa, CA Skidding: \$100 Load Out: \$12 ...[more]
107	1 Used Marble Lab Table Table Top: 35" x 24" x 3" Thickness Height: 31" MJK0610 Skidding and Load out charges: There will be loading and skidding charges added to your purchase at market rates for your convenience. Location: Azusa, CA Skidding: \$TBDLoad Out: \$175
108	1 Used Capsule Polisher Volts: 110 General Info: The machine is a novel professional equipment for pharmacy. Under the drive of a continuously variable motor, it can polish and clean the dust attached to the capsule to improve the surface of medicine polishing. This machine is a kind of special e ...[more]
109	1 Used Capsule Polisher Volts: 110 General Info: The machine is a novel professional equipment for pharmacy. Under the drive of a continuously variable motor, it can polish and clean the dust attached to the capsule to improve the surface of medicine polishing. This machine is a kind of special e ...[more]
110	1 Used Accumulation Table 48" Diameter: 48" Amps: 30 Volts: 250 Phase: 3 General Info:Rotary tables also referred to as accumulation tables or unscrambling tables, are designed to support a variety of conveyor system requirements. They are often used with round containers, such as bottles, t ...[more]
111	1-Used Volpak 100 with Image Powder Filler Head MJK0617 Skidding and Load out charges: There will be loading and skidding charges added to your purchase at market rates for your convenience. Location: Dallas, TX 75220 Skidding: \$ 1050Load Out: \$ 775
112	1-Used Volpak 160.03 Liquid Filler with take away conveyor ML: #07 MJK0618 Skidding and Load out charges: There will be loading and skidding charges added to your purchase at market rates for your convenience. Location: Dallas, TX 75220 Skidding: \$ 1050Load Out: ...[more]
113	1-Used Volpak S-90 With Image Liquid Filler V090.01 ML:#11 Volts: 220 Amps: 4 Hz: 60 Output: 90 packages / min Features: Stainless steel contact parts Pouch material; heat sealable film. Pouch format; 40 x 50mm minimum, 90-115mm maximum, max volume 35cc, machine speed up to 90 cycles/min. Pouch seal ...[more]

114	1-Used Volpak S-90 With Image Liquid Filler Model: S.90 Series: 11 Hz: 60 Volts: 220 Amps: 4 Mfg. Date: 07/16/90 Output: 90 packages / min Features: Stainless steel contact parts Pouch material; heat sealable film. Pouch format; 40 x 50mm minimum, 90-115mm maximum, max volume 35cc, machine speed up ...[more]
117	1 Used Volpak V100 with All-Fill Powder Auger Filler Head MD: V100.02 ML #3 All-Fill Auger Filler Head MFG 4/86 Model B Serial 21560 Volts: 220 Ph: 3 HZ:60MJK0628 Skidding and Load out charges: There will be loading and skidding charges added to your purchase at market rates for your conven ...[more]
118	1 Used AMS A-100 Powder Filler Model: A-100 S/N: Voltage: 460 Phase: 3Ph Hertz: 60HzAutomatic operation auger filler Hopper:Capacity: 16 gallonsDimensions (inches): 24 diameter x 20 deepConveyor:IndexingVariable speedDimensions (inches): 96 long x 8 wideMounte ...[more]
119	1 Used Hapman Screw Conveyor General Info: Hapman Helix Flexible Screw Conveyors are the most efficient, flexible and easy to operate and maintain conveyors on the market. With a single moving part, in the standard Helix, there will be minimal maintenance required. Website: https://hap ...[more]
120	1 Used Dual Head Monoblock Filling and Capping Machine with Hoppers *Purchased new in 2020* Dimensions: 62" x 36" x 72"H Conveyor: 123" Long Cap Size: 2" Comes with 2 Vibratory Feeders for 2" Caps General Info: A monoblock filling system is a packaging system that combines multip ...[more]
121	1 Used Automatic Liquid Filling and Pouching Machine *Purchased new in 2020* Model: GT10-100 S/N: 45L22W62H Voltage: 220V/110V Power: 400W Weight: 75.9 Kg General Info: The machine is applicable to liquids such as milk, vinegar, water, fruit juice and so on. It can also be packaged sauce pa ...[more]
122	1 Used Automatic Labeler with Date Printer *Purchased new in 2020* Rotating belt band is 4" Web station has 5" rod maximum Labeling speed: 60-200pcs/min Volts: 110/220 HP: 1.5 Hz: 50/60 General Info: PACKING MACHINE Wrap-Around Label Applicator is designed to apply pressu ...[more]
123	1 Used Accumulation Table 36" *Purchased new in 2020* Dimensions: 46" x 38" x 42" Diameter: 36" General Info: Accumulation tables can be used to collect or distribute bottles at the beginning, midpoint, or end of a bottle packaging line. A rotary accumulation table installed at ...[more]
124	1 Used Automatic Filling and Pouching Machine 1-100 g Particle Subpackage Filler *Purchased new in 2020* Dimensions: 23" x 18" x 61"H Volts: 110 Hz: 60 Gross weight: 66 kg/146 lbs Packing Range: 1-100g/ 0.035 -3.53 oz General Info: AUTOMATIC WEIGHING & SEALING - The auto ...[more]
125	1 Used -Two Head Liquid Filling/ Capping Machine with Vibratory Cap Feeder and Mixing Tank *Purchased new in 2020* Cap Size: 3/4" Dimensions: 52" x 39" x 69"H Conveyor: 100" Long Tank Dimensions: 36" x 52" x 68"H Tank Capacity: 100L Vibratory Feeder Dimensions: 26" x 27" x 9"H General Info: ...[more]
126	1 Used Accumulation Table 32" *Purchased new in 2020* Dimensions: 38" x 32" x 38"H Diameter: 32" General Info: Accumulation tables can be used to collect or distribute bottles at the beginning, midpoint, or end of a bottle packaging line. A rotary accumulation table installed at the beginning o ...[more]
135	1 Used - Kaps-All Fully Automatic Compact Volumetric Piston Filler 4 Head System Also Includes Holding Tank and FS-A Accumulation Table 48" Diameter Features: THE MODEL "VOL-A" VOLUMETRIC PISTON FILLER COMES EQUIPPED WITH THE FOLLOWING FEATURES AS STANDARD EQUIPMENT:7'6" long S.S. Frame ...[more]
136	1 Used - Thermo Goring Kerr DSP3 Metal Detector Model : 84SS14IAL1 Serial number : DP468 - 0225 Dimensions :77" L x 14" WAperture 16" x 13" MJK0664Skidding and Load out charges: There will be loading and skidding charges added to your purchase at market rates for your convenience. ...[more]

137	1 Used - Liquid Holding Tank Size: 300 Gallons Style: 12071 No: 9615 Date: 10 - 67 Dimensions: 78" Height x 44" Depth Lid Diameter: 20" Outlet Hole: 3" MJK0665 Skidding and Load out charges: There will be loading and skidding charges added to your purchase at market rates for your convenienc ...[more]
138	1 Used - Milk Mixing Tank Capacity: 1500 Gallons Dimensions: 120" L x 68" W Depth To Center 41" Center Agitator MJK0666 Skidding and Load out charges: There will be loading and skidding charges added to your purchase at market rates for your convenience. Location: Beaumont, CA Skidding: ...[more]
139	1 Used - Mes Pack H-260 FED Model: H-260-FED Serial Number: 263.013 D.O.M.: 4/2/08 Volts: 480 Phase: 3 KW: 25.4 Hz: 60 Weight: 2900 kg Film Feed System Pouch Size 70 x 100mm Min. to 130 x 100mm Max Gusset Min/Max 40/120 Maximum Volume 750c.c. Filling Stations 5 Output P.P.M. ...[more]
140	1 Used - Hydro Vane Floor Mounted Rotary Vane Compressor Model: V15ACE08 - 4035V600 Serial Number: V15 - 001562 - 1204 Compression: Air Max Pressure II Dimensions : 33" L x 28" W x 62" H Volts: 400V Power: 15kW Phase: 3 RPM: 1800 Frequency: 50 HZ MJK0668 Skidding and Load out char ...[more]
141	1 Used - Mettler Toledo Metal Detector System for Food And Beverage Producers. Serial Number: 129112 / 8616401 Model: V48-R / SL2000 D.O.M.: 04/2016 Volts: 85 V Air Pressure: 80 PSI HZ: 50/60 Short Circuit Current: 5 KARMS @132 Vmax Amps: 15 Aperture: 13" H x 10" W Dimensions: 62" L x 3 ...[more]
142	1 Used Brown International Corporation S/S Pulper Finisher, Model 4000 Serial Number: 4001-BABA-121. Stainless Steel Construction HP: 30 RPM: 1765 Volts: 230/460V 3Ph Drive Motor Bottom Outlet: 3" Dimensions: 54" L x 30" W x 59" H General Info: The model 4000 is a s ...[more]
144	1 Used United Air Specialist Dust Collector 4 Cartridge Model: SFC 4-2 Serial: 60060055 Volts: 460 HZ: 60 PH: 3 Amps: 50/25 DOM: 2006 Starter Panel Serial: 02-6999-04 Volts: 460 Ph: 3 MFG: 06 General Info: SFC Cartridge Dust Collectors are a proven, high-quality downward flow car ...[more]
145	1 Used Active Pak Desiccant Sachet Dropping Machine Allen Bradley Control Model: APA 1000 MFG: 2010 Phase: 1 Amps: 15 Serial: 058101054 Volts: 110 HZ: 60 MJK0712 Skidding and Load out charges: There will be loading and skidding charges added to your purchase at market rates for your conv ...[more]
146	1 Used Active Pak Desiccant Sachet Dropping Machine MFG: 2006 Phase: 1 Amps: 15 Serial: 2005374 Volts: 110 HZ: 60 MJK0713 Skidding and Load out charges: There will be loading and skidding charges added to your purchase at market rates for your convenience. Location: Los Angeles, CA Skidd ...[more]
147	1 Used NJM/CLI Packaging Systems Cotton Inserter CL110-S080 SN: 20308-05 Volts: 120 Phase: 1 HZ: 60 Amps: 4 KW: .5 PSI: 90 MFG Date: 2006 HP: 1/4 General Info: The Model CL 110 fully automatic cottoner inserts a predetermined length of cotton, rayon or polyester coil into containers ...[more]
148	1 Used Carleton Helical Technologies Ionized Air Rinser Model: 143-B4B1-3600 Serial: 1032237 MFG: 2014 General Info: The Ionized Air Rinser is designed to integrate into packaging lines for glass, plastic, metal, or fiber containers. The System utilizes the HP Invertor/Reverter System t ...[more]
149	1 Used Active Pak Desiccant Sachet Dropping Machine Allen Bradley Control Model: APA 1000 MFG: 2010 Phase: 1 Amps: 15 Serial: 058101056 Volts: 110 HZ: 60 MJK0716 Skidding and Load out charges: There will be loading and skidding charges added to your purchase at market rates for your co ...[more]
150	1 Used Pillar Induction Sealer Part No: CB10093101 Serial: 5535189 Volts: 208 Amps: 13.3 Cycle: 50/60 Phase: 1 MFG: 2005 General Info: Pillar Model Unifoiler, compact, air cooled induction sealing system from 0 to 120 feet per minute with number of product per minute – depending on materials ...[more]

151	1 Used Stokes Model RD3 Tablet Press 16 Station Model: RD3 S/N: A-10160 Volts: 230 Phase: 1 Hz: 60 Stations: 16 station Rating: rated up to 350 tablets per minute Pressure: 7-ton max pressure keyed upper punch guides single-sided top-mounted hopper and feed frame Features: Output: up to ...[more]
152	1 Used Accumulation Table Manufacturer: PPI Technologies Model: Lazy Susan S/N: P1580 DOM: 2016 Volts: 110 Phase: 1 Hz: 60 General Info: Accumulation or unscramble tables are designed to work with various accumulation conveyor systems that move products. They are often used ...[more]
153	1 Used BellatRX Counter Model: RXF Serial: 020 Volts: 120 HZ: 60 Ph: 1 Amp: 8 MFG: 2009 General Info: Rx-Fill is a solid dose counter that can count in manual, semi-automatic, and automatic modes and can be mounted on a tabletop or on a fully automated packaging line. Features & Be ...[more]
154	1 Used BellatRX Counter Model: RXF Serial: 026 Volts: 120 HZ: 60 Ph: 1 Amp: 8 MFG: 2010 General Info: Rx-Fill is a solid dose counter that can count in manual, semi-automatic, and automatic modes and can be mounted on a tabletop or on a fully automated packaging line. Features & Benefits: Acc ...[more]
155	1 Used BellatRX Counter Model: RXF Serial: 019 Volts: 120 HZ: 60 Ph: 1 Amp: 8 MFG: 2009 General Info: Rx-Fill is a solid dose counter that can count in manual, semi-automatic, and automatic modes and can be mounted on a tabletop or on a fully automated packaging line. Features & Benefits: Acc ...[more]
156	1 New Control Panel Shell MJK0723 Skidding and Load out charges: There will be loading and skidding charges added to your purchase at market rates for your convenience. Location: Los Angeles, CA Skidding: \$ 190Load Out: \$ 100
157	1 Used Marburg Marburg Auto Cap Sealer Model: M-6 S/N: 11600 Air: 80 PSIPower: 120General Info: The simplicity of design, user-friendly interface, and ease of use make it easy for line personnel to understand and operate. Using a spacing wheel instead of traditional feed-screw product ...[more]
158	1 Used Global Industrial Mechanical Pallet Lifter S/N: 2009269 DOM: 2021 Length: 43 5/8" Width: 43 5/8" Color: Blue & Yellow Carousel Outer Diameter: 43 5/8" Construction: Steel Lowered Height: 9 1/2" Max. Capacity: 4500 lbs Min Capacity: 400 lbs Operation: Spring Lift Raised Height: 27 3/ ...[more]
159	1 Used MGM Transformer Model: AC370-E0560 S/N: 03-11-03-80500A-5 DOM: 2010 Volts: 208/240/480 Phase: 3 Hz: 60MJK0726 Skidding and Load out charges: There will be loading and skidding charges added to your purchase at market rates for your convenience. Location: Los Angeles, CA Skidding ...[more]
160	1 Used Tri-Arc Cantilever Ladder Steps: 8 Platform Height: 80" Capacity: 300 Lbs DOM: 2019 MJK0727 Skidding and Load out charges: There will be loading and skidding charges added to your purchase at market rates for your convenience. Location: Los Angeles, CA Skidding: \$ 250 ...[more]