

# Myron Bowling Auctioneers



SANTEE COOPER - DAY 2 OF 2 - WEBCAST ONLY - NO  
ONSITE BIDDING

Uninstalled Power Plant Components - WEBCAST ONLY - NO  
ONSITE BIDDING

SANTEE COOPER - DAY 2  
OF 2 - WEBCAST ONLY  
146 W. Egg Farm Road  
& 553 Cross Station Rd.  
29468  
Johnsonville  
South Carolina  
29555  
United States

Started Nov 12, 2020 10am ET (3pm GMT)

Lot	Description
500	***BEGIN LOCATION: EGG FARM RD*** LARGE LOT OF STRUCTURAL STEEL: BRACING, ROD, GRID C4
501	LARGE LOT OF STRUCTURAL STEEL & SPRING CANS, ANGLE IRON, PLATE BRACKETS, BRACING, GRID C5
502	LARGE LOT OF STRUCTURAL STEEL: I-BEAMS UP TO 189" X 16" X 16" X 1 3/4", PLATE, COVERS, GRID C6
503	LARGE LOT OF STRUCTURAL STEEL: BRACING, RODS, BRACKETS, GRID C7
504	(36) STEEL BOX 78" X 72" X 18", 2,095 LBS. EACH, GRIDS C7 & C8
505	(36) STEEL BOX 78" X 72" X 18", 2,095 LBS. EACH, GRIDS C8
506	(8) SOFA CORNERS FOR WINDBOXES, 11,500 LBS. EACH, HIGH TEMP. INSULATION, ANGLE, OTHER STRUCTURAL SPRING CANS, THREADED ROD, NUTS, GRID D8
507	STRUCTURAL STEEL: RODS, PIPE, BRACKETS, FLANGES, GRID D7
508	STRUCTURAL STEEL: RODS, BRACING, CRADLES, BRACKETS, GRID D6
509	STRUCTURAL STEEL & SPRING CANS: RODS, I-BEAMS, GRID D5
510	SPRING CANS, STRUCTURAL BRACING, BRACKETS, GRIDS D4 & D5
511	(3) 2008 RUHRPUMPEN 26DX24LQ 4-STAGE PUMPS, 3610 GMP, HYD. PRESSURE 75 PSI - 915 PSI, MAWP 50 - 720 PSI @ 120° F, 15,600 LB EACH, GRID D4
512	(3) RUHRPUMPEN PUMP HOUSINGS, GRID E4
513	STEELTREE 25 CANTILEVER RACK, 120" X 48" X 432", W/ ASSORTED FUEL OIL & AIR PIPING; 1", 1 1/2", 2", 4", 10", ALSO CRATES W/ ASSORTED PIPING, GRID E4
514	(10) CRATES CONTAINING: (4) 6" VALVE ASSEMBLIES, (1) 3" VALVE ASSEMBLY, (1) 8" VALVE ASSEMBLY, (1) 10" VALVE ASSEMBLY, ASSORTED AIR TANKS 15-GAL. TO 80-GAL., (2) 60-GAL., (1) 15-GAL., (1) 20-GAL., (1) 30-GAL., (1) 80-GAL., GRID A8

515	LOT OF ASSORTED PARTS: BARSETS, SHAFT COUPLINGS, COUPLING GUARDS, AND MORE, GRID A7
516	LOT OF FAN SHROUD COMPONENTS, GRID A6
517	EXPANSION JOINT, BOILER SEALS, PIPE BRACKETS, AND MORE, GRID A5
518	LOT OF SPRING CANS, BRACKETS, ASSORTED STEEL, ALL PALLETIZED, GRID A4
519	ASSORTED STEEL: PLATES, BEAMS, ROOF/SIDING SUPER RIB CLOSURES, BRACKETS, SPRING CANS, STEEL BRACING, GRID B4
520	(3) WEHR HIGH PRESSURE GATE VALVES, (1) 18", (2) 16"; SERVICE: CL2500-B16.34, 6,250 PSIG AT 100 ° F, STEM: CR13, DISC: HF, SEAT: HF, GRID B5
521	(4) FANS, MODEL 33VR1B-54, WEIGHTS: 4,122 LB. EACH, DIMENSIONS: 132" X 45" X 79", ALSO RODS, FLASHING, WASHERS, NUTS, (2) DAMPERS 6,600 LB. EACH, GRID B6
522	(80 +/-) PALLETS OF STRUCTURAL SCREWS, WASHERS, NUTS, GRID B7
523	(72 +/-) PALLETS OF STRUCTURAL SCREWS, WASHERS, NUTS, GRID B8
524	COPEES-VULCAN 8" CL, 3,500 SPL, WC6, BW, C/W ATI PISTON ACTUATOR & ACCESSORIES SD VALVE, SD 14" VALVE ASSEMBLY, SD 8" VALVE ASSEMBLY & SPARE PARTS, GASKET & PACKING SETS, GRID B8
525	FIBREX INSULATION 4" X 24" X 48" (4) PALLETS, COUPLING GUARDS, (72) 24" STEEL LOCK COUPLINGS, 1,620 LBS. PER PALLET, (9) PALLETS TOTAL, GRID F7
526	(6) SOLE PLATES, 6,685 LBS. EACH, OTHER ASSORTED SOLE PLATES, 4" ASSORTED BUNDLE OF PIPE, ANGLE PLATE AND CHANNEL STEEL, GRID F4
527	(3) WEIR GATE VALVES; (2) 12", (1) 8", SERVICE: CL2500 B16.34, 6,250 PSIG @ 100 ° F, STEM: CR13, DISC: HF, SEAT: HF, GRID F3
528	{ Choice of lots: 528, 529 } (6) CLYDE BERGEMANN SOOT BLOWERS, 3,579 LB. EACH, DIMENSIONS: 424" X 30" X 24", GRID F3
529	{ Choice of lots: 528, 529 } (6) CLYDE BERGEMANN SOOT BLOWERS, 3,579 LB. EACH, DIMENSIONS: 424" X 30" X 24", GRID F3
530	(4) CLYDE BERGEMANN SOOT BLOWERS, 3,579 LB. EACH, DIMENSIONS: 424" X 30" X 24", GRID F2
531	(2) CLYDE BERGEMANN SOOT BLOWERS, 150" X 30" X 24", GRID F2
532	(1) 14" GATE VALVE, (2) TYCO SEPARATOR DRAIN VALVES, 18"/20" NOMINAL DIA., ALL ACCESSORIES, GRID F1
533	(18) PLATES 95" X 69" X 2 3/8", 4,400 LB. EACH, (2) SUPPORT PARTS FOR DRIVE ASSEMBLY, 8,950 LB. EACH, GRID F1

534	CANTILEVER RACK W/ CONTENT: 120" X 48" X 202", BUNDLES OF COPPER PIPE; LARGER BUNDLES WEIGH 1,500-1,600 LB., SMALLER BUNDLES AVG. 800 LB. EACH, CRATES AVG. 500 LB. EACH, ALSO CRATES OF ASSORTED HARDWARE: COPPER FITTINGS, AND MORE, GRID E2
535	CANTILEVER RACK W/CONTENT: 120" X 48" X 202", BUNDLES OF PIPE; 3/4", 1", 1 1/2", 2", MOST COMMON LENGTH 252", LARGER BUNDLES AVG. 4,300 LB. EACH, GRID E3
536	(2) 32" X 39" AMMONIA/AIR HEADERS & DIFF. PRESSURE INDICATOR MOUNTING PIPE, 8,600 LB EACH, ALSO GASKETS, STUDS, NUTS, LOCK WASHERS, (80) 6" BUTTERFLY VALVES, (40) 6" X 24" FLEX HOSE, (20) 6" X 24" SPOOL, (20) 6" X 7" SPOOL PIECES, GRID G4
537	(8) NITROGEN FILLED RADIATORS, 5,000 LB EACH, DIMENSIONS 200" X 80" X 26", (5) EXPANSION JOINTS, BOLTS, WASHERS, NUTS, CON-SLIDE BEARING PLATES, GRID G5
538	EXPANSION JOINTS, SPRING CANS/LOAD SUPPORTS, ANGLE FRAME SECTIONS, RODS, ASSORTED HARDWARE, GRID G6
539	V-BELTS, BELLOWS, ASSORTED FAB STEEL, HARDWARE: NUTS, BOLTS, WASHERS, BELLOW FRAMES, BACKING PLATES, GRID G7
540	PALLET OF GAS DUCT TO AIR HEATER PRE FAB STEEL, OTHER FAB STEEL, V-BELTS, BELLOWS, GRID G8
541	PALLET OF GAS DUCT TO AIR HEATER PRE FAB STEEL, BELLOW FRAMES, PALLETS OF PRE FAB STEEL, GRID G8
542	ASSORTED SPRING CANS, SUPPORT RODS, SPRING CANS 2,100-2,800 LB., GRID H8
543	SUPPORT RODS, STEEL CHANNEL, (3) GATES, ASSORTED DAMPERS, LARGEST WEIGHING 16,250 LB., 175" X 142" X 90", SMALLEST WEIGHING 2,700 LB., GRID H7
544	(4) DAMPERS, LARGEST WEIGHING 14,000 LB. EACH, 232" X 120" X 90", SMALLER ONES 1,625 LB. EACH., 175" X 142" X 90", GRID H6
545	(2) DAMPERS, 14,000 LB. EACH, 232" X 120" X 90", (3) GATES, 6,900 LB. EACH, 150" X 87" X 66", GAS DUCT, COLUMNS, GRID H5
546	{ Choice of lots: 546, 547 } BOILER FEEDWATER BOOSTER PUMP SLED, GE 3,000 HP INDUCTION MOTOR 3585 RPM, 6600 VOLTS, 8313S FRAME, 12 GPM LUBE/OIL SYSTEM; FLOWSERVE 10HDX19A PUMP, GRID H4
547	{ Choice of lots: 546, 547 } BOILER FEEDWATER BOOSTER PUMP SLED, GE 3,000 HP INDUCTION MOTOR 3585 RPM, 6600 VOLTS, 8313S FRAME, 12 GPM LUBE/OIL SYSTEM; FLOWSERVE 10HDX19A PUMP, GRID H4
548	GE 3,000 HP INDUCTION MOTOR, MODEL 5K83131592802, 3585 RPM, 6,600 VOLTS, 8313 FRAME, S/N 283005122, (2) CRATES W/ FLOWSERVE PUMP PARTS, GRID H4
549	PUMP SLED: BARREL START-UP BOILER FEED PUMP, SIZE: 4X12CSB-12, 1,200 GPM, 3,580 RPM, 12 GPM LUBE OIL SYSTEM, GRID H4
550	{ Choice of lots: 550, 551 } 2008 FLOWSERVE BOILER FEED WATER PUMP, SIZE 80-CHTA-6, 5,500 RPM, CAP. 5,440 GPM, MAWT: 375° F, 11,500 LB., S/N M-150781,SOLE PLATE, 8,774 LB., GRID H3

551	{ Choice of lots: 550, 551 } 2008 FLOWSERVE BOILER FEED WATER PUMP, SIZE 80-CHTA-6, 5,500 RPM, CAP. 5,440 GPM, MAWT 375° F, MAWP: 7,550 PSIG, 10,500 LB., S/N M-150782 & GE TERMINAL BOX, GRID H3
552	ASSORTED PRESSURE TUBING: 1 1/4", 1 3/4", 2", 2 1/4", 2 1/2", UP TO 340" LENGTH, GRID H2
553	ASSORTED PRESSURE TUBING: 1 1/4", 1 3/4", 2 1/4", 2 1/2", 3 1/2" UP TO 576" LENGTH, GRID H2
554	{ Choice of lots: 554 } (6) CLYDE BERGEMANN SOOT BLOWERS, 2,010 LB. EACH, 180" X 30" X 24", GRID G1
555	{ Choice of lots: 555, 556, 557, 557A, 558, 559 } (6) CLYDE BERGEMANN SOOT BLOWERS, 2,010 LB. EACH, 180" X 30" X 24", GRID G1
556	{ Choice of lots: 555, 556, 557, 557A, 558, 559 } (6) CLYDE BERGEMANN SOOT BLOWERS, 2,010 LB. EACH, 180" X 30" X 24", GRID G1
557	{ Choice of lots: 555, 556, 557, 557A, 558, 559 } (6) CLYDE BERGEMANN SOOT BLOWERS, 2,010 LB. EACH, 180" X 30" X 24", GRID G1
557A	{ Choice of lots: 555, 556, 557, 557A, 558, 559 } (2) CLYDE BERGEMANN SOOT BLOWERS, 2,010 LB. EACH, 180" X 30" X 24", GRID G2
558	{ Choice of lots: 555, 556, 557, 557A, 558, 559 } (6) CLYDE BERGEMANN SOOT BLOWERS, 3,579 LB. EACH, 424" X 30" X 24", GRID G3
559	{ Choice of lots: 555, 556, 557, 557A, 558, 559 } (6) CLYDE BERGEMANN SOOT BLOWERS, 3,579 LB. EACH, 424" X 30" X 24", GRID G3
560	{ Choice of lots: 560, 561, 562, 563, 564 } (6) CLYDE BERGEMANN DRIVE UNITS, MODEL VS, GRID G2
561	{ Choice of lots: 560, 561, 562, 563, 564 } (6) CLYDE BERGEMANN DRIVE UNITS, MODEL VS, GRID G2
562	{ Choice of lots: 560, 561, 562, 563, 564 } (6) CLYDE BERGEMANN DRIVE UNITS, MODEL VS, GRID G2
563	{ Choice of lots: 560, 561, 562, 563, 564 } (6) CLYDE BERGEMANN DRIVE UNITS, MODEL VS, GRID G2
564	{ Choice of lots: 560, 561, 562, 563, 564 } (8) CLYDE BERGEMANN DRIVE UNITS, MODEL VS, GRID G2
565	LANCE EXTENSIONS, SLEEVE ASSEMBLIES, FLANGES, REDUCERS, HEX NUTS, COLLAR SHAFT, GRID G2
565A	(2) STEEL CRATES W/ MISC. STEEL PARTS: BARS, PINS, PKG. WTS. 33,795 LB AND 9,044 LB, GRID G3
566	PUMP CASE & TRANSIT ASSY., PRESSURE COVER, GASKET, BACKING PLATE, FLEX HOSE, COVERS, 1 1/2" SCH. 40S 252"L, OIL GUN RETRACT (12X), ASSORTED STEEL PIPE, GRID 14
567	AXIAL SPACER BAR ASSY., OIL CIRCULATING SYSTEM, HOUSING & COVER ASSY., 6,855 LB., BASKET INSTALL PLATFORM, PIN RACK ASSY., CRATES OF ASSORTED STEEP PARTS, GRID I5

568	ANGLE PLATE, 2.5" X 2.5" X .25" X 120", 4" X 4" X .5" X 240", CURVED PLATE, 2,676 LB., SEAL ANGLE ASSY., THRUST RUNNER SHOE ASSY., STRAINER 6 125# FLANGES, CRATES OF MISC. STEEL PARTS, GRID I6
569	HAWS CORP. TEMPERING BOOTH/EYE WASH/SHOWER STATION, 119-GAL. WATER HEATER, PRESSURE TANK, DISCONNECT, GRID J5
570	TERMINAL BOX, 52" X 44" X 36", GRID J5
571	(12X) FLOWSERVE LIMITORQUE MX ELECTRONIC ACUATOR, (85+/-) VALVE TECHNOLOGIES 1" + 2" HIGH PRESSURE VALVES
572	CAMFIL FARR DYNAVANE AIR CLEANER, MODEL 359403, EXPANSION JOINTS, VELAN 3" VALVES, VELAN 2" GATE VALVES, WATSON MCDANIEL FT600 2" TRAP, 65 PSI (8X), MULLER 4" STEAM VALVE, JAMES BURY MANUAL GEAR ACTUATORS (6X), GRID H1
573	VELAN 4" GATE VALVES, VELAN 8" GLOBE VALVE (2X), VELAN 3" GATE VALVES (8X), JAMESBURY 2" MANUAL GEAR ACTUATORS (6X), TYPE 99 PRESSURE REDUCING REGULATOR, 1" BALL VALVE STD. PORTS, 1 1/2" GLOBE VALVES, 2" BALL VALVE STD. PORT, HEADER DRAINS, GRID H1
574	{ Choice of lots: 574, 575 } 2008 LUFKIN GEAR DRIVE, MODEL 80VBQ240S, 1750 RPM, 60 HP, S/N 120443, 12,800 LB., GRID J3
575	{ Choice of lots: 574, 575 } 2008 LUFKIN GEAR DRIVE, MODEL 80VBQ240S, 1750 RPM, 60 HP, S/N 120443, 12,800 LB., GRID J3
576	{ Choice of lots: 576 } 2007 GE MOTORS 1,000 HP INDUCTION MOTOR, CUSTOM 8000, 1786 RPM, 6,600 VOLTS, FRAME: 8446P42, S/N KAH284002944, GRID J3
577	2007 GE MOTORS 1,000 HP INDUCTION MOTOR, CUSTOM 8000, 1786 RPM, 6,600 VOLTS, FRAME: 8446P42, S/N KAH284002945, GRID J3
578	{ Choice of lots: 578 } 2007 GE MOTORS 1,000 HP INDUCTION MOTOR, CUSTOM 8000, 1786 RPM, 6,600 VOLTS, FRAME: 8446P42, S/N KAH284002946, GRID J3
579	{ Choice of lots: 579, 580 } 2009 WAHLCO INC AMMONIA/AIR MIXING SKID, TAG# 1-AM-SKD-2001B, 212" X 96" X 85", 8,000 LB., GRID I3
580	{ Choice of lots: 579, 580 } 2009 WAHLCO INC AMMONIA/AIR MIXING SKID, TAG# 1-AM-SKD-2001A, 212" X 96" X 85", 8,000 LB., GRID I3
581	{ Choice of lots: 581, 583, 584 } TWIN CITY FAN & BLOWER DAMPER FAN, SIZE 222, TYPE BC-SW, S/N 08-241682-2-2, GRID I3
582	TWIN CITY FAN & BLOWER DAMPER FAN, SIZE 222, TYPE BC-SW, S/N 08-241682-1-1, GRID I3
583	{ Choice of lots: 581, 583, 584 } TWIN CITY FAN & BLOWER DAMPER FAN, SIZE 222, TYPE BC-SW, S/N 08-241682-2-1, GRID I3
584	{ Choice of lots: 581, 583, 584 } TWIN CITY FAN & BLOWER DAMPER FAN, SIZE 222, TYPE BC-SW, S/N 08-241682-1-2, GRID I3
585	(20) SPRING CANS/LOAD SUPPORTS, 2,090 LB. EACH, GRID I2

586	ASSORTED PIPE CAPS
587	EDWARD 20" VALVE, CRATE W/OIL CIRCULATING SYSTEM, HEX BOLTS
588	2008 FLOWSERVE 20" FLITE-FLOW STOP VALVE, SEAT: INT-HF, STEM: CR-13, BODY: A216GR.WCB, GRID I1
589	(7X) CONSOLIDATED 6" PRESSURE RELIEF VALVES, (2X) CONSOLIDATED 2 1/2" PRESSURE RELIEF VALVES, CRATES, BOXES W/ASSORTED VALVES, 1/2 BOLTED BONNET VALVES, GRID I1
590	(4) CRATES W/ GATE VALVES, (2) 2", (1) 6", AND (1) UNKNOWN SIZE
591	(7) CRATES W/ VALVE ASSEMBLIES, (6) 6", (1) 2" VALVE ASSEMBLY
592	FLOWSERVE 12" CL2500, WC6, BW, SD VALVE LIMITORQUE MX/B320-20 ACTUATOR ECON BACKPRESSURE CONTROL, TAG# 1-FW-PCV-2750-1, (2) FLOWSERVE BOOSTER PUMPS, GRID I1
592A	(2) G&L SSH PUMPS, STAINLESS STEEL END SUCTION PUMPS
593	SPX FLOW CONTROL SD 10" VALVE ASSEMBLY, TAG# 1-SG-PCV-2055-1, GRID I1
594	(4) CRATES, VELAN 4" BLESS GLOBE VALVE, (2) VELAN 3" BLESS GLOBE VALVES, VELAN 2" BLESS GLOBE VALVE, GRID I1
595	(3) CRATES W/ SIEMENS SPRING HOUSE VALVE CONTROLLERS, 24 PCS. PER CRATE
596	(2) CRATES W/ VALVE ASSEMBLIES, 2 1/2" VALVES
597	{ Group of lots: 597, 598 } (2) DUCT HEATER, 994 LBS. EACH
598	{ Group of lots: 597, 598 } (5) CRATES W/ VALVE ASSEMBLIES, (2) 6", (1) 6" SD VALVE, (2) UNKNOWN SIZE (BOTTOM CRATES)
599	{ Group of lots: 599, 600, 601 } (3) CRATES W/ VALVE ASSEMBLIES, 4" CL2500 SPL, WC9, (1) 2" VALVE, (1) 4" VALVE
600	{ Group of lots: 599, 600, 601 } (2) CRATES W/ VALVE ASSEMBLIES, (2) 2" VALVES
601	{ Group of lots: 599, 600, 601 } (4) CRATES W/ VALVE ASSEMBLIES, (2) 8", (2) 6" VALVES
602	(6) SIEMENS DRIVE UNITS, JAMESBURY 4" BALL VALVE STD. PORT, JAMESBURY 1 1/4" VALVES, ADAPTER CABLE ASSEMBLIES
603	LIMIT SWITCHES, RELIEF VALVES, HAND WHEELS, ADAPTOR CABLE ASSY., JAMEBURY 1 1/4" VALVES, GRID J1
604	(2X) VELAN 8" 600 GATE VALVE, VELAN 1/2" BALL VALVES, GRID I1
605	CONTENT ON PALLET RACK: MANUALS, (2) SIGHT GLASSES FOR VESSEL, GASKETS, 4" BLESS GLOBE VALVE

606	CALORITECH ENGINEERED ELECTRIC HEAT INDUSTRIAL HEATER, 16,000 WATT, 480V, 3-PHASE, S/N W041624, GRID J1
607	SEMPELL ELECTRONIC CONTROL CABINET 1-SG-CPL-2003 & HYDRAULIC POWER UNIT 1-SG-HCU-2003, PKG: 157" X 67" X 121", 6,629 LB.
608	(288) CATALYSTS, 2,976 LB. EACH, 74" X 39" X 69" EACH, W/ LOADING CARTS AND LIFTING EYES
609	PALLET RACK AND CANTILEVER RACK: (70+/-) 4" X 92" CROSSBEAMS, (17) 48" X 70" UPRIGHTS, (12) 10' H. LEGS, (24) ADJ. ARMS, BRACING FOR CANTILEVER RACK ***END LOCATION: EGG FARM RD***
800	***BEGIN LOCATION CROSS GENERATING STATION*** (2) GE ROTORS, WT, 105,500 LB., ROTOR WEIGHT 64,000 LB
801	TURBINE SECTIONS, SOME WEIGHTS 89,700 LB., 84,800 LB., 44,050 LB
802	GE GENERATOR ROTOR, 131,693 LB., 501" X 50" DIA.
803	STEAM CONDENSER, 12,400 LB
804	(2) DOMES, 19,500 LB. EACH, 142" X 127" X 73"
805	(2) GE LUBE OIL SYSTEMS NO. 2, 168" X 127" X 111" H., 20,944 LB. EACH
806	CRATED ITEMS ON EAST SIDE OF BUILDING, ALL COMPONENTS TO TURBINE, UPPER/LOWER CASINGS, MATCHING COUPLINGS, GUARD ASSY., VALVE ASSEMBLIES, PINS, CHOKERS, AND MUCH MORE, LARGER CRATES AVERAGE 8,000 LB. EACH
807	CRATED ITEMS ON WEST SIDE OF BUILDING, ALL COMPONENTS TO TURBINE, UPPER/LOWER CASINGS, PINS, ACTUATOR ASSEMBLIES, 4,210 LB., BASE BHR ASSEMBLY, 7,000 LB. AND MUCH MORE
808	ALL CASING/COVERS FOR TURBINE, 14 PCS., 103,500 LB, 95,154 LB, 94,400 LB, 46,696 LB, 45,374 LB, 67,621 LB, (LOCATED IN QUONSET HUT)
809	(3) CROSSOVER SECTIONS, STEPS, SIDE WALLS, CRATES W/ HANGERS, CROSSOVER WEIGHTS, 24,600 LB, 14,600 LB, AND 10,300 LB
810	ASSORTED HIGH PRESSURE PIPE UP TO 6,000 LB