Revelation Auctions



Processing & Packaging Equipment Consignment Sale

Elk Grove Village

Blinois
Packaging Equipment, Fabrication Machinery, IMMs,
Kettles/Tanks, 3D Printers, Compressors, Boilers, + More

United States

Online

Ended Sep 19, 2024 12:46pm CT (6:46pm BST)

| Lot | Description |
|-----|--|
| 001 | BID QUICKLY. LOTS ARE STAGGERED TO END EVERY 60 SECONDS WHEN AUCTION BEGINS CLOSING AND WILL BE EXTENDED BY 7 MINUTES FROM TOP BID. |
| 002 | YOU WILL RECEIVE AN INVOICE AT THE END OF THE AUCTION BY END OF BUSINESS DAY FOR ANY ITEMS THAT YOU HAVE WON. IT WILL BE SENT TO THE EMAIL IN YOUR BIDSPOTTER ACCOUNT. IF YOU DO NOT RECEIVE YOUR INVOICE WITHIN 24 HOURS AFTER THE SALE, PLEASE CHECK YOUR SPAM FOLDER FIRST THEN CONTACT ONE OF OUR POST S[more] |
| 003 | A \$1,000.00 REFUNDABLE DEPOSIT IS REQUIRED FROM ALL BIDDERS WITHOUT SATISFACTORY POSITIVE BIDSPOTTER FEEDBACK AND SUFFICIENT PURCHASE HISTORY. THIS DEPOSIT WILL AUTOMATICALLY BE TAKEN WHEN YOU REGISTER FOR THE AUCTION. IF YOU DO NOT HAVE THE APPROPRIATE FEEDBACK, AND DO NOT WANT THIS DEPOSIT CHARGE[more] |
| 004 | BIDDER REGISTRATIONS ARE USUALLY APPROVED 48 HOURS PRIOR TO AUCTION. IF YOU HAVEN'T BEEN APPROVED BY THEN, FEEL FREE TO REACH OUT. |
| 005 | PICKUP / REMOVAL DATES & TIMES: SEPT 23 - OCT 4. PICK UP IS BY APPOINTMENT ONLY, MONDAY-FRIDAY. ALL INFORMATION FOR PICK-UP WILL BE ON THE WINNERS EMAIL INCLUDING EXACT ADDRESS AND POINT OF CONTACT. |
| 006 | YOU MAY NEED TOOLS TO PICKUP YOUR ITEMS. WE DO NOT HAVE TOOLS AVAILABLE FOR DISASSEMBLY OF YOUR PURCHASES. |
| 007 | ASSETS ARE LOCATED IN MULTIPLE LOCATIONS. MAKE SURE TO CHECK ITEM LOCATION BEFORE BIDDING. FOR EXACT ADDRESS PLEASE REFER TO WINNERS EMAIL INVOICE. |
| 100 | 385 TON 34 OZ JSW J385EII-SPB INJECTION MOLDING MACHINE, 1998 SHOT SIZE: 34 OZ PLATEN: 42.72 X 42.72 MIN MAX MOLD: 12.6 X 12.6 EJECTOR STROKE: 5.9 CLAMP STYLE: TOGGLE TIE BAR DISTANCE: 28.74 X 28.74 CONTROL: SYSCOM 1000 53,700 HOURS All specifications are assumed to be correct but must be c[more] |
| 110 | ELK RIVER MACHINE BATCH PLANT ACROMIX (ERMC) BATCH PLANT (2008) 1 YARD PADDLE MIXER (25 HP) END WALL SCRAPERS WITH NI-HARD MIXER LINER PLATES, POWER DISCHARGE DOOR, WITH MIXER STAND, 4 CU. FT. CEMENT BATCHER WITH BUCKET ELEVATOR AND TRAVELING WEIGH SCALE CONVEYOR FED FROM 3 AGGREGATE BINS (2 BINS[more] |
| 120 | QUINCY ROTARY SCREW AIR COMPRESSOR MODEL QPCD 1200, 2010 OPERATING PRESSURE: UP TO 150 PSI (10.3 BAR) MAXIMUM CAPACITY: 1200 CUBIC FEET PER MINUTE (34 CUBIC METERS PER MINUTE) MOTOR HORSEPOWER: 400 HP (298 KW) VOLTAGE: 460V, 3-PHASE, 60 HZ SOUND LEVEL: 78 DECIBELS AIR INLET SIZE: 6 INCHES (15.2 CM)[more] |

| 200 | JOBSITE SFS FRAMING TABLE 30' WIDE MODEL, 2017 MAKE & MODEL: JOBSITE SFS FRAMING TABLE 30' WIDE MODEL MINIMUM AND MAXIMUM WALL HEIGHTS OF ASSEMBLY LINE? 4'-2" TO 27'-0" HEIGHT ADJUSTMENTS (MANUAL OR POWERED)? POWERED MAXIMUM LENGTH OF WALL LINE (16', 20' OR OTHER): 30'-5" QUANTITY OF EACH STATI[more] |
|-----|---|
| 300 | RAYMOND ELECTRIC PALLET STACKER Item Location - Lakewood, CO NO OUT OF STATE MANUFACTURING SALES TAX EXEMPTION |
| 310 | RITE 350 W WATER HEATING GAS FIRED BOILER, 2004 MAX BTU: 3,500,000 MAWP WATER: 125 PSI HEATING SURFACE: 340 SQ FT, BOILER BOILER HORSEPOWER: 83 WATER CONTENT: 116 GALLONS WEIGHT: ~4265 LBS All specifications are assumed to be correct but must be confirmed by the purchasing entity. Item Location[more] |
| 320 | SINGLE LABEL FULLY AUTOMATIC STICK PACK MACHINE WITH EXTRA TOOLING 32"X25"X72" Item Location - Colorado Springs, CO NO OUT OF STATE MANUFACTURING SALES TAX EXEMPTION |
| 321 | SINGLE LABEL FULLY AUTOMATIC STICK PACK MACHINE WITH EXTRA TOOLING 32"X25"X72" Item Location - Colorado Springs, CO NO OUT OF STATE MANUFACTURING SALES TAX EXEMPTION |
| 322 | GO PACK LIQUID SACHET FILLER 37"X48"X72" Item Location - Colorado Springs, CO NO OUT OF STATE MANUFACTURING SALES TAX EXEMPTION |
| 323 | CHATHAM CONSULTANTS/APEX SYSTEMS FULLY AUTOMATIC FOUR HEAD LIQUID FILLER 36"X56"X88" Item Location - Colorado Springs, CO NO OUT OF STATE MANUFACTURING SALES TAX EXEMPTION |
| 324 | 50 LITER RIBBON MIXER MODEL: WSJB-050 19"X46"X42" Item Location - Colorado Springs, CO NO OUT OF STATE MANUFACTURING SALES TAX EXEMPTION |
| 325 | SEMI-AUTOMATIC WEIGH FILLER 19"X15"X50.5" Item Location - Colorado Springs, CO NO OUT OF STATE MANUFACTURING SALES TAX EXEMPTION |
| 326 | SEMI-AUTOMATIC HAND CRANK LABELER 22"X18"X12" Item Location - Colorado Springs, CO NO OUT OF STATE MANUFACTURING SALES TAX EXEMPTION |
| 327 | TAKE-A-LABEL TAL-3000T-05 SEMI-AUTOMATIC TAMP LABELER 15"X21"X25" Item Location - Colorado Springs, CO NO OUT OF STATE MANUFACTURING SALES TAX EXEMPTION |
| 328 | PREZ-A-MINI LOT AND DATE INKJET CODER 16"X19"X40" Item Location - Colorado Springs, CO NO OUT OF STATE MANUFACTURING SALES TAX EXEMPTION |
| 329 | DR. PHARM 16 CHANNEL TWO HEAD CAPSULE COUNTER WITH CONVEYOR COUNTER: 69"X38"X72" CONVEYOR: 105"X26.5X40.5" ADJUSTABLE HEIGHT Item Location - Colorado Springs, CO NO OUT OF STATE MANUFACTURING SALES TAX EXEMPTION |
| 330 | REVERSE OSMOSIS WATER SYSTEM 1,500 GALLONS/DAY FULLY AUTOMATIC 18"X16"X56" Item Location - Colorado Springs, CO NO OUT OF STATE MANUFACTURING SALES TAX EXEMPTION |
| 331 | 30 GALLON PENTAIR WELLMATE UT-30 WATER SOFTENER, 2016 BRAND NEW NEVER USED Item Location - Colorado Springs, CO NO OUT OF STATE MANUFACTURING SALES TAX EXEMPTION |
| 332 | SLICER 21"X12"X12" Item Location - Colorado Springs, CO NO OUT OF STATE MANUFACTURING SALES TAX EXEMPTION |

| 333 | GLOBAL INDUSTRIAL ROLLER CONVEYOR EXTENDED 22'X24"X28" ADJUSTABLE HEIGHT COLLAPSED 10'X24"X28" Item Location - Colorado Springs, CO NO OUT OF STATE MANUFACTURING SALES TAX EXEMPTION |
|-----|---|
| 334 | PERKIN ELMER PLASMA 400 ICP-OES SPECTROMETER 32"X57"X38" Item Location - Colorado Springs, CO NO OUT OF STATE MANUFACTURING SALES TAX EXEMPTION |
| 335 | USPE R&D 4IN SOFTGEL MACHINE WITH OVAL 3,8, AND 10 - OBLONG 20, AND 22 Item Location - Colorado Springs, CO NO OUT OF STATE MANUFACTURING SALES TAX EXEMPTION |
| 336 | CLARKE 1700HD FLOOR SCRUBBER Item Location - Colorado Springs, CO NO OUT OF STATE MANUFACTURING SALES TAX EXEMPTION |
| 400 | JIUYAJU TABLET MACHINERY SYST-100 - 100 TON TABLET PRESS 10.5" X 10.5" BED AREA. INCLUDES 20 TON COOLING TOWER. CURRENT TOOLING: (9) 2.25" ROUND BORES WITH 5 BLANKING TIPS. CAN INCLUDE CURRENT TOOLING AND DIES WITH PURCHASE. SPECIFICATIONS: STANDARD MANUFACTURER NAME: JIUYAJU TABLET MACHINERY YEAR:[more] |
| 401 | JIUYAJU TABLET MACHINERY SYST-30 - 30 TON TABLET PRESS BED AREA: 7" X 7" CURRENT TOOLING: (9) 1.2" FILLETED SQUARE BORES. SPECIFICATIONS: STANDARD MANUFACTURER NAME: JIUYAJU TABLET MACHINERY YEAR:2018 MODEL:SYST-30 - 30 TON RECOMMENDED PACKAGING FORM:CUSTOM PALLET DIMENSIONS: STANDARD OVERALL:78.74[more] |
| 402 | RUGAO HENGYE FOOD MACHINERY CO - SY-80 WRAPPING MACHINE Item Location - Lexington, KY |
| 500 | 6,000 LBS HYUNDAI 30D-90 FORKLIFT, 2020 CAPACITY: 6,000 LBS FUEL TYPE: DIESEL LIFT HEIGHT: 128 2 STAGE MAST ~3100 HOURS All specifications are assumed to be correct but must be confirmed by the purchasing entity. Item Location - Chickamauga, GA |
| 501 | 70,000# RCI 38420 FOUNDRY HANGING SCALE WITH 1 BATTERY AND 2 CHARGERS Item Location - Chickamauga, GA |
| 510 | (4) CITRONIX CI5000 INK JET PRINTER SN: 0718283M GREAT CONDITION 4 SKIDS Item Location - Jonesboro, GA |
| 511 | STRAPACK SQ-800 STRAPPING MACHINE EVERYTHING LOOKS COMPLETE, BUT FRONT PANELS REMOVED (HAPPENS OFTEN TO CLEAR A JAM, SO PROBABLY FINE) 1 SKID Item Location - Jonesboro, GA |
| 512 | (3) HYTROL 35 FT POWERED BELT CONVEYORS 10 SKIDS (4) HYTROL 4 FT POWERED BELT CONVEYORS 1 SKID (6) HYTROL 6-10 FT POWERED BELT CONVEYORS (2) 10 FT, (3) 8 FT, (1) 6 FT 6 SKIDS LOT OF GRAVITY ROLLER CONVEYOR W LEGS ROUGHLY 140 FT IN 10 FT SECTIONS 12 SKIDS Item Location - Jonesboro, GA |
| 600 | CARTON FLOW RACKS Item Location - Elk Grove Village, IL |
| 601 | CROWN WALKING STACKER Item Location - Elk Grove Village, IL |
| 602 | T30-PX PRINTERS (2) Item Location - Elk Grove Village, IL |
| 603 | INKJET PRINTERS (6) Item Location - Elk Grove Village, IL |
| 604 | GRAVITY CONVEYORS Item Location - Elk Grove Village, IL |
| 605 | LOCKERS Item Location - Elk Grove Village, IL |

| 606 | MISC OSHA CERTIFIED LADDERS (ULINE) Item Location - Elk Grove Village, IL |
|-----|--|
| 607 | MISC CARTS (ULINE) Item Location - Elk Grove Village, IL |
| 608 | MISC BINS (ULINE) Item Location - Elk Grove Village, IL |
| 610 | STRATASYS F370 3D PRINTING SYSTEM, 2017 MAX BUILD SIZE - 14X10X14 8 MATERIALS 4 CARTRIDGE CAPACITY AUTO MATERIAL CHANGEOVER PLA EXTRUSION HEAD PLA COOLING MODULE GRABCAD PRINT SOFTWARE All specifications are assumed to be correct but must be confirmed by the purchasing entity. Item Location - Elk[more] |
| 620 | STOELTING INDUSTRIAL PARTS WASHER, 2014 – MODEL: AQF-224 – POWER: 460V / 60HZ / 3 PHASE – 350 AMP BREAKER Item Location - Murphysboro, IL |
| 630 | THE KHS INNOKEG TRANSOMAT KEG SYSTEM ENABLES YOU TO THOROUGHLY CLEAN AND GENTLY RACK KEGS WITH SIX ACTIVE WASHING STATIONS AND ONE FILLING STATION. THIS EFFICIENT COMBINATION ALLOWS YOU TO RACK OPTIMALLY PREPARED KEGS WITH ALMOST ANY PRODUCT – FROM BEER THROUGH SOFT DRINKS AND WINE TO WATER. THE FLE[more] |
| 640 | ILPRA BIGMEC V/G TRAY SEALER, 2001 - 4 CAVITY TRAY SEALER - TRAYS WITH PRODUCT ARE LOADED ONTO THE INFEED CONVEYOR, TRAVEL INTO THE TRAY SEALING AREA TO HAVE FILM APPLIED FROM A ROLL, CUT, AND SEALED, AND THEN TRAVEL TO THE OUTFEED CONVEYOR - 400 VOLTS - COMING OUT OF A CANDY MAKING FACILITY[more] |
| 641 | BARRY-WEHMILLER THIELE RECIPROCATING PLACER, 2003 - DUAL LANE DE-NESTER - PNEUMATIC PICK AND PLACE Item Location - Rockford, IL |
| 642 | BARRY-WEHMILLER THIELE RECIPROCATING PLACER, 2003 - DUAL LANE DE-NESTER - PNEUMATIC PICK AND PLACE Item Location - Rockford, IL |
| 643 | RASCH RG FOILER TYPE: RG SPEED: UP TO 70 PIECES/MIN DEPENDING ON PRODUCT AND WRAPPING STYLE WRAPPING STYLES: FRONT FOLDING, FIGURE FOILING, FIGURE FOLDING, HEAT-SEALING, DOUBLE-TWIST, BUNCH WRAP, ENVELOP FOLD, EGG FOILING AND DOUBLE FOIL PRODUCT TYPE: FIGURES, FLAT BOTTOM CHOCOLATE PRODUCTS, R[more] |
| 644 | ONEIDA VACUUM BARREL FILTER SYSTEM - FREESTANDING DUST COLLECTOR - 55 GALLON DUST COLLECTION DRUM - CYCLONE STYLE SEPARATOR All specifications are assumed to be correct but must be confirmed by the purchasing entity. Item Location - Rockford, IL |
| 645 | BATCH SYSTEMS INC 999005212D FEEDER - INFEED HOPPER LOADS CLEATED INCLINE CONVEYOR/PREFEEDER WITH PRODUCT, WHICH THEN LOADS VIBRATORY BOWL FEEDER, WHICH THEN FEEDS THE OUTFEED DISPENSER SO THAT THE PRODUCT IS DISPENSED IN PREDETERMINED BATCH SIZES - PREVIOUSLY USED FOR FEEDING NUTS IN A CANDY MAKING[more] |
| 646 | BATCH SYSTEMS INC 999005212D FEEDER - INFEED HOPPER LOADS CLEATED INCLINE CONVEYOR/PREFEEDER WITH PRODUCT, WHICH THEN LOADS VIBRATORY BOWL FEEDER, WHICH THEN FEEDS THE OUTFEED DISPENSER SO THAT THE PRODUCT IS DISPENSED IN PREDETERMINED BATCH SIZES - PREVIOUSLY USED FOR FEEDING NUTS IN A CANDY MAKING[more] |
| 647 | BATCH SYSTEMS INC 999005212D FEEDER - INFEED HOPPER LOADS CLEATED INCLINE CONVEYOR/PREFEEDER WITH PRODUCT, WHICH THEN LOADS VIBRATORY BOWL FEEDER, WHICH THEN FEEDS THE OUTFEED DISPENSER SO THAT THE PRODUCT IS DISPENSED IN PREDETERMINED BATCH SIZES - PREVIOUSLY USED FOR FEEDING NUTS IN A CANDY MAKING[more] |

| 648 | PRODUCT, WHICH THEN LOADS VIBRATORY BOWL FEEDER, WHICH THEN FEEDS THE OUTFEED DISPENSER SO THAT THE PRODUCT IS DISPENSED IN PREDETERMINED BATCH SIZES - PREVIOUSLY USED FOR FEEDING NUTS IN A CANDY MAKING[more] |
|-----|--|
| 649 | BEP FP-80500 CENTRIFUGE - PREVIOUSLY USED FOR CHERRIES IN A CANDY MAKING OPERATION - 1200 MAX RPM - PERFORATED BASKET - 460V All specifications are assumed to be correct but must be confirmed by the purchasing entity. Item Location - Rockford, IL |
| 650 | KLOCKNER SKH 2 VACUUM COOKER, 1998 - PREVIOUSLY USED FOR CANDY MAKING - SWEEP AGITATION - COPPER RECEIVING KETTLE - VACUUM PUMP Item Location - Rockford, IL |
| 700 | AIRCLEAN SYSTEMS AC6036VLF VENTILATION HOOD VOLTAGE: 110V/60HZ, POWER: 370W POLYPROPYLENE LABORATORY DUCTLESS FUME HOOD Item Location - Wadsworth, OH |
| 710 | (2) COMPLETE PDC STEAM TUNNELS WITH STEAM GENERATORS & CONVEYORS MODEL: KST80A-912 SN:384,385 Item Location - Fairfield, OH |
| 711 | ALLOYD 8 STATION ROTARY BLISTER SEALER (P1) MODEL: 8SC121800CTE SN: M2004-005 Item Location - Fairfield, OH |
| 712 | SENCORP HP-12 INLINE BLISTER SEAL (44 TRAYS, 22X11) Item Location - Fairfield, OH |
| 713 | SENCORP HP1000 THERMOFORMER SN: 61215998F Item Location - Fairfield, OH |
| 714 | RANDLES 22-34 MOD MACHINE SN: VF-4041 Item Location - Fairfield, OH |
| 715 | STERLING INC, MILWAKEE WISCONSIN SMC-200A CHILLER SN: 98D0580 Item Location - Fairfield, OH |
| 716 | (2) GARDENER DENVER PLASTIC TRIM VACUUMS MODEL: SCEVF3718-3 (55) SN: SC10106810003/2011 Item Location - Fairfield, OH |
| 717 | MANY BELTS AND CONVEYORS Item Location - Fairfield, OH |
| 718 | LOT OF ALLEN-BRADLEY SERVO AUTOMATION ALLEN-BRADLEY SERVOS 2 YEARS OLD MODEL: VPL-AD633.PK14A,A 5-6 SERVO'S Item Location - Fairfield, OH |
| 719 | ILAPAK HORIZONTAL FLOW WRAPPER WITH 20FT INFEED MODEL: CARRERA 500 PC SN: 312000722 Item Location - Fairfield, OH |
| 720 | (2) SHANKLIN HEAT SHRINK TUNNELS MODELS: T-7XL, T-62 SN: T-93219, T-01214 Item Location - Fairfield, OH |
| 722 | WOLFTECK AUTOMATIC STRAPPING MACHINE MODEL: G1 41 SN: 01 Item Location - Fairfield, OH |
| 724 | (2) ROTECH-BLISTER CARD CODE DATING MACHINES MODEL: RF AUTO SN: 6039 & 6040 Item Location - Fairfield, OH |
| 725 | GREAT LAKES SHRINK WRAP MODEL: TS 37NE SN: 5179 Item Location - Fairfield, OH |
| | |

BATCH SYSTEMS INC 999005212D FEEDER - INFEED HOPPER LOADS CLEATED INCLINE CONVEYOR/PREFEEDER WITH

| 726 | ALLOYD 8 STATION ROTARY BLISTER SEALER WITH THERMOFORMER MODEL: 8SC12180C SN: M2004-16 Item Location - Fairfield, OH |
|-----|---|
| 730 | ECHO MR8-260R PRE-MADE POUCH FILLER WITH AUGER FILLER, LINEAR SCALE AND BUCKET ELEVATOR, 2022 PREMADE BAG FILLER FOR GRANULES AND POWDERS SUCH AS TUMERIC POWDER, CINNAMON POWDER, ASHWAGANDHA POWDER, MORINGA LEAF POWDER, CHIA SEEDS AND MORE BAGGER SPECIFICATIONS: BAG SIZE RANGE: — WIDTH: 130 — 260[more] |
| 740 | ADCO 15D105-EC HAND LOAD CARTONER MODEL 15D105 EC SEMI AUTOMATIC HORIZONTAL HOT MELT GLUE CARTONER RATED FROM 25 TO 125 CARTONS PER MINUTE Item Location - Sandusky, OH |
| 741 | AMCA BAGGER INCLUDES CRATE WITH ADDITIONAL FORMING TUBES Item Location - Sandusky, OH |
| 742 | HAYSSEN ULTIMA II VFFS BAGGER MODEL 12-19HR UP TO 60 BAGS PER MINUTE DEPENDING ON APPLICATION Item Location - Sandusky, OH |
| 743 | CARRIER IM-1860 S VIBRATORY FEEDER STROKE: STROKE PAN-7/8 RPM: 531 Item Location - Sandusky, OH |
| 744 | 3M-MATIC 22A ADJUSTABLE CASE SEALER MODEL 28600 Item Location - Sandusky, OH |
| 745 | DO-BOY SUPER MUSTANG FLOW WRAPPER Item Location - Sandusky, OH |
| 746 | DO-BOY SUPER MUSTANG FLOW WRAPPER INCLUDES MARKEM 9840 PRINTER Item Location - Sandusky, OH |
| 747 | HAFCOVAC 55 GALLON ANTI-STATIC EXPLOSION-PROOF PNEUMATIC DRUM VACUUM W/ S'HUSH SILENCER Item Location - Sandusky, OH |
| 748 | E-Z PAK BR-C HAND LOAD PACKER Item Location - Sandusky, OH |
| 749 | EXTREME PACKAGING A56008 DUAL CHAIN FLOW WRAPPER Item Location - Sandusky, OH |
| 750 | ISO-FLO VIBRATORY FEEDER MAX STROKE 6 MAX RPM 820 Item Location - Sandusky, OH |
| 751 | KLIKLOK HSK 11095 SEMI AUTO HAND LOAD CARTONER Item Location - Sandusky, OH |
| 752 | VBS INDUSTRIES NITROGEN DEPOSITOR Item Location - Sandusky, OH |
| 753 | MGS MACHINE CORP IPP-390D PICK AND PLACE FEEDER Item Location - Sandusky, OH |
| 754 | SHANKLIN T-7 XL HEAT SHRINK TUNNEL Item Location - Sandusky, OH |
| 755 | SHANKLIN T-72SS STAINLESS STEEL DUAL CHAMBER HEAT SHRINK TUNNEL Item Location - Sandusky, OH |
| 756 | SLINGER OILER Item Location - Sandusky, OH |
| 757 | SUPERIOR MODEL 20 CARTONER Item Location - Sandusky, OH |

| 758 | NERCON TRANSFER CONVEYOR Item Location - Sandusky, OH |
|------|---|
| 800 | SIDSAMS SF-ST STAR TABLE; 2020 Item Location - Daytona Beach, FL |
| 801 | SIDSAMS CAP SORTING MACHINE; 2022 Item Location - Daytona Beach, FL |
| 802 | ERIEZ XTREME RE POWER PLATE MAGNET INSPECTION TABLE, 2020 ALL STAINLESS-STEEL CONSTRUCTION WELDED CONSTRUCTION 1/2 HIGH MILLED 400 SERIES TAPERED STEP HINGE AND LATCH RARE EARTH+ AND XTREME RARE EARTH+ UNITS (SANITARY DESIGN IS STANDARD) All specifications are assumed to be correct but must be co[more] |
| 810 | MAS RADIAL ARM DRILL MODEL V050 - 5' ARM WITH WORK TABLE BLOCK - HEAVY DUTY DRILL Item Location - Titusville, FL |
| 811 | BERNARDO MACCHINA 125 TON CAPACITY HYDRAULIC IRONWORKER COMPLETE WITH DIES AND PUNCHES DUAL OPERATOR UNIT WITH FOOT PEDAL CONTROLS 460V 3 PHASE Item Location - Titusville, FL |
| 820 | NELMOR GRINDERS G1012M Item Location - Ocala, FL |
| 821 | NELMOR GRINDERS G1012M Item Location - Ocala, FL |
| 822 | NOVATEC DRYERS WITH HOPPER MODEL: MD-HOPPER SN: 3A2129-3290 DATE: 3/5/99 Item Location - Ocala, FL |
| 823 | NOVATEC DRYERS WITH HOPPER MODEL: MD-HOPPER SN: 3A2129-3290 DATE: 3/5/99 Item Location - Ocala, FL |
| 900 | FULTON ENDURA EDR-1000 BOILER, 2022 – CONDENSING BOILER AND ENGINEERED SKID SYSTEM – RATED INPUT AT HIGH FIRE: 1,000,000 – MINIMUM INPUT AT LOW FIRE: 90,000 – RATED OUTPUT: 953,000 – THERMAL EFFICIENCY: 95.3 – BURNER TURNDOWN: 11:1 ***THE EQUIPMENT IS NOT CURRENTLY AND NEVER HAS BEEN INSTALLED SO[more] |
| 910 | LIQUID BAG FILLING MACHINE- USED FOR FILLING A WATER BASED ADHESIVE (GLUE) PACKAGING TYPE: STAND-UP POUCH, BAGS, POUCH AUTOMATIC GRADE: SEMI-AUTOMATIC DRIVEN TYPE: PNEUMATIC PLACE OF ORIGIN: SHANDONG, CHINA WEIGHT: 200 KG CORE COMPONENTS: MOTOR, PUMP, PLC BRAND NAME: GUBEK DIMENSION(L*W*H): 750*900[more] |
| 1000 | KAWAGUCHI KX220 INJECTION MOLDING MACHINE, 2005 SPECS: CLAMP FORCE: 242 TONS SHOT SIZE: 20.7 OZ. TIE BAR SPACING: 560MMX560MM PLATEN SIZE: 8200MMX815MM EJECTOR FORCE: 6.1 TONS EJECTOR STROKE: 110MM SCREW SIZE: 63 MM VOLTAGE: 230/3/60 All specifications are assumed to be correct but m[more] |
| 1001 | 2013 STRATASYS OBJET 260 CONNEX 3D PRINTER SN:33266 2,938 hours Item Location - North Las Vegas, NV NO MANUFACTURING SALES TAX EXEMPTION |
| 1010 | BUCHI R-300 ROTAVAPOR SYSTEM W/ I300 CONTROLLER & DTC41 VACUUM PUMP & POLYSCIENCE RECIRCULATING BATH Item Location - Summerlin, NV NO MANUFACTURING SALES TAX EXEMPTION |
| 1011 | R-100 ROTAVAPOR Item Location - Summerlin, NV NO MANUFACTURING SALES TAX EXEMPTION |
| 1100 | LAUDA UC-0140SP COMMERCIAL GRADE CHILLER, 2015 REFRIGERANT: R-134A 4.2 LB 208-230 VOLT PUMP MOTOR: 1.34 HP DIMENSIONS (WXDXH): 715 X 945 X 1490 MM NOISE LEVEL: 58.1 DB(A) MAX. FUSE: 25 A SPEC SHEET AVAILABLE BY REQUEST! All specifications are assumed to be correct but must be confirmed by the pur[more] |

| 1110 | MANNATRON 6×6 ROTATIONAL CASTING MACHINE – MOLD MOUNTING AREA: 72 X 72 – MAXIMUM MOLD SIZE: APPROXIMATELY 100 DIAGONALLY MOUNTED – FLOOR AREA REQUIREMENTS: 100 SQUARE FEET – CEILING HEIGHT REQUIREMENTS: 10 FEET – ELECTRICAL REQUIREMENTS: 120V, 60HZ, 15 AMPS MOLD CAPABILITIES: – MAXIMUM BALANCED[more] |
|------|---|
| 1111 | 1BALDOR 1252 INDUSTRIAL BUFFER Item Location - Ira, TX |
| 1120 | STARVIEW MSTS/MAP-1418 CUP SEALER WITH MODIFIED ATMOSPHERIC PACKAGING CAPABILITIES, 2020: - HEATING SYSTEM: TEMPERATURE CONTROLLED INTERCHANGEABLE TOOLING - ACTUATOR TYPE: PNEUMATIC - SUPPLIED AIR REQUIREMENT: 100 PSI - MAXIMUM TRAY DIMENSIONS (WITH ADDITIONAL TOOLING, NOT INCLUDED): 14" X 18" - MA[more] |
| 1200 | SHARP PACKAGING BAG SEALER ELECTRICAL REQUIREMENTS 110/120V, 50/60HZ Item Location - Menomonee Falls, WI |
| 1201 | BOCK GP130 CENTRIFUGE MAX RPM: 1700 RPM ELECTRICAL REQUIREMENTS: 460V, 3P, 60HZ All specifications are assumed to be correct but must be confirmed by the purchasing entity. Item Location - Menomonee Falls, WI |
| 1202 | CAMERON SLITTER MOTOR: 5 HP ELECTRICAL REQUIREMENTS: 220/440V, 3P, 60HZ All specifications are assumed to be correct but must be confirmed by the purchasing entity. Item Location - Menomonee Falls, WI |
| 1203 | 10 TON DENISON MULTIPRESS TONNAGE: 10 TON CYLINDER BORE: 3.625 STROKE: 12" MOTOR: 7.5 HP DAYLIGHT: 18" THROAT: 10" RAM DIAMETER: 2.5" ELECTRICAL REQUIREMENTS: 220V, 3P, 60HZ All specifications are assumed to be correct but must be confirmed by the purchasing entity. Item Location - Menomonee Fall[more] |
| 1204 | EAGLE PH2-100-104-63 PRESS PRESSING FORCE: 100 TONS LIFTING FORCE: 15-20 TONS BED AREA: 104" X 63" STROKE: 40" SHUTHEIGHT: 19-59" DAYLIGHT: 59" MOTOR: 50 HP ELECTRIC REQUIREMENTS: 460V, 3P, 60HZ DIMENSIONS: 125.5" X 80.50" X 187.5" WEIGHT: 45,400 LBS All specifications are assumed to be correct bu[more] |
| 1205 | EASTMAN 31-S3286 PRESS ELECTRICAL REQUIREMENTS: 460V, 50/60HZ Item Location - Menomonee Falls, WI |
| 1206 | ELITRON KOMBO AUTOMATIC PLOTTER, 2009 PNEUMATIC REQUIREMENTS: 8/10 BAR ELECTRICAL REQUIREMENTS: 480 V, 3P, 60 HZ WEIGHT: 6,614 LBS All specifications are assumed to be correct but must be confirmed by the purchasing entity. Item Location - Menomonee Falls, WI |
| 1207 | VERTROD 36EWS-HOV 2000W HEAT SEALER ELECTRICAL REQUIREMENTS: 115/120V, 60HZ Item Location - Menomonee Falls, WI |
| 1208 | 200 TON BLOW PRESS HD20-78 PRESS CAPACITY: 200 TON Item Location - Menomonee Falls, WI |
| 1209 | SYSCO ABC-100 DIE CUTTER W/ FRXC FEEDING SYSTEM MAX CUTTING PRESSURE: 100 TONS CUTTING AREA: 1600 MM X 1000 MM DOWNSTROKE SPEED: 100 MM/SEC UPSTROKE SPEED: 82.8 MM/SEC MAX CUTTING STROKE: 110 MM MAX DAYLIGHT: 160 MM MOTOR: 15 HP ELECTRICAL REQUIREMENTS: 460V, 3P, 60HZ DIMENSIONS: 59.84" X 47.83" X[more] |
| 1210 | RANDAL SLITTER Item Location - Menomonee Falls, WI |
| 1211 | POWERMATIC PWBS-14 14" BAND SAW 14" WHEEL DIAMETER 13-5/8" THROAT DEPTH 14" X 14" TABLE SIZE 93.5" BLADE LENGTH 1/8" TO 3/4" BLADE WIDTH 1.5 HP MOTOR 115/230 V All specifications are assumed to be correct but must be confirmed by the purchasing entity. Item Location - Menomonee Falls, WI |
| 1015 | |

1212

DELTA BAND SAW Item Location - Menomonee Falls, WI

| 1213 | RIGID BS1400I 14" BAND SAW 14" WHEEL DIAMETER 13-5/8 " THROAT DEPTH 14" X 14" TABLE SIZE 3/4 HP MOTOR 93.5" BLADE LENGTH 1/8" TO 3/4" BLADE WIDTH All specifications are assumed to be correct but must be confirmed by the purchasing entity. Item Location - Menomonee Falls, WI |
|------|--|
| 1214 | ALBRECHT BAUMER IS/M FOAM CUTTER 40 M/MIN MAX CUTTING SPEED APPROX 10,950 MM X 10MM DISC LENGTH All specifications are assumed to be correct but must be confirmed by the purchasing entity. Item Location - Menomonee Falls, WI |
| 1215 | VERTROD 36EWS-HOV 800W IMPULSE HEAT SEALER Item Location - Menomonee Falls, WI |
| 1300 | STOUT 5 BBL STAINLESS STEEL 240 GALLON BREW KETTLE - NON-INSULATED (ELECTRIC) MATERIAL: PREMIUM VIRGIN 304 STAINLESS STEEL MAXIMUM CAPACITY: 240 GALLONS THERMOWELL TANGENTIAL INLET SIGHT GLASS (3) PORTS AND ADAPTERS FOR ELECTRIC ELEMENTS (2-IN. TC X 1.5-IN. NPS), (1) PORT/ADAPTER FOR LEVEL SENSOR. I[more] |
| 1301 | STOUT 7 BBL 290 GALLON HOT LIQUOR TANK WITH HERMS COIL (NON-INSULATED, ELECTRIC) MATERIAL: PREMIUM VIRGIN 304 STAINLESS STEEL CAPACITY: 290 GALLONS THERMOWELL TANGENTIAL INLET RAISED STAINLESS HERMS COIL SIGHT GLASS (4) 2" TC ELECTRIC ELEMENT PORTS 4 ADAPTERS FOR ELECTRIC ELEMENTS (1) LEVEL SENSOR P[more] |
| 1302 | GLACIER TANKS 10 BBL 310 GALLON COMMERCIAL MASH TUN TANK SKU IMT-10-BBL MIN WORKING VOLUME: 310 GALLONS STAINLESS STEEL SS304 TOTAL VOLUME: 465 GALLONS VOLUME: 10 BARRELS (BBL) STANDARD FEATURES: 17" MANWAY DOOR 50% HEAD SPACE MINIMUM 3MM THICK STAINLESS STEEL BODY FLAT, HINGED LID THROUGH THE WAL[more] |
| 1400 | CHEMCUT XLI-30 RESIST STRIP/ALKALINE ETCH WET PROCESSING SYSTEM, 2022 3MIL LINES(76) AND SPACES WITH 1OZ. COPPER 2 MIL LINES(51) AND SPACES WITH .5OZ. COPPER TEMPERATURE: 130° F (54° C) ACID NORMALITY – 1N SPECIFIC GRAVITY: 32 TO 36 BE' (1.28 TO 1.330) SPRAY PRESSURE: 30 – 40 PSI (2.0 TO 2.7 BAR)[more] |
| 1410 | CURRIE HSP-3B-177 PALLETIZER, 1972 CASE SIZE- 24 LONG X 24 WIDE X 18 HIGH MAX. PALLET SIZE- 49 X 54 MAX. CAPACITY- METERING BELT PRIOR TO GRAVITY PRODUCT CONVEYOR 60 PER MINUTE MAX. All specifications are assumed to be correct but must be confirmed by the purchasing entity. Item Location[more] |
| 1500 | 20 HP ELGI EN15-125 ROTARY SCREW AIR COMPRESSOR, 2018 – HOURS: 768 HRS. – 20 HP – PRESSURE RATING: 125 PSI – CAPACITY: 68 CFM – MOTOR: 15 KW – VOLTAGE: 480/230V 3 PHASE/ 60HZ – WEIGHT: 683 LBS All specifications are assumed to be correct but must be confirmed by the purchasing entity. Item Locati[more] |
| 1510 | TRIDYNE F206-X VIBRATORY FEEDER 2014 AND DURAPACK M7 BAGGER 2014 BUILT CUSTOM FOR KRISPY KREME IN 2014. LAST USED FOR DONUT HOLES SPEED: APPROXIMATELY 18 BAGS PER MINUTE MAXIMUM BAG SIZE RANGES: WIDTH: 12 INCHES LENGTH: 16 INCHES MINIMUM BAG SIZE RANGES: WIDTH: 4 INCHES LENGTH: 6 INCHES (2) PRODUC[more] |
| 1511 | 2011 LOCK WEIGHCHECK S/S METAL DETECTOR/ CHECK-WEIGHER MODEL CC2500 WEIGHCHECK-CHAIN SN LIS1105-6947 10 TO 2500 GRAMS WEIGHT RANGE WITH MODEL MET30+ METAL DETECTOR- 13" W X 5" H PRODUCT OPENING, 70" L X 36" H CONVEYOR, WITH TOUCH PAD CONTROLS, REJECT CYLINDERS, (3) OMRON JX VFD'S, 230V All specific[more] |
| 1520 | 4" X 11" CINCINNATI CARLTON ROTARY ARM DRILL PRESS SIZE OF ARM: 4 DIAMETER OF COLUMN: 11 COLUMN FACE TO SPINDLE CENTER: 48 MAX. TO 9 MIN. SPINDLE RADIUS: 4'8-1/2 MAX., 17-1/2 MIN. SPINDLE TO BASE: 4'7-1/4 MAX., 14-3/4 MIN. SPINDLE SPEEDS: 40 – 1500 RPM SPINDLE FEEDS (6): .006 – .025 VERTI[more] |
| 1600 | OPEN TOP W/ COVER STAINLESS STEEL 1000 GALLON TANK WITH A AGITATOR Item Location - Hannacroix, NY |
| | |

| 1601 | 80 HEAD U.S. BOTTLERS MACHINERY CO. GRAVITY LIQUID FILLER MONOBLOCK PGF-80 HEADS: 80 MATERIAL CONSTRUCTION: STAINLESS STEEL FILLS AND CAPS THE FOLLOWING BOTTLE SIZES: 16OZ, 17.5OZ AND 32 OZ DIMENSIONS: 144 L X 108 W X 94 INCLUDES ~500 FT OF CONVEYORS MANUAL, SPARE PARTS, AND SPEC SHEET AVAILABL[more] |
|------|--|
| 1602 | 100 HP GARDNER DENVER ENVIROAIRE VS75-10A AIR COMPRESSOR, 2011 - INCLUDES DRYER 100 HP 403.6 CFM 145 PSIG AIREND: 6U3 4500 LBS 86 LONG 56 WIDE 76 HIGH 460/3/60 All specifications are assumed to be correct but must be confirmed by the purchasing entity. Item Location - Hannacroix, NY |
| 1603 | GLYCOL FOOD GRADE TANK WITH VALVING, HEAVY DUTY Item Location - Hannacroix, NY |
| 1604 | 4-5 FOOT HIGH WALKWAYS / PLATFORMS Item Location - Hannacroix, NY |
| 1900 | INCLUDES: 45 INCH DIAMETER STAINLESS STEEL UNSCRAMBLE TABLE: ALL STAINLESS-STEEL TUBULAR OPEN-FRAME CONSTRUCTION. STANDARD SPEED SETTING IS 0 TO 7 RPM OR 82.5 FEET/MIN. VARIABLE SPEED, SEALED, FUSED/SURGE PROTECTED DC MOTOR W/ 550 INCH/LBS TORQUE. TURNTABLE GLIDES ON RUBBER, SELF-LUBRICATING BEARING[more] |
| 1901 | - LANCE AND ALL OTHER WETTED PARTS ARE 316 STAINLESS STEEL - TWO INFEED FULL-PORT BALL VALVES CONTROL PRODUCT HAMMERING - SCALE IS 5,000 LB CAPACITY PLATFORM TYPE - NTEP APPROVED SCALE AND WEIGHT METER - CONTROLLER IS AN ALLEN BRADLEY PLC WITH 250 PRODUCT MENU - TOUCH SCREEN IS AN ALLEN BRADLEY COLO[more] |
| 1902 | CAPACITY: 2750 GALLONS STAINLESS STEEL CONSTRUCTION PROPELLER AGITATION CIP SPRAY BALLS TOP MOUNTED MAN HOLE SIDE BOTTOM DISCHARGE Item Location - Elwood, IN |
| 1903 | CAPACITY: 2000 GALLONS STAINLESS STEEL CONSTRUCTION PROPELLER AGITATION CIP SPRAY BALLS TOP MOUNTED MAN HOLE SIDE BOTTOM DISCHARGE Item Location - Elwood, IN |