

# Sigma Auction



## Sigma Equipment 4th Quarter Surplus Auction

Packaging and processing equipment including Ilapak, Hobart, Adco, Safeline, 3M, VideoJet and other manufacturers.

3001 Maxx Road  
Evansville  
Indiana  
47711  
United States

Ended Nov 14, 2019 1:41pm CT (7:41pm GMT)

Lot	Description
1	Manufacturer: Mega Engineering. Serial: 028102. Model: HPE-VA2115. Year: 2002. Approximately 40 gallon capacity. Rigging fee: \$100
2	Manufacturer: Patterson Kelley. Serial: 277734. Model: 2 Cu Ft. Maximum working volume: 2 cubic feet. Material density: 195 pounds per cubic foot. Top lids not included. 230 volts, 3 phase, 60 hertz Rigging fee: \$100
3	Manufacturer: CFS. Serial: 5000064537. Model: Ecocut 225. 480 volts, 3 phase, 60 hertz. Parts only machine. Rigging fee: \$300
4	Manufacturer: Regis. Serial: 11529. 460 volts, 3 phase, 60 hertz. Approximately 820 gallon capacity. Rigging fee: \$300
5	Manufacturer: CSF. Serial: 5000065571. Model: EcoCut P225. Year 2007. 400 volts, 50 hertz. Parts only machine. Rigging fee: \$200
6	Manufacturer: CIM International. Serial: 80313006. 220 volts, 60 hertz. 24" max product width. Rigging fee: \$500
7	Unit was used to deposit bakery filling product into product below. (14) filling nozzles. Hopper dimensions: 6 inches wide x 62 inches x 9 1/2 inches deep. Stainless steel construction. 460 volts. Rigging fee: \$200
8	Manufacturer: Velten and Pulver Inc. Serial: 31782-054-12. Stacks baking pans at approximately 25 pans per minute. 480 volts 3 phase 60 hertz Rigging fee: \$400
9	Manufacturer: Rademaker Serial: 529495 Last used for puff pastries, triangular turnovers. Multiple flour sifters throughout the sheeting process. Pressing roller. Quick reductor head. Cross roller. 220 volts / 3ph / 60 hertz Rigging fee: \$1000
10	Manufacturer: Hindsbock Serial: 2163, 2164 Model: 4P-04, 4P-12 Deposit range: 0.1 ounce to 12 ounce. Previously used for cheesecake. Rigging fee: \$600
11	Manufacturer: OCS Checkweighers Serial: 9000466 Model: HC Year: 2005 115 volts, 1 phase, 60 hertz Rigging fee: \$100
12	Manufacturer: OCS Checkweighers Serial: 9000467 Model: HC Year: 2005 115 volts, 1 phase, 60 hertz Rigging fee: \$100
13	Manufacturer: Azo DMN Westinghouse Serial: 053381 Model: PTD 65 Rigging fee: \$50
14	Manufacturer: Micro Motion Serial: 149760 Model: DL200S226SU Flow cal: 232.674.26 Dens cal: 09313131164.26 Temperature range: -240 to 204 degrees Celsius Rigging fee: \$50

- 15 Manufacturer: Micro Motion Serial: 136063 Model: DL200S226SU Meter type: 39 Meter Factor: 25243 Flow Cal Factor: 252.435.13  
Dens Cal Factor: 09231128064.44 Rigging fee: \$50
- 
- 16 Manufacturer: SoftSwitching Technologies Serial: SST025129 Model: DS30400A480V3SH2000B Year: 2005 Quality solution that  
enables manufacturers to mitigate the voltage sags and momentary interruptions that shut down production processes No batteries or  
moving parts 99% efficient Eliminates voltage ...[more]
- 
- 17 Manufacturer: SoftSwitching Technologies Serial: SST025128 Model: DS30400A480V3SH2000B Year: 2005 Quality solution that  
enables manufacturers to mitigate the voltage sags and momentary interruptions that shut down production processes No batteries or  
moving parts 99% efficient Eliminates voltage ...[more]
- 
- 18 Manufacturer: SoftSwitching Technologies Serial: SST025079 Model: DS30400A480VSH2000B Year: 2005 Quality solution that  
enables manufacturers to mitigate the voltage sags and momentary interruptions that shut down production processes No batteries or  
moving parts 99% efficient Eliminates voltage ...[more]
- 
- 19 Manufacturer: CHL Systems Serial: 01-10-70798-A Model: IIC-800-11 Conveyor width: 12 inches. Infeed length: 44 inches. Overall  
height: 150 inches. Discharge height: approximately 100 inches. Cleat centers: 6 inches. Cleat height: 3 inches. 230/460 volts, 3 phase,  
60 hertz Rigging fee: \$ ...[more]
- 
- 20 Manufacturer: Ilapak Serial: D.210.03.018 Model: Delta 3000 DC Ilapak 3000 DC is a fully automatic high speed wrapper that is  
extremely suitable for wrapping a wide range of packages. Can ran up to 300 packages per minute with 2 up head design. 480 volts 3  
phase 60 hertz. Rigging fee: \$300
- 
- 21 Manufacturer: Ilapak Serial: D.210.03.013 Model: Delta 3000 DC Ilapak 3000 DC is a fully automatic high speed wrapper that is  
extremely suitable for wrapping a wide range of packages. Can ran up to 300 packages per minute with 2 up head design. 480 volts 3  
phase 60 hertz Rigging fee: \$300
- 
- 22 Manufacturer: Ilapak Serial: D.210.03.015 Model: Delta 3000 DC Ilapak 3000 DC is a fully automatic high speed wrapper that is  
extremely suitable for wrapping a wide range of packages. Can ran up to 300 packages per minute with 2 up head design. 480 volts 3  
phase 60 hertz Rigging fee: \$300
- 
- 23 Manufacturer: Ilapak Serial: D.210.03.017 Model: Delta 3000 DC Ilapak 3000 DC is a fully automatic high speed wrapper that is  
extremely suitable for wrapping a wide range of packages. Can ran up to 300 packages per minute with 2 up head design. 480 volts 3  
phase 60 hertz Rigging fee: \$300
- 
- 24 Manufacturer: Formax Serial: 323 Model: F6 High speed mold plate drive powers at variable rates up to 65 strokes/min. Hopper -  
positive feeding (300 lbs capacity). 460 volts 3 phase 60 hertz Rigging fee: \$220
- 
- 25 Manufacturer: Hobart Serial: 63880-1 Model: 4356 Mixing chamber 45in. long x 32in. wide x 32in. deep. 500lb capacity. 480 volts 3  
phase 60 hertz Rigging fee: \$200
- 
- 26 Manufacturer: Hobart Serial: 27-031-122 Model: 4356 Mixing chamber 45 inches long x 32 inches wide x 32 inches deep. 500lb  
capacity. 5 hp motor. 480 volts 3 phase 60 hertz Rigging fee: \$220
- 
- 27 Manufacturer: Ball and Jewell Serial: 5275-86354 Model: 1212-X 240 volts 3 phase 60 hertz Rigging fee: \$50
- 
- 28 Manufacturer: CFS Serial: 5000064527 Model: Mid Cutter 400 High performance frozen meat grinder. Output: 3 to 6 tons per hour.  
Maximum block length: 31.2 inches. No control panel. Rigging fee: \$200
-

- 29 Manufacturer: KHS Kister Serial: 002452 Model: TP-60-B Compact, fully automatic and economical tray packing machine. Corrugated trays are a material and cost-saving alternative for packing your cans, bottles, bulk products, various diameters and heights, and/or changing packing formations. Max ...[more]
- 
- 30 Manufacturer: Douglas Serial: M-2444 Model: TFL-18 Magazine max case size 23.5 inches wide. Nordson 3500 hot melt glue system. Allen Bradley SLC 5/03 CPU. Rigging fee: \$400
- 
- 31 Capacity: approximately 220 gallons, 29 cubic feet Cone depth: 40 inches Square chamber dimensions: 20 inches tall x 49 inches x 43 inches Forklift slots Rigging fee: \$100
- 
- 32 Capacity: approximately 220 gallons, 29 cubic feet Cone depth: 40 inches Square chamber dimensions: 20 inches tall x 49 inches x 43 inches Forklift slots Rigging fee: \$100
- 
- 39 Manufacturer: ADCO Serial: 4649HS Model: CS-100-WD Compact sleever for wrapping and sealing flat blank, wrap-around, glue sleeves. Designed to run single count, rectangular ready meal trays. Machine speed: variable up to 100 trays/minute. 460 volts 3 phase 60 hertz Rigging fee: \$450
- 
- 40 Manufacturer: Dimension Industries Serial: 031290 Model: 800 Automatic horizontal cartoner. Approximate carton dimensions: Minimum: 2 inches long x 2 inches wide x 2.5 inches deep. Maximum: 10 inches long x 4.0 inches wide x 13.25 inches deep (with change parts available from manufacturer). ...[more]
- 
- 41 Manufacturer: Thiele Technologies Serial: 21351 Model: Continuous Motion Automatic horizontal cartoner. Overhead confinement option. 7.5 inch wide x 11.5 inch long x 3 inches deep product buckets. 12 inch pitch. Nordson Problue 7 Glue System Rigging fee: \$650
- 
- 42 Manufacturer: Moen Pearson Serial: 124-1674 Fort style erector bliss box erector. 480 volts 3 phase 60 hertz. Rigging fee: \$600
- 
- 43 Manufacturer: MARQ Serial: Q98073 Model: HPE-NS-MF/RH/DL Case range: Minimum: 10 inches long x 8 inches wide x 6 inches tall Maximum: 10 inches long x 19 inches wide x 15 inches tall. (may require change parts) Capable of doing approximately 30-40 cases per minute. 230 volts 3 phase 60 hertz ...[more]
- 
- 44 Manufacturer: MARQ Serial: Q98067 Model: HPE-NS-MF(RH)DL Case range: Minimum: 10 inches long x 8 inches wide x 6 inches tall Maximum: 10 inches long x 19 inches wide x 15 inches tall (may require OEM change parts). 3 inch tape head. Capable of doing approximately 30-40 cases per minute. 230 ...[more]
- 
- 45 Manufacturer: OK International Serial: 07-21623 Model: Superformer 2M Year: 2007 Automatic case erecting system. Minimum case size: 7.87 inches L x 5.90 inches W x 2.95 inches H. Maximum case size: 15.74 inches L x 13.77 inches W x 13.77 inches H. Production Output Rate: Up to 24 cases per m ...[more]
- 
- 46 Manufacturer: 3M Serial: 4182 Model: 200a Case length: 6 inches and up; width: 6 in to 21.5 in; and height: 4.75 in to 24.5 in (6.5 in to 28.5 in with masts in upper position). 115 volts 1 phase 60 hertz. Rigging fee: \$50
- 
- 47 Manufacturer: 3M Serial: 10310 Model: 200a. Case length: 6 inches and up; width: 6 in to 21.5 in; and height: 4.75 in to 24.5 in (6.5 in to 28.5 in with masts in upper position). 115 volts 1 phase 60 hertz Rigging fee: \$50
- 
- 48 Manufacturer: 3M Serial: 7354 Model: 22A Product Min Size: 4.5 inches wide x 3 inches tall. Product Max Size: 18 inches wide x 20 inches tall. 115 volts 1 phase 60 hertz Rigging fee: \$50
- 
- 49 Manufacturer: Pearson Serial: 2005040110714 Model: N401-IT Year: 2005 Automatic top case sealer. 3 inch Dekka tape head. Up to 80 cases per minute. 460 volts 3 phase 60 hertz Rigging fee: \$250
-

- 50 Manufacturer: Pearson Serial: 2005040110713 Model: N401-IT Year: 2005 Automatic top case sealer. 3 inch Dekka tape head. Up to 80 cases per minute. 460 volts 3 phase 60 hertz Rigging fee: \$250
- 
- 51 Manufacturer: 3M Serial: 50834 Model: 200a Includes a 2 inch top tape head, with an open slot for a bottom tape head. Product Max Size: 20.5 inches wide x 32 inches tall. 115 volts 1 phase 60 hertz Rigging fee: \$50
- 
- 52 Manufacturer: 3M Serial: 5243 Model: 800a Horizontally adjustable 4 1/2 inches through 21 3/4 inches for different sizes of boxes. Vertically adjustable top tape head holder for different size boxes. 115 volts 1 phase 60 hertz Rigging fee: \$50
- 
- 60 Manufacturer: Videojet Serial: 010S20001WD Model: Excel 170i Up to 1832 characters a second depending on the font. 40-character, eight-line, illuminated(backlit) LCD display. 110-240 volts 60 hertz Rigging fee: \$50
- 
- 61 Manufacturer: Videojet Serial: IU96D15002 Model: Excel / UHS / AF 170i High speed coding unit. 66 Alphanumeric and special character keys on wash down and ketone resistant, membrane-type keyboard. Security features. 40-character, eight-line, illuminated(backlit) LCD display. Up to 1832 characte ...[more]
- 
- 62 Manufacturer: Videojet Serial: 982670042WD Model: Excel 170i Up to 1832 characters a second depending on the font. 40-character, eight-line, illuminated(backlit) LCD display. 110-240 volts 60 hertz Rigging fee: \$50
- 
- 63 Manufacturer: Domino Serial: C5802 Model: DDC3 Character height range from 0.04 inches up to 0.40 inches (1.0 mm up to 10 mm). Slim print head to be fitted and positioned anywhere on the production line. Up to 253 characters per message. Character generation is 2000 per second. Rigging fee: ...[more]
- 
- 64 Manufacturer: Domino Serial: C4200 Model: DDC3 Character height range from 0.04 inches up to 0.40 inches (1.0 mm up to 10 mm). Slim print head to be fitted and positioned anywhere on the production line. Up to 253 characters per message. Character generation is 2000 per second. Rigging fee: ...[more]
- 
- 65 Manufacturer: Thermo Fisher Scientific Product Max Size: 12 in W x 24 in L x 4 in T Effective Aperture Height: 5 inches Aperture Width: 14 inches Conveyor Length: 43 inches Conveyor Width: 12 inches Conveyor Height: 34 inches Conveyor Belt Type: Plastic mat-top Rigging fee: \$100
- 
- 66 Manufacturer: Safeline Serial: 62822, 14721 Model: ZMFZ8X9/SS/HD Aperture dimensions: 7.75 inches wide x 7 inches tall. 220 volts. Rigging fee: \$50
- 
- 67 Manufacturer: Safeline Serial: 2312701/53014 Model: SL2000 Aperture size: 21.5 inches wide x 2.25" high. Intralox conveyor dimensions: 16 inches wide x 120 inches long. 115 volts 60 hertz. Rigging fee: \$200
- 
- 68 Manufacturer: Mettler-Toledo Serial: 11721 Model: Hi-Speed Three belt check weigher system. Conveyor dimensions: 7.75 inches wide x 40.75 inches long. 220 volts 60 hertz
- 
- 69 Manufacturer: Loma Systems Serial: BCW58852 Model: 6000 Series 5.5 inch wide smooth belt. Three belt system. 115 volts 1 phase 60 hertz. Parts machine only. Rigging fee: \$50
- 
- 70 Manufacturer: Mettler-Toledo Serial: 15771 Model: Starweigh - CM Used for filled bottle detection. Can handle containers from 30 cc to 2 cc with appropriate change parts. 110 volts 1 phase 60 hertz. Rigging fee: \$50
- 
- 71 Manufacturer: Safeline Mettler-Toledo Serial: 111379/6655001 Model: PPH/Y20/SS SL2000 Aperture dimensions: 6 inches wide x 2 inches tall. Conveyor dimensions: 80 inches long x 4 inches wide. 110 volts 1 phase 60 hertz. Rigging fee: \$100
-

72	Manufacturer: Safeline Serial: 15814 Model: 100444-1 16 inch wide x 2 inch tall opening. 13.5 inch wide x 68 inch long conveyor. 115 volts Rigging fee: \$100
73	Manufacturer: Fortress Technology Serial: D3795 Model: Phantom Product Max Size: 3.75 inches wide. Stainless steel wash down model. High sensitivity level to detect the smallest metal contaminants. Rigging fee: \$100
74	Manufacturer: Mettler-Toledo Hi-Speed Serial: 08024812 / 08024822 Model: ML-6-CM6000GI-XSP / XS 2 inch wide smooth belt. 6 lanes. Approximate weighing range per lane: .002 kilograms to 20 kilogram. 240 volts 3 phase 60 hertz Rigging fee: \$75
75	Manufacturer: Safeline Serial: 27838 Model: STD 2.5 inch high x 52.5 inch wide aperture opening. Rigging fee: \$100
80	Manufacturer: Package Machinery Serial: 10156 Package size up to 24 inches long and 15 inches wide. Operating speed up to 150 bags per min. 240 volts, 60 hz, 3 phase, 50 amps Rigging fee: \$250
81	Manufacturer: Package Machinery Operating speed up to 150 bags per min. Package size up to 24 inches long and 15 inches wide. 240 volts, 60 hz, 3 phase, 50 amps Rigging fee:
82	Manufacturer: UVA Butler Serial: 96503 Model: XL460 Last Used For: Running Pet Food Large Plastic Bags. Maximum 32 inch film. 480 volts 3 phase 60 hertz Rigging fee: \$800
83	Manufacturer: All-Fill Serial: 05011139 Model: V2100 Package sizes range from 2.16 inches x 3.15 inches up to 8 inches x 13.1. Approximately 70 bags per minute. Forms and fills 2 ounce bags up to 15 pound bags. 220 volts 3 phase Rigging fee: \$250
84	Manufacturer: Ross Industries Reiser Serial: 197 Model: S-3180 Platen size: 19.35 inches x 14.5 inches. Dual lane - 8.5 inch x 6 inch trays. Bush vacuum type RA-0100. Parts only machine. Rigging fee: \$100
85	Manufacturer: Sandiacre Serial: 1287 Model: TG3B, TG320LD Sealing bars dimensions: 10.5 inches long x 2.5 inches wide. Maximum film width is 26 inches. Rigging fee: \$150
86	Manufacturer: Groen Serial: 22198HCF Model: NHFP/E-4 Pan dimensions: 41 inches wide x 24 inches wide x 9 inches deep. Natural gas fired. 120 volts Rigging fee: \$90
87	40 head bottle filler. 480 volts 3 phase 60 hertz. Drain tray runs around the outside of the scales to catch the excess liquid. Last running 1-1.5 liter mouthwash. Rigging fee: \$500
88	Manufacturer: Orics Serial: PEAC 6498-1 Model: S-30-DX 4 product lanes. Trays are automatically denested into the carries and then filled, sealed, and automatically discharged. 4 Spee-Dee volumetric fillers. AC servo drives. Output: 120 trays per minute. Rigging fee: \$1000
89	Manufacturer: Mateer Burt Serial: 808983 Model: 1909 1.5 horsepower motor. Foot pedal with a 72 inch long cord. 12 inch throat. 208 volts Rigging fee: \$50
90	Manufacturer: Baxter Serial: 90G0755 Model: OV200G-M2 Input rating is 340,000 BTU per hour. Natural gas. Interior oven dimensions are 53 inches long x 53 inches wide x 76 inches high. Steam damper with timer. Rigging fee: \$300
100	Manufacturer: Columbia Serial: M0504574 Model: LTS The Load Transfer Station (LTS) is made up of a frame, receiving deck and a transfer plate. Since the LTS hydraulic and electrical components are self contained, it can be accessed from two sides for loading or three sides for unloading. Compa ...[more]

- 101 Manufacturer: Goldco Serial: Y0 12227 Model: R4403 Last Used For: Depalletizing 8oz cans. Pallets are lifted on a steel table raised by a chain elevator conveyor. Product sweeper arm is located at top of elevator. Slip sheet gripper is located at top of elevator. Pallet infeed conveyor is 53 ...[more]
- 
- 102 Manufacturer: Comet Serial: FCD18200SAN-93C003 Model: FCD18200SAN-PLC-480V 480 volts 3 phase 60 hertz. Drying hopper capacity: 200 kilograms. Drying hopper insulation: glass wool and outer skin. Temperature range: 80 - 160 degrees Celsius. Rigging fee: \$100
- 
- 103 Manufacturer: Vemag Serial: 143-1332 Model: HP15C Year: 2004 Double screw vacuum filling. Filling rate: up to 14,000 kilograms per hour. Portioning speed: up to 700 portions per minute, depending on product and portion size. 220-400 volts 3 phase 60 hertz Rigging fee: \$200
- 
- 104 Manufacturer: Rheon Serial: 006 Model: KN100 Forming and filling in one process. Up to 60 pieces per minute. Weight capacity of 10 to 90 grams. 220 volts Rigging fee: \$90
- 
- 105 Manufacturer: Vemag Serial: 1400293 Model: Robot HP-10S Vacuum stuffer/extruder for food product. Hopper capacity: approximately 60 gallons. 208-220 volts 3 phase 60 hertz Rigging fee: \$100
- 
- 106 Manufacturer: K&R Equipment Incorporated Serial: 26000-272 Model: PBI-AT 24 Function: Feed/erect K/D case from case magazine, index case to bag insertion station, unwind poly-bag from roll stack, cuff separated bag over extended upper flaps, insert bag with air evacuation system, index case ...[more]
- 
- 107 Manufacturer: Poly-Clip System Serial: 014317 Model: 1004 Push button controls Electrical disconnect switch 73.025 millimeters wide X 520.7 millimeters long conveyor Clip drums are 406.4 millimeters wide On casters for easy mobility Uses 12.7 millimeter X 12.7 millimeter clips Rigging fee: \$1 ...[more]
- 
- 108 Manufacturer: PAC Machinery Serial: 110628.638 Model: 2473 VBS 24 inch Sealing bar. Foot switch. 110 volts 1 phase 60 hertz Rigging fee: \$90
- 
- 109 Manufacturer: PAC Machinery Serial: GMA03120-136377 Model: Medpac GA30 Can seal a wide variety of pouch materials including: Polyethylene, foil, laminates and Tyvek. capable of running single sided seals for lighter material; biaxial seals for foil, laminate and heavier material. 30 inch long ...[more]
- 
- 120 Manufacturer: Angelus 12 head bottle capper. Cap sizes 5mm-120mm diameter, may require change parts. Container diameter 1-7 inches. Speeds up to approximately 600 bpm, depending on bottle and cap. Previously ran 1.5 liter mouthwash. 430 volts 3 phase 60 hertz Rigging fee: \$200
- 
- 121 Manufacturer: Biner-Ellison Machinery Company Serial: RC 25-12-5472 12 Head rotary capper. Presently set to run 1-1/2 inch diameter caps. Can run with proper change parts: Caps from 1 inch to 6 inches (25 millimeters to 152 millimeters) Containers from 1 inch to 9 inches ( 25 millimeters - 22 ...[more]
- 
- 123 Manufacturer: DEL Packaging Serial: 990245 Model: SASRC Output: up to approximately 600 containers per minute, depending on cap and container type and size. Container diameter: 2 inches to 8 inches. Bulk stack feeder for lids allowing operator to efficiently and safely load mater ...[more]
- 
- 124 Manufacturer: Inline Automation Serial: 040601 Model: Vortex 1200 L General feeder for pouches, magnets, credit card, and pharmaceutical inserts. 4 inch X 6 inch parts at 750 per minute. 8.5 inch X 11 inch parts at 350 parts per minute. 110 volts Rigging fee: \$30
- 
- 125 Manufacturer: Thiele Technologies Streamfeeder Serial: 91000120 Model: 910 Stainless steel contact parts. Maximum product size 13 inches width x 24.5 inches. 110 volts Rigging fee: \$30
-

126	Manufacturer: Preferred Packaging Serial: H181006 Model: PP1622 E Sealing area: 16 inches width x 22 inches length. Film dimensions: 20 inches wide max. 220 volts 1 phase 60 hertz. Rigging fee: \$100
127	Manufacturer: Simco Serial: 406682 Model: FSCONV 110 volts 1 phase 60 hertz
128	Manufacturer: Benchmark Automation Model: SHTLFDR Dual lane. Flexible feeding of multiple product sizes. Rigging fee: \$50
129	Manufacturer: Benchmark Automation Model: SHTLFDR Dual lane. Flexible feeding of multiple product sizes. Stainless steel construction. Rigging fee: \$50
130	Manufacturer: MGS Machine Serial: 3258 Model: IPP-170 120 placements per minute. Single suction cup product place. 115 volts 1 phase 60 hertz
140	Manufacturer: Harland Serial: 6243-JL Applies front or back labels to plastic bottles or containers. Up to 250 containers per minute, depending on label and bottle. Overhead stabilizer mounted for container stability. Rigging fee: \$200
141	Manufacturer: HealthStar Serial: N12036 A wrap-around labeling system designed to handle a wide range of cylindrical products. Minimum label height: .4" Maximum label height: 2.8" Up to 300 containers per minute depending on product and label sizes. 125 volts 60 hertz Rigging fee: \$200
142	Manufacturer: Kronos Serial: 073-857 Model: Canmatic Output up to 800 cans per minute on 13 ounce can. 460 volts 3 phase 60 hertz Rigging fee: \$700
143	Manufacturer: Hoppmann Serial: LV1LLITXX200004 Model: LV1LLITXX2 Up to 12 inch diameter rolls of labels. Left hand V1 lite. 115/220 volts 1 phase 60 hertz Rigging fee: \$50
144	Manufacturer: Hoppmann Serial: LV1RLITXX200072 Model: LV1RLITXX2 Up to 12 inch diameter rolls of labels. Rapid configuration and changeover of applicator modules. Right hand V1 lite. 115/220 volts 3 phase 60 hertz. Rigging fee: \$50
145	Manufacturer: KHS Kister Serial: 002434 Model: SP 050 B Unsupported film is a material and cost-saving alternative for packing your cans, bottles, bulk products, various diameters and heights, and/or changing packing formations. Print registration. Currently set to run 6 lanes. Output: up to ...[more]
146	Manufacturer: Shanklin Serial: H9625 Model: HS-1 Product Min Size: 3 inches wide x 9 inches long. Product Max Size: 16 inches wide. End seal box sealer moves with the flow of the product allowing for continuous motion. Up to 100 packages per minute, dependent on product and application. 240 ...[more]
147	Manufacturer: Preferred Packaging Serial: A120404 Model: PP180828 Tunnel aperture dimensions: 16 inches wide x 8 inches high. Roller bar chain conveyor. Conveyor dimensions: 40 inches long X 16 inches wide. 220 volts 1 phase 60 hertz Rigging fee: \$50
148	Manufacturer: Preferred Packaging Serial: A181015 Model: PP180828 Tunnel aperture dimensions: 16 inches wide x 8 inches high. Roller bar chain conveyor. Conveyor dimensions: 40 inches long X 16 inches wide. 220 volts 1 phase 60 hertz Rigging fee: \$50
149	Manufacturer: Italdibipack Model: Baby Pack 1217 Maximum package dimensions: 12.5 inches x 16.9 inches x 6 inches tall. Allows an operator to seal and shrink 4 to 6 packages per minute. 120 volts 60 hertz Rigging fee: \$50
150	Manufacturer: Beseler Serial: 08910677 Model: 1913-GSM Sealing area: 13 inches long x 19 inches wide. Hot wire sealing. 115 volts 1 phase Rigging fee: \$50

- 151 Manufacturer: Eastey Serial: 53628TPP Model: EM28T Sealing area: 28 inches long x 20 inches wide. Sliding tabletop for easy product insertion folded film. Hot wire seal. 220 volts 1 phase 60 hertz Rigging fee: \$150
- 
- 152 Manufacturer: Shanklin Serial: T85213 Model: T62-SS Dual chamber heat tunnel with separate controllers. Tunnel dimensions: 18 inches wide x 10.5 inches tall. Conveyor length: 108 inches long. 240 volts 60 hertz Rigging fee: \$200
- 
- 153 Manufacturer: Hanagata Serial: 110536 Model: HP-10Z Seal jaw: short side - 18 inches, long side - 19.5 inches. Film rollers: 27 inches wide. Stainless steel frame design. 220 volts 1 phase 60 hertz Rigging fee: \$100
- 
- 154 Manufacturer: Conflex Serial: C9702-63 Model: CW160 Product Maximum: 36 inches long x 14.75 inches wide x 3.5 inches tall. Seal bar width: 16 inches. Maximum operating speeds: 100 feet of film per minute. 120 volts 1 phase 60 hertz Rigging fee: \$200
- 
- 155 Manufacturer: Conflex Model: CW160 Maximum package dimensions 36 inches long x 15 inches wide x 5 inches tall. Maximum film width: 34 inches. Maximum operating speeds: 100 feet of film per minute. 16 inch wide seal bar. 220 volts 60 hertz. Rigging fee: \$200
- 
- 156 Manufacturer: Eastey Serial: 00448TLMBSS Model: ET1610-48SS Tunnel aperture dimensions 18.5 inches width x 10 inches height x 48 inches length. Wire mesh conveyor 16 inches width x 60 inches length. 220 volts 1 phase 60 hertz Rigging fee: \$100
- 
- 157 Manufacturer: Eastey Serial: 00648TLMBSS Model: ET1610-48SS Tunnel dimensions: 16 inches wide x 10 inches tall. All welded, 12 gauge stainless steel frame. Designed to seal most polyolefin, polyethylene, and PVC shrink films. 220 volts 1 phase 60 hertz
- 
- 158 Manufacturer: Douglas Serial: M4378 Max product size 20 inches wide. Heat tunnel dimensions 31 inches wide x 11 inches tall x 106 length. Rebuilt in 2007. 480 volts Rigging fee: \$500
- 
- 159 Manufacturer: Axon Serial: G-050601 B Model: EZ-72-SRB Maximum product dimensions: 5 inches x 7 inches. Tunnel length: 36 inches. Heat range: 250 degrees F to 500 degrees F. 220 volts 1 phase 60 hertz Rigging fee: \$50
- 
- 160 Manufacturer: Shanklin Serial: A8620 Model: A23 Seal area is 16 inches wide x 18 inches length. Painted steel frame. In-feed conveyor is 24 inches length x 12 inches wide. 220 volts 1 phase 60 hertz Rigging fee: \$150
- 
- 170 Manufacturer: Oval Strapping Incorporated Serial: 40508622 Model: IP-201 Closed cabinet for dusty environments. Adjustable to accommodate strap widths from 1/4 inch to 5/8 inch wide. External tensions control. 110 volts 1 phase 60 hertz Rigging fee: \$50
- 
- 171 Manufacturer: Lantech Serial: SS001433 Model: S-3500 Capable of doing approximately 75-90 loads per hour. Maximum load size is 58 inches long x 52 inches wide x 80 inches tall. Maximum wrap height: 80 inches. Conveyor dimensions: 146 inches long x 52 inches wide. 480 volts 3 phase 60 hertz. ...[more]
- 
- 172 Manufacturer: ADCO Serial: 2592SL Model: AFH60-2E Output: 40 cartons per minute. Tray size range: 4 - 10 inches wide, 5.5 - 11 inches long, 1 - 4 inches deep. 480 volts 3 phase 60 hertz Rigging fee: \$150
- 
- 173 Manufacturer: Pack Line Serial: PL810175 Model: PAO-1 Tray diameter: 5.25 inches. R and D size manual loading tray sealer for testing on products. 10-25 cups per minute. 220 volts 3 phase 60 hertz. Rigging fee: \$90
- 
- 174 Manufacturer: Hoppmann Serial: 19897 Centrifugal bowl feeder. Bowl Inside Diameter 51.79 inches. Teflon Hard-coat Anodized aluminium. A 3.25 ounce bottle runs at a rate of 220-250 ppm. Rigging fee: \$200
- 
- 175 Manufacturer: New England Machinery Serial: 1919 Model: NEHECL 150 Automatic plastic bottle unscrambler designed to handle non-tapered bottles. Bowl diameter: 36 inches. Container size range: Height: up to 7 inches, Minor axis: .625 to 2 inches, Major axis: .625 to 2.5 inches. 115 volts ...[more]
-



176	Manufacturer: New England Machinery Serial: 2186 Model: NEHE-36 Previously running 8 ounce round bottles at 80 per minute. 36 inch diameter bowl. 220 volts 3 phase. Rigging fee: \$400
180	Manufacturer: Affeldt Serial: 16830 Used for food service bag in box casing. Includes twelve head buckets. Buckets are approximately 9.5 inches wide x 8 inches long x 5 inches deep. Speed: 300-345 pieces/minute. Platform does not come with this unit Rigging fee: \$600
181	Manufacturer: Spectra Serial: 01436-YC 12 dimpled bucket stations. Stainless steel construction. 230 volts 1 phase 60 hertz Rigging fee: \$100
182	Manufacturer: Affeldt Serial: 16837 Used for food service bag in box casing. Stainless steel frame. Includes twelve head buckets. Buckets are approximately 9.5 inches wide x 8 inches long x 5 inches deep. One access platform. Rigging fee: \$750
183	Manufacturer: Ohlson Packaging Serial: 1951 Model: 2L2 Hoppers from 1/2 pound to 10 pounds. Max Speed 30 wpm. Weighing Range: Typically 1 oz to 5 lbs. 110 volts Rigging fee: \$150
184	Manufacturer: Ishida Serial: P2991200 Model: CCW-DZ-220B-3M/30-PB 20 stainless steel heads. Smooth bucket heads, dispersion table, radial feeder. 3000 cc hopper volume. Missing one booster product bucket. 208 volts 1 phase 60 hertz. Rigging fee: \$300
190	Manufacturer: Shuttleworth 92 inches long. 3 1/2 inch wide rollers. Stainless Steel Frame Rigging fee: \$50
191	Manufacturer: Lantech Unit comes with centering device that can move pallets to the center line of the conveyor. 62 inches long. 230/460 volts 60 hertz Rigging fee: \$50
192	Manufacturer: Hytrol Conveyor Width: 9 1/2 inches. Roller Centers: 1 1/2 inches. Overall length is approximately 75 inches Rigging fee: \$50
193	10 inch wide plastic chain. Approximately 17 feet long. Baldor motor. Rigging fee: \$200
194	Manufacturer: Hytrol Serial: 241879 Model: Special Units are capable of turning pallets at 90 degrees to allow pallet to be conveyed in a different direction. Typically used at exit of palletizer to allow a stretchwrapper to be at a 90 degree angle to palletizer. 58 inches wide x 92 inches lon ...[more]
195	30 feet long x 9 inches wide. Adjustable height. 1 horsepower motor. 230 volts 3 phase 60 hertz. Rigging fee: \$150
196	15 feet long x 55 inches wide. 4 inch roller center. Baldor motor. Rigging fee: \$200
197	Cleat centers 12 inches. 11.75 length x 18 inches width product spacing. Infeed elevation 27 inches from ground. Outfeed elevation 56 inches from ground. .5 horsepower motor. 208 volts 3 phase 60 hertz Rigging fee: \$200
198	Infeed: 32 inches from ground. Outfeed: 68 inches from ground. Stainless steel construction. 20 inch conveyor width. 208 volts Rigging fee: \$200
199	Infeed elevation 32 inches. Outfeed elevation 48 inches. Plastic belt conveyor 12 inch width x 62 inch length. .5 horsepower electric motor. 220 volts 3 phase 60 hertz Rigging fee: \$100
200	Serial: #04-71792 Conveyor dimensions: 24 inches wide x 96 inches long. Conveyor height: 32 inches. 1/3 horsepower motor. 230/460 volts 3 phase 60 hertz. Rigging fee: \$100
201	24 inches wide x 20 feet long. 36 inch conveyor elevation. 208 volts 3 phase Rigging fee: \$200

202	20 inches wide x 173 inches long. 42 inch infeed height. 18 inch outfeed height. Rigging fee: \$100
203	24 inches wide x 8 feet long. 1 horsepower motors. 230 volts Rigging fee: \$100
204	20 inches wide x 8 feet long. 1 horsepower motor. 230/460 volts 3 phase 60 hertz. Rigging fee: \$100
205	14.5 inches wide x 62 inches long. 3 inch rollers center. Penta-Drive ac motor speed control. Reliance Electric 1/2 horsepower motor. Rigging fee: \$50
206	Manufacturer: Hytrol Serial: 511523 20 inches wide x 61 inches long. 3 inch rollers center. Genesis ac motor speed control. Reliance Electric 1/2 horsepower motor. Rigging fee: \$50
207	Three sections: 120 inches long x 12.5 inches wide. One section: 114 inch long x 12.5 inch wide roller conveyor. One section: 60 inches long x 13 inches wide gravity skate conveyor. One section: 120 inches long x 13 inches wide gravity skate conveyor. Rigging fee: \$80
208	Smooth belt: 8 inches wide x 88 inches long. .5 horsepower motor. Variable frequency motor drive. 230/460 volts Rigging fee: \$60
209	Manufacturer: Kleenline Serial: 01-04436 Conveyor 20 inches wide x 200 inches long. Stainless steel belts 3.75 inch wide. 230 volts 3 phase 60 hertz. Rigging fee: \$200
211	Manufacturer: Lepel Serial: 8707 Model: TR-300 Radio Frequency generator for induction bottlecap sealing. Powered at 115V, 5.2A, 50 cycles, 1Ph. Rigging fee: \$90
212	Manufacturer: Pillar Technologies Serial: CB10093-53 Model: Unifoiler-U2P1001000000 Control panel only, does not include the induction head. 208-230 volts 1 phase 60 hertz. Rigging fee: \$40
213	Manufacturer: Baumfolder Baum Serial: RJ4090 Model: 2 Par 18 x 24 Maximum product size: 18 inches x 24 inches. Stainless steel contact parts. 115 volts
214	Manufacturer: Watson Marlow Serial: 95710141 Model: MR120NNTC Maximum flow rate: 22.5 gpm. Maximum working pressure: 150 psi. 316 stainless steel construction. 220 volts 3 phase 60 hertz. Rigging fee: \$50
215	Manufacturer: Zeks Serial: 92188-2 Model: 75HSBA100 Refrigerant: R22. Maximum pressure: 175 PSI. Will dry full output of a 20 horsepower compressor. 115 volts 1 phase 60 hertz. Rigging fee: \$90
216	Manufacturer: Cleveland Range Serial: 4267902 Model: CAS 7.5 A.S.M.E rated receiver tank. Baldor high efficiency motor. 80 gallon tank. Cast iron cylinders. 7.5 horsepower motor. 200-208 volts Rigging fee: \$50
217	Manufacturer: Ingersoll Rand Serial: 953DXR2334 Model: DXR75 250 max inlet air pressure (psig). 130 degrees Fahrenheit Max inlet air temp. .33 horsepower compressor. 115 volts 1 phase 60 hertz. Rigging fee: \$50
218	Manufacturer: Sullair Serial: 003-85981 Model: 25-150 ACAC Rated maximum air pressure: 115/125 psig. 150 horsepower motor. Rigging fee: \$200
219	Manufacturer: Zeks Serial: 284675 Model: 300NCGA400 Dominick Hunter ES2400 oil/water separator. Refrigerant type R404-A. Full flow 300 scfm. Rigging fee: \$100

- 220 Manufacturer: METO Systems Serial: 7408 Model: M2210-10 Lift capacity 220 lbs. Stainless steel construction. Approximate lift - dump height 11 feet. Pneumatic operation. Rigging fee: \$200
- 
- 221 Manufacturer: METO Systems Serial: 7409 Model: M2210-10 Lift capacity 220 lbs. Stainless steel construction. Pneumatic operation. Pendant style controller. Approximate lift - dump height 11 feet. Rigging fee: \$200
- 
- 225 Manufacturer: General Electric Model: 5K2540RL30263 Electric Motor Horsepower: 15 Voltage: 230/460 RPM: 1765 Phase: 3 Frame: L254HPZ1 Rigging Fee: \$50
- 
- 226 AirLock Ancaster Conveying System12870 Rotary Vane Reliance P14G7524P-KF 3/4 HP 3 Phase RPM: 1725 Volts: 230/460 David Brown CO520125FAAWD Ratio: 125:1 Used Rigging Fee: \$50
- 
- 227 SEW- EURODRIVE Model: KA157TR97AD6 Ratio: 379.00 Mounting: M1B Torque: 159300 lb-in S.O. 870019210.10.10.001 Min Amb - 10 ° C Max Amb 40 ° C Rigging Fee: \$50
- 
- 228 Manufacturer: Baldor Electric Company Model: VWDM3710T Frame: 213TC Horse Power: 7 ½ Enclosure Type: TE Voltage: 208-230/460 Amperage: 21.5-20/10 RPM: 1725 Hertz: 60 Phase: 3 Insulation Class: F Service Factor: 1.15 Time Rating: Continuous @ 40C With Reducer Series 2000 Model: N2401SB35U210NM ...[more]
- 
- 229 Manufacturer: Reliance Electric Industrial Company Model: 6214544 Horsepower: 5 Volts: 230/460 Phase: 3 RPM: 1745 Amps: 12.4/6.20 Hertz: 60 Service Factor: 1.00 Duty Rating: Continuous Insulation Class: F Enclosure Type: TEFC Frame Size: 184TCZ With Reuland Magnetic Brake Model: 29B4 Torque: 6 ...[more]
- 
- 230 Cooper Electrical Enclosure 24x24x12 Rigging Fee: \$50
- 
- 231 Conveyor Belts Assorted Rubber and Ropanyl (2) Black Belts 28" Wide (1) 31" Wide Belt (1) 8" Wide Belt (1) 39' X 8" X 41" Belt in Box (1) 32' X 4" X 50" Belt in Box Rigging Fee: \$50
- 
- 232 Bakers Pride Model: 24 Star Hot Plate Rigging Fee: \$50
- 
- 233 Aero -Motive POW-R- MATIC Hose Reel V320123000 6000 PSI NEW Rigging Fee: \$50
- 
- 234 Stephens-Adamson 42524B002 Trough Idler 35 Degree 5" Dia Used Rigging Fee: \$50
- 
- 235 Taylor Devices INC. Bridge Shock Absorber FSCM 06742 NEW Rigging Fee: \$50
- 
- 236 Hannay Reels 77501600 Air Hose Reel Brochot Swivel Joint Inlet: 1.716" Dia 45FT Hose Hose ID:1.513" OD 1.890" MFR DWG : 787004 NEW in Original Packaging Rigging Fee: \$50
- 
- 237 Manufacture: Goulds Model: 3756 Type: Centrifugal Pump IMP. DIA . 9.75 Size: 3x4.10 ID: 12A1FRMBO with Manufacture: Baldor Model: M2333T Type: Motor Details: 15HP 1760RPM 230/460V Frame: 254T 3 Phase 38.4/19.2AMPS Rigging Fee: \$50
- 
- 238 Manufacture: Goulds Model: 3756 Type: Centrifugal Pump IMP. DIA . 9-3/4 Size: 3x4.10 ID: 12A1FRMBO with Manufacture: Baldor Model: M2333T Type: Motor Details: 15HP 1760RPM 230/460V Frame: 254T 3 Phase 38.4/19.2AMPS Rigging Fee: \$50
- 
- 239 NEW! Manufacture: FabEnCo Type: Self-Closing Safty Gate Details: Adjustable Size 21"/53cm Galvanized Yellow Rigging Fee: \$15
- 
- 240 Manufacturer: Cornell Pump Co. Pump Horsepower: 15 RPM: 1750 Hz: 60 Volts: 460 Phase: 3 Frame: P215V Rigging Fee: \$50
-

- 241 24" Wide x 46" Long Belt Conveyor Overall Dimensions: 48" Long x 40" Wide x 24" Tall Currently 23 inches from the ground Leveling legs W/ Reliance Electric Motor 460V Rigging Fee: \$60
- 
- 242 General Electric CAT No. AQF3722MTX AXS5 A-Series II Panel Board With 64" Box And Flush Front 225 Amps 208Y/120 Volts 3 Phase / 4Wire Rigging Fee: \$50
- 
- 243 Nord Gear Corp. SK 9062.1/42AZ 180TC1 Ratio 257.89 6.8RPM Max Torque72570 Rigging Fee: \$60
- 
- 244 Manufacturer: Baldor Model: CM3770T Industrial Motor Horsepower: 7 ½ Voltage: 208-230/460 Amperage: 22-20/10 RPM: 1750 Hertz: 60 Phase: 3 Frame: 213TC Service Factor: 1.15 Enclosure Type: TE Rating: 40C AMB -CONT With WINSMITH Gear Reducer Rigging Fee: \$60
- 
- 245 Manufacturer: RELIANCE REEVES X-V MOTODRIVE Model: 30335096-UH 079183-20-JG Size: A112 Assem .: 105 Belt: 605036-29-B Horsepower: 1 Output Speeds RPM: Max. 350, Min. 70 Gear Ratio: 9.7 With RELIANCE Electric Motor Model: P56G3795N Frame: M56C RPM: 1725 Voltage: 230/460 Insulation Class: B Amper ...[more]
- 
- 246 Nordson 3800 Series Microset 200/230 VAC 30 Multiscan TB1 Hose Length 10' 230Volts 259 Watts Max Pressure 1500 PSI 10.3 MPQ Acme Transformer Style SR Cat No. T-3-53341-1S Primary V 480 60HZ Rigging Fee: \$60
- 
- 247 Siemens WP38 Electrical Panel Enclosure NEMA 3R/12 7.75 X 24W X 68H NEW Without Original Packaging Rigging Fee: \$60
- 
- 248 NEW Square D Nood Panelboard 12199705760010001 300 AMP Series I Max 280Y/120VAC NEW in Original Box Rigging Fee: \$60
- 
- 249 New Gleason Reel Cart Spring loaded Model J100A-20-16928 300 Lbs p.s.i Rigging Fee: \$60
- 
- 250 Sheffer Tube Cylinder Approx 10.5" Dia x 36.5" Long Rigging Fee: 20
- 
- 251 VeeArc Model: SC0421XKR3 Super 7000 AC Drive 60HP 3PH Main Fuses: JJS -100 Input: 460VAC 70A 60HZ 55.8KVA Output: 24-460/460VAC 77A 61.3KVA Rigging Fee: \$50
- 
- 252 SQUARE D Cat No. HCN50924 I-Line Panelboard 400 AMPS 600-250 Volts Circuit Breakers Power Pack HD150 (2) FA34020 - 20AMP (5) FA34030 - 30AMP (2) FA34060 - 60 Amp (2) FA34100 - 100 Amp Rigging Fee: \$60
- 
- 253 Chambrelan Model: E19002-1750 Telescopic Slide Assembly Rigging Fee: \$50
- 
- 254 Manufacturer: Baldor Spec: 09E261W275Z1 Frame: 254TC Horsepower: 7 ½ Volts: 230/460 FLA : 20.4 / 10.2 RPM: 1170 RPM Max: 3000 Phase: 3 Hertz: 60 Service Factor: 1.00 Blower: 230/460 Volts, Phase: 3, 15/.08Amps, 60 Hertz With SEWEURODRIVE Model: K86LP254 Ratio: 39.54 Torque: 13,900 LB-IN Servi ...[more]
- 
- 255 Manufacturer: Heatcraft Model: Bohn BHT029M2D Horsepower: 2 Suction Temperature: Medium Refrigerant: R-22 Voltage: 460/3/60 Rigging Fee: \$60
- 
- 256 Air Manifold 33" wide 3" pipe 7-1/2 Flange 48" tall Rigging Fee: \$50
- 
- 257 Manufacture: Goulds Model: 3756 Type: Centrifugal Pump IMP. DIA . 9.950 Size: 3x4.10 with Manufacture: Marathon Model: FVM254TTFC4026AA-S Type: Motor 15HP/10HP 1760RPM/1465RPM 230/460V/190/380V 3 Phase Frame: 254T Rigging Fee: \$60
- 
- 258 Manufacture: Goulds Model: 3756 Type: Centrifugal Pump IMP. DIA . 9.75 Size: 3x4.10 with Manufacture: Marathon Blue Chip Model: HVM -254TFCA4026-H Type: Motor 15HP/10HP 1760RPM/1465RPM 230/460V/190/380V 3 Phase Frame: 254T Rigging Fee: \$60

259	Manufacture: Goulds Model: 3756 Type: Centrifugal Pump IMP. DIA . 9.75 Size: 3x4.10 with Manufacture: Baldor Model: M2333T Type: Motor Details: 15HP 1760RPM 230/460V Frame: 254T 3 Phase 38.4/19.2AMPS Rigging Fee: \$60
260	Manufacture: Goulds Model: 3756 Type: Centrifugal Pump IMP. DIA . 9.75 Size: 3x4-10 ID: 70A1FRMBO with Manufacture: Teco Type: AEEANE Motor Details: 15HP 1765RPM 3 Phase Frame: 254T Cat. No: NO154 4 Poles 230/460V 35.1/17.6AMPS Rigging Fee: \$60
261	Manufacture: Goulds Model: 3756 Type: Centrifugal Pump IMP. DIA . 9.75 Size: 3x4.10 ID: 12A1FRMBO with Manufacture: Baldor Model: CWDM23933T Type: Motor Details: 15HP 230/460V 1760RPM Frame: 254TC 34.6/17.3AMPS Rigging Fee: \$60
262	Manufacture: Goulds Model: 3756 Type: Centrifugal Pump IMP. DIA . 9.75 Size: 3x4.10 with Manufacture: Marathon Model: JVD254TTFNA4026CEL 15/10HP 1770/1470RPM 208-230/460V 190/380V Rigging Fee: \$60
263	Manufacture: Carver Pumps Serial: 77243 Model: 4x3x10 IMP. DIA : 9.25 with Manufacture: Baldor Model: M3714T Details: 10HP 208-230/460 1760RPM 28.5-28.4/14.2AMPS Frame: 215T 3 Phase Rigging Fee: \$60
264	Manufacture: Carver Pumps Serial: 77243 Model: 4x3x10 IMP. DIA : 9.25 with Manufacture: Baldor Model: M3611T Details: 3HP 208-230/460V 8.3-8.2/4.1AMPS 1750RPM Frame: 182T 3 Phase Rigging Fee: \$60
265	Manufacture: Carver Pumps Model: 1.5X2X10HA-10A1 Serial: CV-055 GMP : 65 TDH : 64 Centrifugal Pump with Manufacture: Leeson Model: C182T17FB29D Type: Motor Details: 3HP 1760RPM Frame: 182T 3 Phase 8.8-8.2AMPS 208-230V Rigging Fee: \$60
266	Manufacture: Goulds Model: 3756 Index: 12A1FRMBO Type: Centrifugal Pump IMP. DIA . 9.75 Size: 3x4-10 with Manufacture: Marathon Blue Chip Model: EVL -254TTFC4026AA-S Motor Details: 15/10HP 38/19AMPS 31/15.5AMPS Frame: 254T 3 Phase Rigging Fee: \$60
267	Manufacture: Goulds Model: 3756 Index: 12A1FRMBO Type: Centrifugal Pump IMP. DIA . 9.75 Size: 3x4-10 with Manufacture: Marathon Blue Chip Model: EVL -254TTFC4026AA-S Motor Details: 15/10HP 38/19AMPS 31/15.5AMPS Frame: 254T 3 Phase Rigging Fee: \$60
268	Manufacture: Goulds Model: 3756 Index: 12A1FRMBO Size: 3x4-10 IMP. DIA : 9-3/4 Centrifugal Pump with Manufacture: Leeson Model: N254T17FB13 Motor Details: 15HP 1765RPM Frame: 254T 3 Phase 39.2-36.6/18.3AMPS 208-230/460V Rigging Fee: \$60
269	Manufacture: Goulds Model: 3756 Index: 12A1FRMBO Type: Centrifugal Pump IMP. DIA . 9.75 Size: 3x4-10 with Manufacture: Marathon Blue Chip Model: EVL -254TTFC4026AA-S Motor Details: 15/10HP 38/19AMPS 31/15.5AMPS Frame: 254T 3 Phase Rigging Fee: \$60
270	Waukesha Cherry- Burrell Model: WMIX01101 Stainless Steel Pneumatic 2 Way Valve (1) 3" inlet/outlet (1) 4" inlet/outlet Catalog No: W71 W/O EXT FL, 4.0" x 3.0", C1, Butt weld , Non Seat Lift Air to Raise, Control ifm Rigging Fee: \$20
271	Armstrong Series 4030 End Suction Base Mounted Pump 3 x 1.5 x 13 Toshiba Motor Model:0154FTSA21A-P HP/kW 15/11 230/460V 36.6/18.3A 1750RPM 60HZ Rigging Fee: \$50
272	Bell & Gossett Pump Sz:80 BF 5.5 80GPM 100FT 5HP 3600RPM 1.75 Max W.P. PSI Approximately 4" Inlet/Outlet Baldor Motor 7.5HP 208-230/460V 18-17.2/8.6A 3450RPM 60HZ 3PH Rigging Fee: \$60
273	Hoffman Industrial Control Panel Enclosure Cat No.A363010LP 36"H x 30"W x 10"D Type 12,13 (2) Clamps Body Gauge:14 Data Pocket: Large Painted Steel Rigging Fee: \$50
274	Gould Pump Model:3656 IMP Dia :4.750" Size:3 x 4-10 Baldor Motor 10HP 27.5-25.6/12.8A 1760RPM Rigging Fee: \$60

275	Goulds Pump Model:3756 IMP Dia :4.750" Baldor Motor 15HP 39.6-38.6/19.3A 1760RPM 208-230/460V Rigging Fee: \$60
276	GEA Tuchenhagen 1990 Stainless Steel 3 Way Valve Rigging Fee: \$20
277	Tri -Clover Actuator Valve Model:761TR-10M-14-1 1/2x9-316 Rigging Fee: \$20
278	Manufacturer: Square D Model: HU362RB Heavy Duty Safety Switch 60A 600V Rigging Fee: \$20
279	Great Lakes Air Refrigerated Air Dryer Model: GRF -20A-116 Unit Voltage:120/1/60 Full Load Amps 4.86A Maximum Fuse:15A Max inlet pressure 250PSIG Refrigeration HP 1/5T Rigging Fee: \$60
280	PRICE Pump Co. Model:1-1/2AOD- SBBB AOD1.5- SBBB 1 1/2" Air Operated Diaphragm Pump Metallic Rigging Fee: \$50
281	GRACO Model: 208356 BULLDOG Air Driven Transfer Pump 8.25GPM 120PSI Ratio: 10-1 Series: E7B With A 2 Wheeled Cart Pump Weighs 90 LB. Cart Weighs 68 LB. Rigging Fee: \$60
282	Fisher Controls 32.24588S Bench Range5-15PSI Size1" Body rating CL300 CV9.5 Body:316SST Trim:316SST With Fisher Type:646 Pressure Units: PSIG Input:4-20 mADC Output 3-15 with Fisher Controls model:67CFR-362 Pressure Regulator Max Supply:250PSIG(17.2BARG) Spring Range:0-35PSI Spring Range:0-2.4 ...[more]
283	SafeVision Valve Position Indicator for use in hazardous locations Model 07-12/0P6730073 Class1 C&D DIV 1&2 Class2 E,F,G DIV 1&2 Mechanical Switches:15A-125/250VAC:0.5A-125VDC:0.25A-250VDC With Flowserve Pneumatic actuator Model:10 39 SN R6 series:39 Output Torque:80 PSI 95 ...[more]
284	Flowserve Model:10 75 WD32120A Series75 Actuator Voltage:120 Amperage:0.7 Hertz:60 Stall Torque:IN-LBS.150 Duty:25% SPEED SEC/90 ° 5.0 Enclosure Type 4,4X Temperature Code:T4A Rigging Fee: \$20
285	Manufacturer: SEW Eurodrive Model: R63DT100LS4 Product Type: Gearmotor Mobilgear 630 G-04-A-02 Rigging Fee: \$30
286	Manufacturer: SEW Eurodrive Model: R63DT100LS4 Product Type: Gearmotor Mobilgear 630 G-06-A-01 Rigging Fee: \$30
287	Manufacturer: SEW Eurodrive Model: R63DT100LS4 Product Type: Gearmotor Mobilgear 630 G-08-A-01 Rigging Fee: \$30
288	(1x) Baldor CM4106T 20HP (1x) Marathon FVM254TTFC4026AA 10HP (1x) Becker D-42279 Vacuum Pump 0.7kW (1x) Leeson G150034-60 25HP G-01-A-02 Rigging Fee: \$50
289	(1x) Furguson P400 Parallel Index Drive P4-15537 w/ Curtis Gear Reducer (1x) Morse I26-05-L Worm Gear Reducer 909 (1x) Burks T3204DF6-2-1/2-AI Centrifugal Pump w/ Marathon 8VB145TTFR5303BEM403 Motor (1x) Cyclo Index 300-1 Parallel Shaft Mechanical Indexer (1x) Boston Gear F72615B56 Gear Box ...[more]
290	Waukesha Cherry- Burrell Model: WMIX01101 Stainless Steel Pneumatic 3 Way Valve (2) 3" inlet/outlet (1) 4" inlet/outlet Catalog No: W71 W/O EXT FL, 4.0" x 3.0", C1, Butt weld , Non Seat Lift Air to Raise, Control ifm Rigging: \$60
291	Domino S-Series Plus Controller Model:S300+ 100-240VAC 530VA 50/60HZ MFG Date: March 2008 Rigging: \$60
292	Domino S-Series Plus Controller Model:S300+ 100-240VAC 530VA 50/60HZ MFG Date: March 2008 Rigging Fee: \$60