

# Surplus Solutions, LLC



Life Science Processing and Packaging Equipment from  
leading Pharma Manufacturers

SS Tanks, Bioprocessing Equipment, Shanklin Wrapper,  
Compressors, Pumps, MRO and More! Over 200 Lots!

Online Only  
2010 Diamond Hill Rd.  
Woonsocket  
Rhode Island  
02895  
United States

Ended Feb 22, 2018 1:37pm EST (6:37pm GMT)

| Lot | Description   |
|-----|---|
| 1   | Lot of (5) Heavy Duty Plastic Carboys, (5) C5611 30L Heavy Duty Plastic Carboys w/ Lids, Est Dims: 12x7x7, SSSLLC # 217760  |
| 2   | HEVI-DUTY E225 Industrial Control Transformer, Electrical: 220-240V, 50/60Hz, 480VA Includes Pharmacal Research Junction Box, SSSLLC # 220759   |
| 3   | Stainless Steel Spray Ball, (1) Stainless Steel Washer Nozzle, Est Dims: 19x11x11, SSSLLC # 211119  |
| 4   | Lot of (3) Large Shut Off Valves, (3) Large Shut Off Valves, Est Dims: 18x8x10, SSSLLC # 211136   |
| 5   | Lot of (8) Boxes of Klinchpak Carton Closing Staples, (8) Boxes of 1-1/4" Crown, 3/4" Length Carton Closing Staples, Est Dims: 15x9x7, SSSLLC # 211168  |
| 6   | Lot of Stainless Steel Vessel Endcaps, Lot of Stainless Steel Vessel Endcaps, Est Dims: 10x10x16, SSSLLC # 211158   |
| 7   | Lot of (5) Large Plastic Lab Bottles, (4) Hedwin 5 Gallon Plastic Bottles (1) Thermo Scientific Nalgene 10 Liter Carboy w/ Spigot, SSSLLC # 219352  |
| 8   | Lot of Laser Power Supplies and Control Units, Lot of Synrad Laser System Power Supplies (2) Synrad RF3000 RF Power Supplies Electrical: 30VDC, 100A (2) Power Control Systems Power Supply Unit Model: SQ1506-3F-400-500-AL-DD Serial #'s: 0019 and 0002 Electrical: 400-500V, 3AC, 50/60Hz, 4.5 Amps, Est ...[more] |
| 9   | Lot of (5) Mettler Toledo Load Cells, (5) Mettler Toledo Load Cells Capacity: 5000 lbs/2200kg, Est Dims: 15x17x8, SSSLLC # 219343   |
| 10  | Lot of Miscellaneous Valves and Clamps, Lot of Miscellaneous Valves and Clamps, Est Dims: 12x18x8, SSSLLC # 219266  |
| 11  | Cora SID063D Butterfly Valve, (1) Butterfly Valve with Actuator Includes Additional Smaller Butterfly Valve, SN: M/08/177/MD, Est Dims: 20x12x12, SSSLLC # 219263   |
| 12  | Lot of (28) VWR 54996-184 Vacuum Pump Oil, (28) 1 Liter Bottles of VWR 54996-184 Vacuum Pump Oil, Est Dims: 8x3x8, SSSLLC # 219262  |
| 13  | Murr Elektronik Model 85570, Electrical: 110-220V, 50/60Hz, SN: 15-220/4, Est Dims: 9x6x3, SSSLLC # 219234  |
| 14  | HBM MVD2555, Electrical: 115V, 50/60Hz, 10VA Max, Est Dims: 30x26x6, SSSLLC # 219230  |

|    |   |
|----|---|
| 15 | Lot of (4) Triangle Portable Dollies, (4) Triangular Portable Dollies, Est Dims: 30x24x30, SSLLC # 219201   |
| 16 | AutoTherm AKL 5 Water Chiller, Electrical: 208V, 60Hz, 475W Refrigerant: R134A, 0.65kg, 18 bar, SN: 07 532, Est Dims: 60x24x16, SSLLC # 219195  |
| 17 | Lightnin Model EVIP33 Agitator, Lightnin Model EVIP33 with Baldor Industries Motor: (Electrical: 115-230V, 60Hz, 6 Amps, 1 PH, 1725 RPM, 1/3 HP), SN: R023 742 5501, Est Dims: 15x5x5, SSLLC # 219190   |
| 18 | Turret/Rotor Control Box, (1) Turret Control Box, Est Dims: 3x8x5, SSLLC # 219180   |
| 19 | Lot of (3) Syntron Magnetic Vibrator, Electrical: 115V, 60Hz, 0.9 Amps, Est Dims: 10x16x20, SSLLC # 219174  |
| 20 | Wesco Industrial Products Claw-Drum Attachment, (1) Claw Drum Attachment Capacity: 1000 LBs/454kgs For 55 Gallon, 208 Liter Steel Drums, Est Dims: 28x16x10, SSLLC # 219167   |
| 21 | Lot of (33) PSI Gauges, (33) PSI Gauges, Est Dims: 11x11x11, SSLLC # 219160   |
| 22 | GE Motors Permenant Split Capacitor, Electrical: 115V, 60Hz, 1 PH, 9.9 Amps, 1625 RPM, 1/2 HP, SN: N978S, Est Dims: 8x12x6, SSLLC # 219154  |
| 23 | Dillon Weigh-Tronix Force Gauge, (1) Force Gauge, SN: STB RAM-007382, Est Dims: 7x12x10, SSLLC # 219142   |
| 24 | Lenze AC Tech SMVector, Electrical: 120-240V, 50/60Hz, 9.2 Amps, SN: 13345964318701112, Est Dims: 19x9x10, SSLLC # 219141   |
| 25 | APC Smart-UPS 1500 Uninterruptible Power Supply, Electrical: 120V, 50/60Hz, 12 Amps, 980W, 1440VA, SN: AS1131211783, Est Dims: 7x5x5, SSLLC # 219140  |
| 26 | Edwards 503 Gas Chromatography Controller, Electrical: 110-240V, 50/60Hz, SN: IE50334-1, Est Dims: 11x6x6, SSLLC # 219081   |
| 27 | FMI QG150 Lab Pump, 115V, 60Hz, .96A 3/8" Piston 0-108 mL/min Up to 100psig Electrical: 115V, 60Hz, 1 Amp, SN: I0805, Est Dims: 8x6x6, SSLLC # 219079   |
| 28 | Powerstat 3PN116C Variable Transformer, Input Voltage: 120VAC Output Voltage: 140V Output Current: 10A Constant Current Load: 10A Know Rotation: CW/CCW, Est Dims: 8x6x6, SSLLC # 219078  |
| 29 | Powerstat 3PN116C Variable Transformer, Input Voltage: 120VAC Output Voltage: 140V Output Current: 10A Constant Current Load: 10A Know Rotation: CW/CCW, Est Dims: 24x62x32, SSLLC # 219077   |
| 30 | Baldor Reliance 15 HP Industrial Motor, Enclosure: TENV Frame: 210TY Frequency: 60 Hz Output @ Frequency: 15.000 @ 60 HZ Phase: 3 Synchronous Speed @ Frequency: 1800 RPM @ 60 HZ Voltage @ Frequency: -230 V @ 60 HZ - 460 V @ 60 HZ Ambient Temperature: 40 °C Current @ Voltag ...[more] |
| 31 | Parts Feeders DU-18 Vibratory Cap Feeder, Electrical: 115V, 6 Amps Includes RodixVibratory Feeder Control Model: FC-90 Plus S/N 121-8200 Electrical: 120VAC, 50/60Hz, 15 Amps, SN: J-8186, Est Dims: 37x19x16, SSLLC # 219075   |
| 32 | Baldor Reliable Duty Master A-C Motor, Electrical: 230-460V, 60Hz, 3 PH, 40 Amps, 1740 RPM, 15 HP Includes Stearns I-087-051-00-QF Spring Set Disk Brakes, SN: P2591705E, Est Dims: 26x27x28, SSLLC # 219124  |

- 33 Custom Built Enclosed Rotator/Shaker, Custom Built Rotator/Shaker Includes Dayton DC Speed Control: (Electrical: 115V, 50/60Hz, 1 PH, 1/50-1/6 HP Includes DC Gear Motor Includes Cables/Accessories, Est Dims: 53x26x16, SLLC # 219123
- 
- 34 Ampco 2 1/2 x 2 DC2 Pump with Baldor 07H167W03 Motor, Electrical: 208-460V, 60Hz, 20 Amps, 3 PH, 3450 RPM, 7 1/2 HP 3500 RPM, SN: F0509096033, Est Dims: 32x24x32, SLLC # 219122
- 
- 35 Tradewinds Decapping Machine, (1) Custom Built Decapping Machine, Est Dims: 36x40x24, SLLC # 219120
- 
- 36 Lot of (2) Mettler Toledo KD600 Floor/Pit Scales, Capacity: 600kg/ 1200 LBs Minimum: 0.05 kg . 0.1 LB, Est Dims: 12x9x8, SLLC # 219121
- 
- 37 GE Marathon Electric 1/2 HP A-C Motor, 1/2 HP Electrical: 100-240V, 50/60Hz, 1 PH, 7.1-7.2 Amps FR: 48Y CODE: N, SN: TYJ200307, Est Dims: 16x10x8, SLLC # 219072
- 
- 38 WEG W21 Severe Duty 2HP Motor, Electrical: 208-460V, 50/60Hz, 3.27 Amps, SN: 01DEZ04 GR32533, Est Dims: 17x6x10, SLLC # 219071
- 
- 39 GE Digital Energy GT Series 1000T UPS, Electrical: 120V, 50/60Hz, 8.6 Amps, SN: 81607C00370WD, Est Dims: 21x16x11, SLLC # 218994
- 
- 40 Ebro EB8 DW Pneumatic Actuator, Angle Rotation: 90 Degree +/- 3 Degree Air Supply Max: 10 bar Torque Max: 416Nm, SN: 249775, Est Dims: 24x36x24, SLLC # 218991
- 
- 41 Domino S200HR Laser Coder, Includes S200HR Laser Head - S/N: E2F01442(A) - Model No: S200HR RED Includes Domino S-Series Controller S/N: E1F01414(A) Model No: CONTROLLER Electrical: 90-264VAC - 460VA, 47-63Hz, SN: S200HR RED, Est Dims: 14x16x41, SLLC # 218987
- 
- 42 Alloy Products Stainless Steel Portable Vessel, MAWP: 140 PSI @ 100F MDMT: -20F @ 140 PSI, SN: 20644-001, Est Dims: 24x51x36, SLLC # 218985
- 
- 43 Brook Crompton MKIII DC Motor, Electrical: 500V, 153 Amps, 2000 RPM Includes Invensys W-DA80MB-D: (Electrical: 208-480V, 50/60Hz, 4.26 Amps, 3440 RPM) Includes Radio-Energie Dynamo Tachymetrique: (Electrical: 0.18 Amps, 10000 RPM), SN: 0403980/01, SLLC # 218976
- 
- 44 Setco 6105 Vertical Motorized Spindle, Lubrication 3.4HP 314V 3 Phase 41 Hz 7A 820 rpm/min 5.0HP 460V 3 Phase 60 HZ 7A 1200 rpm/min Mounting: Vertical Nose Up Rotation: C.C. W. Rear, SLLC # 217811
- 
- 45 Setco 6105 Vertical Motorized Spindle, Lubrication 3.4HP 314V 3 Phase 41 Hz 7A 820 rpm/min 5.0HP 460V 3 Phase 60 HZ 7A 1200 rpm/min Mounting: Vertical Nose Up Rotation: C.C. W. Rear, SN: S235276, Est Dims: 51x51x36, SLLC # 217810
- 
- 46 Genesis RU48 Accumulation Table, Electrical: 120V, 60Hz, 1 PH Mach.#: U-222 Includes: (4) Foot Pegs Bodine Electric Typewriter FPM Adjustable speed and Torque Control Box, Est Dims: 24x25x32, SLLC # 214752
- 
- 47 Genesis Machinery Products RU48 Accumulation Table, Electrical: 230V, 50/60Hz, 1 PH, 1437.5VA, Est Dims: 30x19x38, SLLC # 214748
- 
- 48 Dayton 3KR46J Hydraulic Elevating Carts, (1) Dayton model 3KR46J Hydraulic Elevating Cart Capacity: 400lbs / 18kgs, Est Dims: 45x32x64, SLLC # 300986
-

- 49 Feldmeier 30 Liter Tank with Agitator, National Board #: R-6491 Vessel: MAWP 60 PSI @ 300F MDMT -20F @ 60/FV PSI External FV @ 300F Material 316L Includes Baldor Reliance Motor Electrical: 230/460V, 60Hz, 3 PH, 2.6/1.3 Amps, 1 HP, 3450 RPM Boston Gear C00775 Speed Reducer S/N 130730007 Input Hp: 1. ...[more]
- 
- 50 Lot of (4) Stationary Filing Cabinets, (4) Stationary Cabinets (3) 3 Drawer Filing Cabinets (1) 4 Drawer Filing Cabinet, SSSLC # 219398
- 
- 51 Lot of (6) 3 Drawer Portable Filing Cabinets, (6) 3 Drawer Portable Filing Cabinets, Est Dims: 24x36x87, SSSLC # 219390
- 
- 52 Allegheny Bradford HE 348300 Heat Exchanger, (1) Heat Exchanger Shell: MAWP- 150 PSI @ 350F, MAEWP- 15 PSI @ 350F, MDMT- -20F @ 150 PSI Tube: MAWP- 150 PSI @ 350F, MAEWP- 15 PSI @ 350F, MDMT- -20F @ 150PSI, SN: 032589-1-1-1, Est Dims: 51x52x88, SSSLC # 217800
- 
- 53 Beta Star Autoclave, Plumbing Supplied Connection/Pressure Drain Size: 3 inch, Atomospheric pressure Compressed Air (SCFM): 1/2 inch, 80 - 100 PSIG Ejector Vacuum: 1 inch, 60 - 80 PSIG EnviroVac Vacuum: 1/2 inch, 40 - 60 PSIG Hot Water for Generator: 1/2 inch, 40 - 60 PSIG House Stream: 3/4 inch, 6 ...[more]
- 
- 54 Better Built G403 Multi-Level Glassware Washer, Electrical: 480VAC, 60Hz, 17 Amps Includes Spare Washing Racks ProCare Universal 61 Reactivation Salts Detergents, Est Dims: 36x48x36, SSSLC # 217792
- 
- 55 Munters HC-300 O/L Dehumidifier, Munters Industrial Dehumidifier Simple Drive belt drive system Energy modulation feature independently controls heater power to minimize energy consumption Electrical: 408-480V, 60Hz, 3 PH, 10.3 Amps, SN: 4247/G08, Est Dims: 36x48x36, SSSLC # 217784
- 
- 56 Munters HC-300 O/L Dehumidifier, Munters Industrial Dehumidifier Simple Drive belt drive system Energy modulation feature independently controls heater power to minimize energy consumption Electrical: 408-480V, 60Hz, 3 PH, 10.3 Amps, SN: 4384/809, Est Dims: 48x102x71, SSSLC # 217783
- 
- 57 Baker Company EdgeGARD 8' Laminar Flow Hood, Class: 100 Cleanliness Florescent Light HEPA filters Laminar air flow: 100 FPM Electrical: 115V, 60Hz, 14.2 Amps, SN: 59227/59226, Est Dims: 48x204x71, SSSLC # 217779
- 
- 58 Baker EdgeGARD EG-6320 and EG-4320 Horizontal Laminar Flow Clean Benches, Includes (2) EG-6320 6' End Hoods S/N 53854/53855 Electrical: 115V, 60Hz, 18.52 Amps (1) EG-4320 Middle Hood S/N 53853 Electrical: 115V, 60Hz, 14.2 Amps Class: 100 Cleanliness Florescent Light HEPA filters Laminar air flow: 1 ...[more]
- 
- 59 Percival Scientific I-35 LLVL Plant Incubator, Electrical: 115V, 60Hz, 1 PH, 1/4 HP, 14 Amps Refrigerant: R134A, 10 oz Design Pressure: 150 PSI, SN: 3715.08.950, Est Dims: 37x59x80, SSSLC # 217769
- 
- 60 Percival Scientific I-60-LLVL Plant Incubator, Electrical: 115V, 60Hz, 1 PH, 1/2 HP, 12 Amps Refrigerant: R12, 15 oz Design Pressure: 150 PSI, SN: 88L 3386.6, Est Dims: 31x30x46, SSSLC # 217768
- 
- 61 Neutro-Vac Model DC-75 Dust Collector, Electrical: 480V, 60Hz, 3 PH, 1 HP, SN: S-1000, SSSLC # 201645
- 
- 62 Allegheny Bradford 300L Jacketed Mixing Vessel, Make: Allegheny Bradford Model: 300 L Jacketed Serial #: 18414-4-1-1 Year: 2005 Capacity: 300L Specifications: Vessel: MAWP: 60 psi @ 266°F MDMT: -20°F @ 60 psi MAEWP: 15 psi @ 266°F Jacket: MAWP: 100 psi @ 266°F MDMT: -20°F @ 100°F MAEWP: 15 psi @ 26 ...[more]
- 
- 63 Alloy Products Corp 5L Mixing Vessel, Make: Allied Products Corp Model: 5L Serial #: 28760-002 Capacity: 5L Year: 1993 Specifications: MAWP: 100 psi @ 100°F MDMT: -20°F @ 100 psi Repaired 2/27/06 by Cotter Brothers Includes: Agitator with Blade Dip Tube, SN: 21790-003, SSSLC # 205026
-

- 64 Alloy Products Corp 4L Carboy, Make: Allied Products Corp Model: 4L Carboy Serial #: 48350-003 Capacity: 4L Year: 1995 Specifications: MAWP: 50 psi @ 100°F MDMT: -20°F @ 50 psi, SN: 48350-003, SLLC # 205031
- 
- 65 Alloy Products Corp 4L Carboy, Make: Allied Products Corp Model: 4L Carboy Serial #: 48350-001 Capacity: 4L Year: 1995 Specifications: MAWP: 50 psi @ 100°F MDMT: -20°F @ 50 psi, SN: 48350-001, SLLC # 205030
- 
- 66 Allegheny Bradford 250L Mixing Vessel, Make: Allegheny Bradford Corp Model: 250L Serial #: 18414-6-1 Year: 2005 Specifications: Capacity: 250L MAWP: 60 psi @ 266°F MAEWP: 15 psi @ 266°F MDMT: -20°F @ 60 psi Repaired 2/13/06 by Cotter Brothers Includes: Agitator with Blade Down Tube with Rupture Dis ...[more]
- 
- 67 Lot of (2) Bioz Purification Room Evaporators, (2) Bioz Purification Room Evaporators S/N's E14J00697851001001, E14J00697851001002 Par Number 8324421 Boxed On Custom Ship Ready Pallet, Est Dims: 40x48x64, SLLC # 216701
- 
- 68 Chesser Container 330 Gallon Waste Tote, (1) 330 Gallon Waste Tote Tare Weight: 550 lbs Rated Gross Weight: 6000 lbs Volume: 300 Gallon Test Pressure: 100 KPA, SN: C-082214-12A, Est Dims: 40x48x64, SLLC # 216635
- 
- 69 Chesser Container 330 Gallon Waste Tote, (1) 330 Gallon Waste Tote Tare Weight: 550 lbs Rated Gross Weight: 6000 lbs Volume: 300 Gallon Test Pressure: 100 KPA, SN: C-082214-7A, Est Dims: 33x65x74, SLLC # 216634
- 
- 70 Manual Nutrient Feed System, (1) Manual Nutrient Feed System Includes Flowserve Camera Valve, Model 1917P2, 1/2", S/N 26746A1 Includes Logix 32IQ Digital Positioner Includes Allen Bradley Power Flex 70 Adjustable AC Drive (Electrical: 208-240V, 60Hz, 4.8-5.6 Amps, 0.75-1 HP) Includes (1) Endress Ha ...[more]
- 
- 71 Lot of Heavy Duty Plastic Barrell Covers, (1) Palletized Lot of Heavy Duty Plastic Barrell Covers, Est Dims: 43x16x32, SLLC # 216621
- 
- 72 Microtherm CNX Series Temperature Control System, Electrical: 208V, 60Hz, 3 PH, 9kw Includes Sani-Tech Hosing, SN: CM00323, Est Dims: 25x47x68, SLLC # 216603
- 
- 73 Millipore CESH4637VSTC Stainless Steel Filter Housing, (1) Millipore Stainless Steel Filter Housing Max Operating Conditions: 150 PSIG @ 300F, 10 bar @ 150C Pressure Tested @ 15 bar Volume: 51 Liter, SN: 1335400851, Est Dims: 24x35x59, SLLC # 216602
- 
- 74 Millipore H4337VSTC Stainless Steel Filter Housing, (1) Millipore Stainless Steel Filter Housing Max Operating Conditions: 150 PSIG @ 300F, 10 bar @ 150C Includes Millipore Stainless Steel Cover, SLLC # 216601
- 
- 75 Lot of (6) Heavy Duty Plastic Carboys, (6) C5611 30L Heavy Duty Plastic Carboys w/ Lids, Est Dims: 24x60x48, SLLC # 216104
- 
- 76 Allegheny Bradford Cooling HXR Heat Exchanger, (1) Allegheny Bradford Cooling HXR Heat Exchanger: MAWP 150 PSI @ 300F, MDMT -20F @ 150 PSI Print #B779900 Includes Braided Hoses, SN: 509-1-1, Est Dims: 30x35x30, SLLC # 216433
- 
- 77 Peg Filtration App Cart, (1) Peg Filtration App Cart Includes (3) Millipore Filter Housings and Covers (Max Operating Conditions: 150 PSIG @ 250F, 10 bar @ 121C), Est Dims: 34x83x72, SLLC # 216425
- 
- 78 Amersham Biosciences BioProcess System, Electrical: 208VAC, 60Hz, 3 PH Includes (2) Rosemount Model 54e pH Analyzer Amersham UV900-P UV Transmitter (2) Amersham pH-P pH Transmitters (3) Amersham AS/S-P Air Sensor Transmitters Endress Hauser Promass 80 (Electrical: 20-55VAC/16-62VDC, 50-60Hz) (2) Ma ...[more]
- 
- 79 Manual Chromatography System, (1) Manual Chromatography System Includes Foxboro Communicator Series Electroless Conductivity Monitor Includes Wedgewood Analytics Model 662 UV Analyzer Includes (1) Watson Marlow 520UN/REL Peristaltic Pump (Electrical: 200-240V, 100-120V, 50/60Hz), 220 RPM Includes ...[more]
-

- 80 Thermo Scientific Hyclone Smartainer II 100 and 200 Liter Stainless Steel Vessel, (1) Thermo Scientific 100-200 Liter Stainless Steel Vessel, SN: HL0201-01, Est Dims: 25x24x42, SSSLLC # 216389
- 
- 81 Allegheny Bradford Stainless Steel Vessel, (1) Allegheny Bradford Stainless Steel Vessel MAWP 50 PSI @ 300F, MDMT -20F @ 50 PSI Includes Agitator Includes Downpipe, SN: 14427-1-1-1, Est Dims: 21x21x50, SSSLLC # 216388
- 
- 82 Alloy Products Stainless Steel Vessel, (1) Alloy Products Stainless Steel Vessel . 90 PSI @ 300F, MDMT -20F @ 90 PSI T316L, SN: 103716-006, Est Dims: 34x33x71, SSSLLC # 216387
- 
- 83 Feldmeier Stainless Steel Vessel, (1) Feldmeier Stainless Steel Vessel Vessel: MAWP 45 PSI @ 350F, MAWP FV PSI @ 350F, MDMT -20F @ 45 PSI MOC Shell: 316L Includes (1) Sparge Tube Includes Downpipe, SN: S065111, Est Dims: 41x40x80, SSSLLC # 216380
- 
- 84 Stainless Technology 400 Liter Portable Buffer Tank, (1) Stainless Technology 400 Liter Portable Buffer Tank MAWP 45 PSI @ 350F, MAEWP -15 PSI @ 350F, MDMT -20F @ 45 PSI Mat'l: 316L S/S Shell: 0.1874" Head: 250/0.1874" Includes (3) Vents Includes (2) Sparge Tubes Includes Downpipe Includes Andersen ...[more]
- 
- 85 Allegheny Bradford 100 Liter Vessel, (1) Allegheny Bradford 100 Liter Stainless Steel Vessel MAWP45 PSI @ 350F, MAEWP -15 PSI @ 350F, MDMT -20F @ 45 PSI Includes (3) Sparge Tubes Includes Downpipe, SN: 029912-1-1-3, Est Dims: 23x30x55, SSSLLC # 216378
- 
- 86 Alloy Products Stainless Steel Vessel, (1) Alloy Products Stainless Steel Vessel MAWP 60 PSI @ 100F, MDMT -20F @ 60 PSI T316L Full Vac Tank Includes Agitator Includes Downpipe, SN: 100449-002, Est Dims: 27x27x64, SSSLLC # 216370
- 
- 87 200 Liter Stainless Steel Vessel, (1) 200 Liter Stain Steel Vessel P/Discharge Max 8 PSI Working Pressure: 8 PSI, Est Dims: 27x27x59, SSSLLC # 216367
- 
- 88 Thermo Scientific Hyclone Smartainer II 100 and 200 Liter Stainless Steel Vessel, (1) Thermo Scientific 100-200 Liter Stainless Steel Vessel, SN: HLO201-02, Est Dims: 35x57x73, SSSLLC # 216366
- 
- 89 Amersham Pharmacia Bioprocess Chromatography System, (1) Amersham Pharmacia Bioprocess Chromatography System (Electrical: 100/120/230VAC, 6.4/5.6/3.2 Amps, 16/16/10 Amps, 50-60Hz) Largest Motor Size: 3 bar g Protection Class: IP45 Pneumatic Supply Min/Max: 60-10bar g Includes (1) Endress Hauser Pro ...[more]
- 
- 90 Manual Chromatography System, (1) Manual Chromatography System Includes Wedgewood Analytical Model 662 UV Analyzer Includes (1) Watson Marlow 624U/R Peristaltic Pump, S/N B091533 (Electrical: 100-120V, 220-240V, 50/60Hz), 165 RPM Includes (1) Micro Motion Transmitter Model 1700I11ADUEZZZ, S/N 30389 ...[more]
- 
- 91 Ultrafiltration System, (1) Ultrafiltration System Includes Wedgewood Analytical Model 662 UV Analyzer Includes Watson Marlow 704U/R Peristaltic Pump, S/N 8050791 (Electrical: 100-120V, 220-240V, 50/60Hz), 360 RPM, Ambient Temp 5C - 40C Includes (1) Johnson Yokogawa Model 1150G Pump Includes (1) TB ...[more]
- 
- 92 Strongarm Mobile Computer Station, (1) Strongarm Mobile Computer Station (Electrical), Est Dims: 27x26x64, SSSLLC # 216352
- 
- 93 Alloy Products Stainless Steel Vessel, (1) Alloy Products Stainless Steel Vessel MAWP 60 PSI @ 100F, MDMT -20F @ 60 PSI T316L Includes Agitator Includes Downpipe Includes Lightnin Model SVM9S15 Mixer Drive Includes Danfoss Bauer Model 212602/8 Motor (Electrical: 230/460V, 60Hz, 0.82/0.41 Amps, .15 ...[more]
- 
- 94 Alloy Products Stainless Steel Vessel, (1) Alloy Products Stainless Steel Vessel MAWP 40 PSI @ 100F, MDMT -20F @ 40 PSI T316L Includes Agitator Includes Lightnin Model SVM9S15 Mixer Drive Includes Danfoss Bauer Model 212602/8 Motor (Electrical: 230/460V, 60Hz, 0.82/0.41 Amps, .15 HP), SN: 19444-002 ...[more]

- 95 Alloy Products Stainless Steel Vessel, (1) Alloy Products Stainless Steel Vessel MAWP 40 PSI @ 100F, MDMT -20F @ 40 PSI T316L Includes Agitator, SN: 19444-001, Est Dims: 27x33x55, SSSLIC # 216329
- 
- 96 Feldmeier 50 Liter Stainless Steel Jacketed Vessel, Feldmeier 50 Liter Stainless Steel Jacketed Vessel MAWP 30/FV PSI @ 400F, MDMT -20F @ 30/FV PSI Includes Downpipe, SN: S54799, Est Dims: 17x17x22, SSSLIC # 216325
- 
- 97 Alloy Products Corp Non-Jacketed Vessel, 60 PSI Max W.P. 100F Min Temp -20F at 60PSI, SN: 76238-003, Est Dims: 15x15x12, SSSLIC # 214917
- 
- 98 Lot of Vessel Accessories, Includes but not limited to: Clamps In a Variety of Sizes O Rings Valves, Est Dims: 32x51x74, SSSLIC # 214914
- 
- 99 Manual Chromatography Skid, (1) Chromatography Skid Includes Optek Control 4000 Control Panel Includes Rosemount Model 54e Includes Bubble Trap Includes Watson Marlow 520N Peristaltic Pump: (Electrical: 100-240V, 50/60Hz, 135VA) Includes Watson Marlow 624U Peristaltic Pump: (Electrical: 100-240V, 5 ...[more]
- 
- 100 Chromatography Skid, (1) Chromatography Skid Includes Optek Control 4000 Control Panel Includes (4) Rosemount Model 54e Includes (2) Siemens Motors Includes (11) Actuators Includes Bubble Trap, SSSLIC # 220066
- 
- 101 Lot of Spare Stainless Steel Filter Housing Components, (1) Stainless Steel Filter Housing (1) Stainless Steel Column Tube Extender (2) Lids (1) Dolly, SSSLIC # 220059
- 
- 102 Lot of (4) Vantage Amicon Plastic Chromatography Column Tubes, (4) Plastic Chromatography Column Tubes (3) 30 Liter Tubes (1) 6 Liter Tybe, Est Dims: 10x14x36, SSSLIC # 220058
- 
- 103 Allegheny Bradford Stainless Steel Filter Housing, (1) Stainless Steel Filter Housing MAWP: 150 PSI @ 300F, External: FV @ 300F, MDMT: -20F @ 150 PSI, SN: 20072-3-1, Est Dims: 10x9x7, SSSLIC # 220057
- 
- 104 Anderson Control Box, (1) Anderson Control Box, Est Dims: 22x18x12, SSSLIC # 220054
- 
- 105 Lot of Stainless Steel Chromatography Accessories, Lot of Chromatography Accessories Includes Bubble Traps, Column Extenders, Lids, Clamps, Est Dims: 13x34x15, SSSLIC # 220052
- 
- 106 Alfa Laval SRU1/008/HD Pump, (1) Pump Includes Sterling Electric Model SH0302AC3.618 Speed Reducer Includes Vector Motor: (Electrical: 230/460V, 60Hz, 3 PH, 6000 RPM), SN: 409487, Est Dims: 27x27x25, SSSLIC # 220049
- 
- 107 Lot of (7) Millipore QS630 Bottom Bed Supports, (7) Bottom Bed Supports, Est Dims: 32x45x24, SSSLIC # 220047
- 
- 108 Lot of (6) Pall 16" Stainless Steel Filter Housings, (6) 16" Stainless Steel Filter Housings, Est Dims: 35x13x17, SSSLIC # 220045
- 
- 109 GE BPG T200/500 Chromatography Column Tube, (1) T200/500 Chromatography Column Tube, Est Dims: 16x12x11, SSSLIC # 220044
- 
- 110 GE Bubble Trap, (1) Bubble Trap, Est Dims: 23x21x8, SSSLIC # 220043
- 
- 111 GE BPG 200 Column Stand 140/200, (1) 140/200 Column Stand, Est Dims: 15x13x9, SSSLIC # 220042
- 
- 112 Lot of Stainless Steel Piping and Joints, Lot of Stainless Steel Piping and Joints, Est Dims: 15x15x47, SSSLIC # 220034
-

|     |   |
|-----|---|
| 113 | Stainless Steel Portable Cartridge Testing Stand, (1) Portable Cartridge Stand, Est Dims: 26x26x5, SSSLIC # 220033  |
| 114 | Millipore QS630 Bed Support, (1) Bed Support 10u, 605Dia x 7Dia x 1.7, Est Dims: 26x26x5, SSSLIC # 220032   |
| 115 | Millipore QS630 Bed Support, (1) Bed Support 10u, 605Dia x 7Dia x 1.7, Est Dims: 20x20x6, SSSLIC # 220031   |
| 116 | GE BPG Bed Support Adapter, (1) Bed Support Adapter, Est Dims: 22x22x30, SSSLIC # 220030  |
| 117 | GE BPG Bed Support Adapter 400my, (1) Bed Support Adapter Includes James Walker 316.0 x 6.99 O-Ring, Est Dims: 22x22x30, SSSLIC # 220029  |
| 118 | GE BPG Bed Support Assembly 400my, (1) Bed Support Fixed Assembly, Est Dims: 54x15x23, SSSLIC # 220028  |
| 119 | GHPD Positive Model SRU5WLS Displacement Pump Electrical: 230/460V, 60Hz, 3 PH, 5 HP, 1760 RPM: S/N 03-5-10493A, SN: F0106016046, Est Dims: 24x36x72, SSSLIC # 220026   |
| 120 | Viral Filtration Skid, Includes Schneider Electric Magelis Control Panel Watson Marlow 520Nu Peristaltic Pump Electrical: 100-240V, 50/60Hz, 135VA Andersen PSI Gauge Biogen Transmitter S/N 25481614, SSSLIC # 220003                    |
| 121 | Lot of Millipore MP0DPIL0T Accessories, Lot of MP0DPIL0T Accessories (8) MP0DPL THNDL PILOT HOLDERS (6) MP0DPIL0TX Pilot Holder Extension Kits, SSSLIC # 220002   |
| 122 | Lot of Heavy Duty Plastic Mixers and Diptubes, Lot of Heavy Duty Plastic Mixers and Diptubes, Est Dims: 32x22x21, SSSLIC # 220001   |
| 123 | Lot of (8) Stainless Steel Filter Housings, (8) Stainless Steel Filter Housings (1) Millipore 3000 Series (1) Biogen 316043X3 (4) Pall Advanta (2) Small Biogen, SSSLIC # 220000  |
| 124 | Lot of (2) Heavy Duty Plastic Barrels, (2) Heavy Duty Plastic Barrels, SSSLIC # 201742  |
| 125 | Lot of (2) Nalgene Acid Storage Containers, (2) Acid Storage Containers (1) 75 Liter Container (1) 100 Liter Container, SSSLIC # 201741   |
| 126 | Lot of (5) Heavy Duty Plastic Carboys, (5) Heavy Duty Plastic Carboys (1) 50 Liter Carboy: Max Vol 40L, Min Vol 20L, Agitator Speed 100 RPM, Time 10 Minutes (1) 50 Liter Carboy (1) 20 Liter Carboy (2) 10 Liter Carboy, SSSLIC # 201740 |
| 127 | Lot of (8) 30 Liter Heavy Duty Plastic Carboys, (8) 30 Liter Heavy Duty Plastic Carboys, Est Dims: 13x16x22, SSSLIC # 201738  |
| 128 | Alloy Products Stainless Steel 30 Liter Vessel, (1) Stainless Steel 30L Vessel MAWP: 60 PSI @ 100F, MDMT: -20F @ 60 PSI, Material: 316L, SN: 103711-004, Est Dims: 40x46x43, SSSLIC # 201734  |
| 129 | Lot of (9) Stainless Steel Bottling Stands, (9) Stainless Steel Bottling Stands, Est Dims: 41x19x25, SSSLIC # 201731  |
| 130 | Allegheny Bradford Stainless Steel Heat Exchanger, (1) Stainless Steel Heat Exchanger MAWP: 150 PSI @ 350F, MDMT: -20F @ 150 PSI, SN: 8620-01, Est Dims: 33x12x14, SSSLIC # 201696  |
| 131 | Allegheny Bradford Stainless Steel Heat Exchanger, (1) Stainless Steel Heat Exchanger MAWP: 150 PSI @ 350F, MDMT: -20F @ 150 PSI, SN: 17834-1-1, Est Dims: 25x9x11, SSSLIC # 201695   |



- 132 Yula Stainless Steel Heat Exchanger, (1) Stainless Steel Heat Exchanger Shell: MAWP 150 PSI @ 350F, MDMT 40F @ 150 PSI  
Tubes: MAWP 150 PSI @ 350F, MDMT 40F @ 150 PSI, SN: 19973, Est Dims: 41x21x25, SLLC # 201694
- 
- 133 Allegheny Bradford Stainless Steel Heat Exchanger, (1) Stainless Steel Heat Exchanger MAWP: 150 PSI @ 350F, MDMT: -20F @ 150  
PSI, SN: 6295-1-1, Est Dims: 23x23x21, SLLC # 201693
- 
- 134 Allegheny Bradford Stainless Steel Filter Housing 16" Stack Disk, (1) Stainless Steel Filter Housing MAWP: 90 PSI @ 350F, External:  
FV @ 350F, MDMT: -20F @ 90 PSI, SN: 20283-1-1-1-A, Est Dims: 28x21x15, SLLC # 201692
- 
- 135 Lot of Rubber and Stainless Steel Braided Hoses, (15) Rubber and Stainless Steel Braided Hoses, Est Dims: 28x21x15, SLLC #  
201691
- 
- 136 Lot of Rubber and Stainless Steel Braided Hoses, (9) Rubber and Stainless Steel Braided Hoses, Est Dims: 28x21x15, SLLC #  
201690
- 
- 137 Lot of Heavy Duty Plastic Bottlecaps, Lot of Heavy Duty Plastic Bottlecaps, Est Dims: 29x19x19, SLLC # 201689
- 
- 138 Lot of Rubber and Stainless Steel Braided Hoses, Lot of Hoses, Clamps, Plugs, Stainless Steel Arms, Est Dims: 13x17x22, SLLC #  
201688
- 
- 139 Alloy Products Stainless Steel 33 Liter Vessel, (1) 33 Liter Stainless Steel Portable Vessel MAWP: 60 PSI @ 100F, MDMT: -20F @ 60  
PSI, SN: C226248-1-002, Est Dims: 13x17x22, SLLC # 220962
- 
- 140 Alloy Products Stainless Steel 33 Liter Vessel, (1) 33 Liter Stainless Steel Portable Vessel MAWP: 90 PSI @ 302F, MDMT: -20F @ 90  
PSI, SN: 111644-010, Est Dims: 13x17x22, SLLC # 220961
- 
- 141 Alloy Products Stainless Steel 33 Liter Vessel, (1) 33 Liter Stainless Steel Portable Vessel MAWP: 90 PSI @ 302F, MDMT: -20F @ 90  
PSI, SN: 111844-009, Est Dims: 24x13x15, SLLC # 220960
- 
- 142 Alfa Laval SX4/046 Rotary Lobe Pump, , SN: 419760, Est Dims: 24x13x15, SLLC # 217997
- 
- 143 Alfa Laval SX4/063 Rotary Lobe Pump, , SN: 414047, Est Dims: 24x13x15, SLLC # 217996
- 
- 144 Alfa Laval SRU4-WLS Rotary Lobe Pump, , SN: 02-11-10292A, Est Dims: 14x8x10, SLLC # 217995
- 
- 145 Alfa Laval SX2/013 Pump, (1) SX2/013 Pump, SN: 423120, Est Dims: 13x7x8, SLLC # 217993
- 
- 146 Alfa Laval SRU-1 Positive Displacement Pump, (1) SRU-1 Positive Displacement Pump, SN: 01-9-9550A, Est Dims: 13x7x8, SLLC #  
217987
- 
- 147 Alfa Laval SRU1W Positive Displacement Pump, (1) SRU1W Positive Displacement Pump, SN: 01-10-9647A, Est Dims: 50x32x75,  
SLLC # 217980
- 
- 148 Sartorius Sartoflow Alpha Crossflow TFF System, 30 Liter 316L SSVessel M.A.W.P. ATM Temp: 93.3°C, 200°F Vessel YR: 2005  
Includes: all pictured parts, accessories, manuals and documentation, SLLC # 206735
- 
- 149 Alloy Products Vessel, 115 PSI Max W.P 100°F Min Temp. -20°F 115PSI, SN: 66678-001, SLLC # 207542
-

|     |  |
|-----|--|
| 150 | Sharpsville Container, 304SS, SN: VTD-X5, Est Dims: 30x34x64, SLLC # 207631  |
| 151 | CapPlus Technologies GMP SS6 16B Tablet Press, Electrical: 208V 12 Station Press, SN: 0805 06, SLLC # 301861   |
| 152 | Allegheny Bradford Corp. 17.5L Stainless Steel Surge Vessel, Make: Allegheny Bradford Corp. Model: 17.5L Surge Vessel Serial #: 025795-1-1-5 Year: 2008 Specifications: Design Pressure: 18 psig/FV Design Temperature: -20/257°F Shell Thickness: 10ga Bottom Thickness: 7ga Top Diameter: .625" Inside Di ...[more]  |
| 153 | Alloy Products 1 Gallon Stainless Steel Pressure Vessel, (1) 1 Gallon Pressure Vessel: MAWP 185 PSI @ 100F, MDMT -20F @ 185 PSI, SN: S536022-1-013, Est Dims: 24x30x30, SLLC # 217884  |
| 154 | HPS Three Phase Dry Type Drive Isolation Transformer, Electrical: 480V, 60Hz, 34kva, SN: AB00655355, Est Dims: 18x31x13, SLLC # 217880   |
| 155 | Watson-Marlow 505XY Robot Liquid Dispensing System, Electrical: 120-240V, 50/60Hz, SN: AVE R.M., Est Dims: 12x16x22, SLLC # 217877   |
| 156 | Nilfisk GM80 Vacuum Cleaner, Electrical: 110-120V, 50/60Hz, 1100W, SLLC # 217876   |
| 157 | ASG Machinery MB-45 Tray Former Shrink Wrapping Machine, Power: 480V Includes: Bottle dryer unit Bottle 6 pack pre-wrap unit, SN: 006, Est Dims: 54x30x28, SLLC # A04755Note: This Lot is Located in Cincinnati, OH. Please contact SLLC to arrange for removal.   |
| 158 | Synrad Evolution 200 57-2 CO2 Laser System, Electrical: 30V Includes TAEvo 015 Chiller: S/N 220 059 377, (Electrical: 400V, 3 PH, 60Hz, 8.5 Amps) Includes (2) Model RF3000 Power Supplies Includes (2) Model SQ1506-3F-400-500-AL-DD Power Controls: (Electrical: 400-500VAC, 50/60Hz, 4.5 Amps) Includes ...[more]   |
| 159 | Microfluidics M-110Y Microfluidizer, (1) Benchtop Microfluidizer 30,000 PSI Max, SN: 2001107, Est Dims: 60x44x57, SLLC # 300416  |
| 160 | Atlas Copco GX5 FF Compressor, Electrical: 115-230V, 50/60Hz, 3 PH 21.2 cfm rated air flow Max Inlet Temp: 40C Tank: S/N A19994, (MAWP 160 PSI @ 250F, MDMT 18F @ 160 PSI) Includes (2) Atlas Copco DD35+, SN: CAI510127, Est Dims: 36x36x8, SLLC # 217801   |
| 161 | Mettler Toledo Vertex Floor Scale, (1) 3' x 3' Floor Scale, SN: B553918404, SLLC # 201654  |
| 162 | Lancer Pro Cage 95 Cage Washer, Includes Pre-Heating Tank Manual, Est Dims: 43x30x50, SLLC # 135248  |
| 163 | Beseler Model T-16-8-D Shrink Tunnel, Electrical: 220V, 60Hz, 25 Amps, 1 PH, SN: 01010944, Est Dims: 59x33x42, SLLC # 300672   |
| 164 | Beseler 2016-MTB-II Shrink Wrap Sealer, Electrical: 115V, 60Hz, 20 Amps, 1 PH, SN: 01010968, Est Dims: 80x40x54, SLLC # 300671   |
| 165 | Baum 500-DC Paper Folder, , SN: AE3 115, Est Dims: 90x48x84, SLLC # 300670   |
| 166 | Millipore XF-3062 Filtration Skid, (1) Portable Filtration Skid: Design Pressure 0-60 PSI, Design Temp 2-25C Includes Watson Marlow 704U/R Peristaltic Pump: (Electrical: 120-240V, 50/60Hz, 360 RPM) Includes Allen Bradley Versa View 1500P Control Panel Includes Johnson Model 3/0081 Pump, Est Dims: 64 ...[more] |
| 167 | Electrol Specialties Company WDI/WFI Skid, Electrical: 480V, 11.5 Amps, 3 PH Includes Spare Stainless Steel Piping, SN: 875ACA, Est Dims: 52x45x55, SLLC # 300304  |

|     |  |
|-----|--|
| 168 | Lot of Miscellaneous Spools of Wiring, Lot of Miscellaneous Spools of Wiring, Est Dims: 51x26x64, SLLC # 300251  |
| 169 | Millipore Twin 316L Stainless Steel Filtration Skid Housings, Millipore Filtration Skid Includes Millipore CES9396 Stainless Steel Filter Housing: S/N 001-20258-1-1: MAWP 150 PSI @ 300F, MDMT -20F @ 150 PSI Includes Millipore CES9397 Stainless Steel Filter Housing: MAWP 150 PSI @ 300F, MDMT -20F @ ...[more] |
| 170 | Sharpe Mixers FCM-050VF Mixer, (1) Sharpe Mixer Includes Sterling Electric NBY054MCA Motor: (Electrical: 208-460V, 60Hz, 3 PH, 1/2 HP, 1720 RPM), SN: 55409, Est Dims: 22x20x24, SLLC # 300236   |
| 171 | Elmo Rietschle VCE 15 Vacuum Pump, Electrical: 0.75kW, 1450/1740 RPM Includes Leeson A6C17XC20J Explosion Proof Motor: (Electrical: 115-230V, 60Hz, 12.8 Amps, 1725 RPM, 1 PH), SN: 1021450200, Est Dims: 29x18x71, SLLC # 300233  |
| 172 | Cotterman 4 Step Welded Aluminum Safety Ladder, (1) 4 Step Portable Step Ladder 350Lb Capacity, Est Dims: 36x18x80, SLLC # 300220  |
| 173 | Cotterman 5 Step Welded Aluminum Safety Ladder, (1) 5 Step Portable Step Ladder 350Lb Capacity, Est Dims: 13x46x32, SLLC # 300219  |
| 174 | Plastic and Metal Laboratory Bench, (1) Plastic and Metal Laboratory Bench, Est Dims: 19x19x20, SLLC # 300218  |
| 175 | Ballymore Stainless Steel Spring Loaded Caster Ladder, (1) 2 Step Portable Step Stool 2 Step No Rails, Est Dims: 24x21x29, SLLC # 300209   |
| 176 | Ballymore Aluminum Spring Loaded Caster Ladder, (1) 3 Step Portable Step Stool 3 Step No Rails, Est Dims: 20x20x53, SLLC # 300208  |
| 177 | Alloy Products T-316L Stainless Steel Skirt Vessel, (1) Stainless Steel Vessel: MAWP 110 PSI @ 300F, MDMT -20F @ 110 PSI, SN: 33606-003, Est Dims: 21x36x35, SLLC # 300207   |
| 178 | Lakeside Medical Surgical Cart/Equipment Stand, (1) Portable Stainless Steel Cart (2) Drawers and (2) Shelves, Est Dims: 31x73x35, SLLC # 300206   |
| 179 | 6' Stainless Steel Equipment Stand, (1) 6' Stainless Steel Stationary Lab Table, Est Dims: 37x35x71, SLLC # 300205   |
| 180 | Justrite 25600 Portable Flammable Liquid Storage Cabinet, (1) 60 Gallon Capacity Flammable Liquid Storage Cabinet with 2 Shelves, Est Dims: 52x28x64, SLLC # 300149  |
| 181 | Eastey Model ET1610-36 Shrink Packaging Tunnel, Electrical: 220V, 60Hz, 1 PH, 40 Amps Motor Rating: M/1 4.3, M/2 0.58, M/3 1.5, SN: 41918TL, SLLC # 220668   |
| 182 | Hoppmann VFT-30 Centrifugal Feeder, Includes Hoppman Model EP-08 Hopper and Elevator Series: ST. STL. S/N 17680 Year: 1992 Leeson Model 174307.OO Speedmaster Motor Control Electrical: 115-230V, 50/60Hz, 1 PH, 8 Amps, SN: VFT301RDSA0101, Est Dims: 30x41x60, SLLC # 220700                                       |
| 183 | Belco Packaging Model STC 2016 Shrink Tunnel, Electrical: 240V, 50/60Hz, 1 PH, 35 Amps, SN: 9757, Est Dims: 30x43x58, SLLC # 220697  |
| 184 | Beseler Model T-14-8-D Shrink Tunnel, Electrical: 208VAC, 60Hz, 1 PH, 12 Amps, SN: 8930713, Est Dims: 30x43x58, SLLC # 220698  |

---

|     |   |
|-----|---|
| 185 | Beseler Model T-16-8-D Shrink Tunnel, Electrical: 220V, 60Hz, 1 PH, 25 Amps, SN: 003971457, Est Dims: 54x156x90, SLLC # 220699                                      |
| 186 | IMA Model MS500BD Bundler, Electrical: 208V, 60Hz, 20 Amps, 10kA, 3-N, SN: 4362, Est Dims: 9x10x33, SLLC # 220695   |
| 187 | Grundfos X Pump, Electrical: 50-60 Hz, 3461 RPM Type Number CR13-15 A-CAB-IX-E-HQQE, Est Dims: 23x33x55, SLLC # 213243  |
| 188 | NJM Model 305 Colt Pressure Sensitive Dispenser, Electrical: 110 Volt, 60 Cycles, .66KW, 6 Amps, PH1, SN: M95K0195, Est Dims: 32x86x57, SLLC # 214658               |
| 189 | Damark Maxi-Pak Shrink Packaging System, Electrical: Voltage: 220/1/60, 16 Amps, 1/15 HP, SN: 8482, Est Dims: 56x36x60, SLLC # 214663                               |
| 190 | Thermo Scientific HyPerForma Single-Use Mixer DS 300, Electrical: 108-240 VAC, 1PH, 50-60Hz, 8 Amp Product Number BL141HA11400A, Est Dims: 48x61x63, SLLC # 214651  |
| 191 | Packaging Systems Automation Dual Placer, Electrical: 120V, 60HZ, 20A, 1PH, .75HP Air Pressure: 80 PSI, SN: 1445, SLLC # 300720                                     |
| 192 | Shanklin CF1 Shrink Wrapper, Electrical: 230V, 60Hz, 8 AmpMax PSI: 80SLLC # 302765  |
| 193 | Beseler Model T-15-9 Shrink Tunnel, SN:8900752,Electrical: 220V, 60Hz, 3 PH Est Dims: 30x80x45SLLC # 302764   |
| 194 | Champion EW60 Compressor and Evaporator,Hours: 15,219,Model: EW 60 B,HP Rating: 60Note: This lot is located in Woodruff, SC Please contact SLLC to schedule Removal |
| 195 | Atlas CopcoGX18 Compressor,HP Rating: 25 HP, SN: API440514, Includes TankNote: This lot is located in Woodruff, SC Please contact SLLC to schedule Removal          |

---