

Ind-Auctions,LLC



Surplus Late Model Equipment of Multiple New Jersey Mfg.
Facilities

Toolroom Machinery, Woodworking Machinery, CNC Equipment,
Machine Accessories, Plus Much More To Follow !!!

61 Leonard St.
Metuchen
New Jersey
08840
United States

Ended Oct 15, 2020 4:41pm ET (9:41pm BST)

Lot	Description
-----	-------------

0	Brochure
---	----------

1	(4) Asst. Drills
---	------------------

2	(4) Asst. Drills
---	------------------

3	Lot Asst. Drills
---	------------------

4	Lot Asst. Drills
---	------------------

5	Lot Asst. Taps
---	----------------

6	Lot Asst. Taps
---	----------------

7	Lot Asst. Taps
---	----------------

8	Lot Asst. Button Dies, Taps, Helicoils
---	--

9	Weldon Countersink Set & Counterbores
---	---------------------------------------

10	Lot Micro-Circuit Endmills
----	----------------------------

11	(3) Tapping Wrenches
----	----------------------

12	(4) Tapping Wrenches
----	----------------------

13	Lot Asst. Jacobs No.3JT & 2JT Straight Shank & Morse Taper Drill Arbors
----	---

14	Lot Morse Taper Drill Sleeves
----	-------------------------------

15	Lot Asst. Hole Saws
----	---------------------

16	Lot Asst. Hole Saws
----	---------------------

17	Approx. (57) Spot Facers
18	Lot Asst. Spade Drills
19	Lot Asst. Spade Drills
20	Lot Asst. Endmills
21	Lot Asst. Carbide Endmills
22	Lot Asst. Reamers
23	Lot Asst. Endmills
24	Lot Asst. Endmills
25	Lot Asst. Carbide Insert Endmills
25A	(7) Indexable Carbide Endmills
25C	(5) Indexable Drills
26	Lot Asst. Carbide Inserts
27	8" Length x 5.5"H x 4.5"D x 4" Cast Iron V-Block Set
28	8.750" Length x 6.250"H x 2.750"D x 6.750" Cast Iron V-Block Set
29	9" x 7" x 6" Matched Angle Plate Set
30	10" x 8" x 6" Angle Plate
31	V-Block Set
32	4"W x 6"H x 4"D Hardened & Ground Precision Angle Plate
33	Taft Pierce Style 9130 Precision V-Block Set
34	6" x 6" x 6" Challenge Angle Plate
35	(3) Taft Pierce Style 9129 Precision Angle Blocks
36	Starrett & B&S V-Block Sets

37	1" x 2" x 3" Precision Block Set & V-Block Sets
38	Lot Asst. V-Blocks
39	12" Enco Index Rotary Table w/ Rt. Angle Bracket
40	10" Palmgren Horiz / Vert Rotary Table
41	Powermatic Mod.600 Bandsaw Blade Welder
42	Lot Asst. Hold-Down Clamps
43	Lot Asst. Step Blocks
44	Bridgport Milling Vise
45	(3) Milling Vises
46	(13) R8 Collets
47	(4) R8 Shell Mill Toolholders
48	Maxwell No.30 E-Z Set Adjustable Boring Head w/ R8 Taper
49	4" C.C. Craley Boring Head w/ R8 Taper
50	Yuasa Accu-Tapper Reversible Tapping Head
51	(3) Milling Vises
52	(4) Sine Bars w/ Sizes: 1.5" x 3.750", 1" x 6", (2) .750" x 6"
53	10.000" Taft Pierce No.9116 Precision Sine Bar
54	4" Buck Self-Centering 3-Jaw Chuck w/ 6K Collet Back Plate & Asst. 6K Collets
55	Themac Type JR Toolpost Grinder w/ 1"-2" Cap., 115/1/60
56	No.4MT Multi-Purpose Live Center Set
57	Infinetly Precision Boring Head Set
58	Brown & Sharpe No. 185-322 Knurling Tool w/ 1" Shank

59	Scissor Type Knurling Tool
60	3/8" Insert Toolbit Set & Insert Boring Bars
61	Lot Asst. Carbide Insert Boring Bars
62	Lot Turning Toolbits & Carbide Tip Toolbits
63	Truarc Mod.B Grooving Tool w/ 3MT & Bokum " Bokumatic" Recessing Tool
64	8" Poland 3-Jaw Self Centering Chuck w/ , 2-3/16" Thru Hole
65	10" Poland 3-Jaw Self Centering Chuck w/ D1-6" Camlock, 3-3/16" Thru Hole
66	8" Buck 3-Jaw Self Centering Chuck w/ Plain Back Plate, 2-1/4" Thru Hole
67	MH130 Quick Change Toolpost
68	16" 4-Jaw Chuck w/ Plain Back Face
69	(15) Hardinge 5C Collets & Hardinge Collet Stops
70	(31) Assorted 5C Collets
71	(13) Hardinge 5C Step Collets
72	(8) Hardinge 5C 3"-6" Step Collet Closers
73	(11) Hardinge 5DS Dead Length Collets
74	(5) Hardinge 5EC-70-4 2" Soft Pads
75	(21) Hardinge S20 Collet Pads
76	(8) Hardinge 5C Internal Collets
77	(29) Hardinge HDB-5 Drill Bushings
78	Lot Asst. Bushings
79	(6) 5C Square & Hex Collet Blocks
80	Branson Mod.5510R-DTC Ultrasonic Cleaner -S/N RNC0600272

81	Branson Mod.5200R-4 Ultrasonic Cleaner
82	Gast Mod.DOL-101-AA 1/8HP Vacuum Pump - 115/1/60
83	Gast Mod.DOA-103-AA 1/8HP Vacuum Pump - 115/1/60
84	J&S Fluidmotion Radii/Angle Radius Wheel Dresser
85	Norton Mod.4597 Brake Controlled Radius Truing Device
86	O.S. Walker Ceramax 6" x 12" Magnetic Chuck
87	Brown & Sharpe Magna-Lock No.DP-10 6" x 12" Magnetic Sine Chuck
88	Wesco 10 Gal. Coolant Pump Unit - 24"L x 12 -1/2"W x 9-1/2"H, 1/20 HP, 115/1/60
89	Speedline Industries Hi-Speed Surface Grinding Attachment
90	(4) Speedline Industries Hi-Speed Surface Grinding Attachments
91	(4) 3" Dia.LH Surface Grinder Wheel Hubs
92	(5) 2-1/4" & 2-1/2" Dia.RH Surface Grinder Wheel Hubs
93	(5) Diamond Grinding Wheels
94	Pope Grinding Spindle - Note: Completely ReBuilt-Unused by Haverhill Spindle Service
95	Reid Style 32 TR Grinding Spindle - S/N BZ6176,3450 RPM,220/440/3/60
96	Heald Red Head Type 43G-1B 27,000 RPM Grinding Spindle
97	Heald Red Head Type 45-1B 15,000 RPM Grinding Spindle
98	Heald Red Head Type 47-1B 12,500 RPM Grinding Spindle
99	Heald Red Head Type 49-18 10,000 RPM Grinding Spindle
100	Heald Red Head Grinding Spindle
101	Lot New Grinding Wheels
102	Lot New Grinding Wheels

103	Lot New Grinding Wheels
105	(2-Brand New) Flowserve Mod. VSMP-1000-CX1.5x3 Coolant Pumps
106	Large Quantity Sunnen Honing Accessories - Including Mandrels w/ Shoes & Wedges, Truing Sleeves, Stones
107	6" Baldor Mod.502 1/2HP Dbl. End Grinder
108	Ex-Cell-O Mod.46-C Dbl. End Tool Grinder
109	(7) Asst. Broaches
110	LaPointe Mod.3-1/2L Broach Fixture Plates & Pullers
111	24" K&T Indexing Rotary Table
112	20" x 36" x 20"H Radial Drill Box Table
113	(7) Landis Chaser Holders
114	O.S. Walker BM-55 5500# Electric Plate Magnet
115	Liftomatic Ergomatic Mod.ERG/HDS 800# Drum Handler - S/N 39160
116	TCM Mod.FCG25N6 4700# Propane Forklift - S/N 4840219, 130" Max. Lift, Hydraulic Side Shifter, 42" Fork Length, Solid Tires, Over Head Guard, Excellent Condition
117	Amada Mod.RG-80 3-Axis CNC Hydraulic Press Brake S/N 50809939 (New 1992) Specifications: - 88 Ton Capacity - 94.6" Bed Length - 98.7" Max. Bending Length - 80.8" Distance Btw Uprights - 15.76" Throat Depth - 3.94" Length of Stroke - 14. ...[more]
118	Amada Mod. RG-3512-LD CNC Hydraulic Press Brake S/N 32150056 (Mfg. 1999-Installed New 2004) Specifications: - 39 Ton Capacity - 47.2" Table Length - 49.2" Max. Bending Length - 40.2" Distance Btw. Uprights - 7.9" Throat Depth - 3.94" Length of S ...[more]
119	Boschert Type LB12PN4DIG 8.875" x 8.875" x .157" Hydraulic Notcher S/N 1690 (New 1990) Specifications: - 24.4" x 35.4" Table - Adjustable Stroke - 90 Degree Cutting Angle - Automatic Cutting Gap Adjustment - Electric Foot Pedal - 220/3/60
120	Dreis & Krump "Chicago" Mod.814 8' x 14Ga. Hand Brake S/N 58797
121	Pedrick A7 Tube Bending Dies
122	Denison Multipress 6 Ton Hydraulic C-Frame Press - S/N 2208, Mod. M6CO8A12A59SO1, 10.5" x 16" Bed, Palm Buttons
123	10 HP Stainless Steel Wet Type Dust Collector
124	LeRoi Mod.TRU7.5A 7.5HP Vertical Air Compressor - S/N 4254X1260, 208-230/460/3/60

125	Muller-Lohmuller Type E90 Edge Chamfering & DeBurring Machine- S/N 2258
126	Delta 15 KVA Transformer
127	Rapid DC Power Supply
128	Collins Classic 22-A Thread-O-Matic Pipe Threader - Threading Capacities: 1/8"- 2" Pipe, 1/4"- 2-1/4" Bolt, Cutter, (5)Die Heads, 1/2 HP Motor, 115/1/60
129	(11) Assorted C-Clamps
130	(5) Combination Wrenches - 2", 1-7/8", 1-3/4", 1-1/2", 1-3/8" Sizes
131	(3) Pipe Wrenches
132	(3) Tube Benders
133	1" Socket Wrench w/ Sockets
134	Socket Wrenches - Sizes 1/4" - 1/2"
134A	3/4" Sockets & Extension
135	Kennedy 27" 7-Draw Portable Tool Cabinet
136	Craftsman Tool Box
137	Lot Asst Wood Hardware
138	(4) Wooden Hand Screw Clamps
139	(6) 12" Heavy Duty Bar Clamps
140	Westflex WR-401 Radial Arm Router w/ B&D 3HP 23000 RPM Router, Pnuematic Downfeed
141	Brandt Mod.D2000 Edge Bander - S/N 288, Equipped with Top & Bottom Trimming Units, End Trimming Unit, Edge Beveling Unit, Gluing Unit
142	Associated Testing Laboratories Mdl. BK-9202 Oven - 115/1/60
143	BlueM Mod. DL-102A-2 300 Degree Oven - S/N D1-136, 120/60/1Ph
144	Thermolyne Mod. FA1738 Furnace - S/N 0851022, 208/60/1Ph
145	Thermolyne Mod.CPL-4035P Furnace - 240/60/1Ph

146	Hurco Mod.BMC-20 3-Axis Vertical Machining Center S/N BJ8004099A Specifications: - Spindle Speeds 60 - 6000 RPM - 33.75" x 15.75" Table Size - 22" X-Axis Travel - 14" Y-Axis Travel - 14" Z-Axis Travel - Fourth Axis Interface - 16 Station ...[more]
147	(21) Lyndex & Kennametal Cat.40 Toolholders
148	(2) Cat.40 Tool Tightening Fixtures
149	Huot 72 Pc. Cat.40 Tool Shelf
150	Stevens Engineering Drilled & Tapped Sub Plate - 1-11/16"H, 1-1/4" Spacing
151	Stevens Engineering Drilled & Tapped Sub Plate - 1-3/8"H, 1-1/4" Spacing
152	Stevens Engineering Drilled & Tapped Sub Plate - 1-3/8"H, 1-1/4" Spacing
153	Stevens Engineering Drilled & Tapped Sub Plate - 1-3/8"H, 1-1/4" Spacing
154	15-1/2" x 35-1/4" x 2-3/16"H T-Slot Plate
155	Turnmaster Mod.THL-1550 15"/24" x 50" Geared Lathe S/N 16597070739(1997) Specifications: - Spindle Speeds 25 - 2000 RPM - 15-1/4" Swing - 24" Swing in Gap - 14" Length of Gap - 2-1/8" Spindle Bore - Inch/Metric Threading - Thread Dial ...[more]
156	Eltee Pulsitron Mod.TR30/EP30 Ram Type 30 Amp EDM Machine S/N 0143 Specifications: - 17-1/2" x 14-1/2" x 9" Tank Size - 7-1/4" Ram Travel - 8-3/4" LR Table Travel - 6-3/8" FB Table Travel - 10-1/2" Throat Distance - 6" x 9" Vacuum Chuck - ...[more]
157	DoAll Mod. 2013-20 Vertical 20" Band Saw S/N 377-821007 (New 1982) Specifications: - 20" Throat - 13" Max. Work Height - 1-1/16 " Blade Cap - 154" Saw Blade Length - 26" x 26" Tilt Table - Variable Speed Range to 5,200 FPM - DoAll DBW-1 ...[more]
158	Clausing Kondia Mod.FV-1 3HP 2-Axis CNC Milling Machine S/N V-995 Specifications: - Spindle Speeds 60 - 4000 RPM - 9" x 48" Table - 36" Longitudinal - 15" Cross - 16.5" Vertical Traverse - 5" Quill - R8 Taper - Lube - Pro ...[more]
159	6" Gilbrator Swivel Milling Vise
160	Royal 5-Axis Milling Stop
161	Vetcoa/Ohlinger Mod.6000 12" Rotary Thread Milling Unit - S/N 2081, Ohlinger Mod.TF635SE Control, 0-32 RPM, .5002" Locating Hole in Table, Asst. Thread Pitches, 1/4 HP Motor
162	Rockwell Mod. 3YS Superficial Hardness Tester
163	Cadillac Mod. HG-18 Pla-Chek Height Gage
164	Fortune Mod. Auto-10H 9" x 10" Automatic Hydraulic Horizontal Band Saw- S/N C8781221, Blade Speeds 75-220 FPM, 10" Round Capacity, 1" Blade, Roller Feeding, Coolant, Roller Conveyor, 2HP Motor, 230/3/60

165	DMG Mori Dura5100 Vertical CNC Machining Center - New 2015 Specifications: - Spindle Speeds to 12,000 RPM - 53.1" x 23.6" Table Working Surface - 41.3" X-Axis Travel - 20.9" Y-Axis Travel - 20.1" Z-Axis Travel - 1181.1" IPM Rapid Traverse Rates ...[more]
166	Mori Seiki Mod.MT2500SZ/1500 CNC Turning Center - New 2005 Specifications: - Spindle Speeds to 4000 RPM - 35" Max. Swing - 21.1" Max. Turn Diameter - 60" Machining Length - 2.9" Bar Capacity - 22.24" X-Axis Travel - 42.4" Z-Axis Travel - ...[more]
166A	Royal Filtermist 1200 CFM Mist Collector
167	12" Forkhardt Type HSR Automatic Indexing Chuck - Used on an Okuma LB15 Doing Valve Machining
168	Lot Okuma LB15 Turret Tooling
169	8" Kitigawa B-208 3-Jaw Hyd. Power Chuck
170	8" Auto-Strong N-208 3-Jaw Hyd. Power Chuck (Brand New)
171	10" Kitigawa BB-210 Large Thru-Hole 3-Jaw Hyd. Power Chuck - Brand New-Unused
172	Royal 16C Collet Chuck - " Brand New-Unused"
173	Royal S-26 Collet Chuck
174	Seoma OAH-05 5" 3-Jaw Power Chuck - " Brand New-Unused"
175	Seoma OAH-05 5" 3-Jaw Power Chuck - " Brand New-Unused"
176	Seoma OGH-06 6" 3-Jaw Power Chuck- " Brand New-Unused"
177	Seoma OGH-06 6" 3-Jaw Power Chuck- " Brand New-Unused"
178	Kitigawa Mod. BB206 6" Big Bore Power Chuck
179	Kitigawa Mod. BB206 6" Big Bore Power Chuck
179A	15" Hydraulic 3-Jaw Chuck A2-11 Nose
180	MMK Type ZKP 195/93-20 Hydraulic Actuator (Brand New - Unused)
181	Kitagawa Type SS1881K21A Hydraulic Actuator (Brand New - Unused)
182	130 mm Threaded Draw Tube
183	NLX2500 Draw Tube

187	Fryer Mod. ET-21 20" x 60" Easy Turn Flat Bed CNC Lathe S/N 21103 (New 2005) Specifications: - Spindle Speeds 50 - 2000 RPM - 2 Speed Autoshift - 21" Swing Over Bed - 12" Swing Over Cross Slide - 60" Center Distance - 3.40" Spindle Bore - ...[more]
188	Acer Mod. AGS-2060AHD 20" x 60" Automatic 3-Axis Surface Grinder S/N N4040129 (New 2004) Specifications: - 20" x 60" Fine Line Electro Magnetic Chuck - 16" x 2" x 5" Grinding Wheel - 23-5/8" Max. Distance Spindle Center to Table - 64" Longitudinal Travel - ...[more]
189	SWI Mod.Trak DPM 5 Vertical 3-Axis 5HP CNC Milling Machine S/N 003AC10128 (New 1998) Specifications: - Spindle Speeds 160 - 4000 RPM - 12" x 50" Table - 40" X-Axis - 20" Y-Axis - 24" Z-Axis - 90 Degree Head Swivel Left & Right - NMT ...[more]
190	Brown & Sharpe No.2 Ultramatic 1-5/8" R/S Automatic Screw Machine S/N 542-2-8530 - Covers Removed for Photos Specifications: - Spindle Speeds 14-2906 RPM - 8-Position Turret - (2) Vertical Slides - 4 Speed - Front & Rear Cross Slides - C ...[more]
191	Chevalier FSG-1228AD 12" x 28" Surface Grinder Specifications: - 12" x 28" Magnetic Chuck - 12" w x 28" long Grinding Capacity - 19-3/4" Height from table to Spindle Center - 29-1/2" Longitudinal Travel - 12" Cross Travel - 16 to 82 FPM Variable Tra ...[more]
192	ChipBlaster Mod.D30-70 High Pressure Coolant System
210	W&S Turret Flanges
211	W&S Turret Flanges
212	W&S Turret Flanges
213	W&S Turret Flanges
214	W&S Slide Tools
215	W&S Slide Tools
216	W&S Multiple Tool Holder & Toolholders
217	W&S Box Toolholder & Adjustable Knee Tools
218	W&S Drill Sleeves
219	W&S Chuck Jaws
220	W&S Tooling
221	W&S Tooling
222	W&S Toolposts
223	W&S Toolposts

224 Front & Rear Toolposts

225 Front & Rear Toolposts

226 W&S No.4 Master Collets

227 W&S Collet Pads

228 W&S Collet Pads

229 W&S Collet Pads

230 W&S Collet Pads

231 W&S Collet Pads
