

INVESTMENT RECOVERY SERVICES



AWS COMPLETE PLANT CLOSURE ONLINE ONLY AUCTION

5923 Delany Rd
Hitchcock
Texas
77563
United States

Full Fabrication Facility w/ Field Service Capabilities

Ended Dec 17, 2019 3pm CT (9pm GMT)

| Lot | Description |
|-----|-------------|
|-----|-------------|

| | |
|---|-----------------------------------|
| 1 | Metal Table: 48" x 48" x 40" high |
|---|-----------------------------------|

| | |
|---|-------------------------------|
| 2 | 3 Hack Saws, 2 Cross Cut Saws |
|---|-------------------------------|

| | |
|---|-----------------|
| 3 | 8 Mason Trowels |
|---|-----------------|

| | |
|---|--------------------------|
| 4 | Lug Wrench, Caulking Gun |
|---|--------------------------|

| | |
|---|-----------------------------------|
| 5 | Three Bolt Cutters, Various Sizes |
|---|-----------------------------------|

| | |
|---|-----------------------|
| 6 | Two 3 Ton Beam Clamps |
|---|-----------------------|

| | |
|---|---------------------------------------|
| 7 | Box with Assorted New Wix Oil Filters |
|---|---------------------------------------|

| | |
|---|-----------------------------------|
| 8 | Box with Assorted New Ball Valves |
|---|-----------------------------------|

| | |
|---|--|
| 9 | Box with Assorted Threaded Pipe Connectors |
|---|--|

| | |
|----|-----------------------------------|
| 10 | Metal Table: 48" x 48" x 40" high |
|----|-----------------------------------|

| | |
|----|---------------------|
| 11 | Four Sledge Hammers |
|----|---------------------|

| | |
|----|------------------------|
| 12 | Four 36" Pipe Wrenches |
|----|------------------------|

| | |
|----|------------------------|
| 13 | Four Tie-Down Ratchets |
|----|------------------------|

| | |
|----|---|
| 14 | Three Hole Saws, Three Metal Cutting Saw Blades |
|----|---|

| | |
|----|-----------------------------------|
| 15 | Metal Table: 48" x 48" x 40" high |
|----|-----------------------------------|

| | |
|----|------------|
| 16 | One Tripod |
|----|------------|

| | |
|----|---|
| 17 | Two Large Ratchet Wrenches in Case, One Large Torque Wrench in Case |
|----|---|

-
- 18 PE-1 Electrode Oven, 11 lb. cap., 20" electrode length, 150 C max. temp., 240V DC, S/N NA
-
- 19 Assorted Metal Shims in Box, Assorted Plastic Templates
-
- 20 Metal Table: 48" x 48" x 40" high
-
- 21 Craftsman Model 921.153101 Portable Air Compressor, 125 psi, 3 gal. cap., S/N 0920578
-
- 22 Three Impact Drivers, Various Sizes
-
- 23 Five Pneumatic Grinders / Polishers, Various Sizes
-
- 24 Two Air Spray Guns with One Hose
-
- 25 Metal Table: 48" x 48" x 40" high
-
- 26 Two Air Tanks (Breathing Units) for Hazardous Operations, in Cases
-
- 27 Two Air Tanks (Breathing Units) for Hazardous Operations, in Cases
-
- 28 Lot of Two Tables: 30" x 8' x 29" H each
-
- 29 Four FallTech Style 7530 Ratchet Type Beam Anchors
-
- 30 Three Grease Guns, Various Sizes
-
- 31 Four C-Clamps, Five Plate Clamps
-
- 32 Two Enerpac Pneumatic Pumps
-
- 33 Four Ratchet Hoists
-
- 34 Three Aardvark Retracting Hoists
-
- 35 Two Come-Alongs
-
- 36 Set of Letter / Number Punch Dies
-
- 37 Box with Assorted O-ring Sizes
-
- 38 Lot of Two Tables: 30" x 6' x 29" H
-
- 39 Three Milwaukee Portable Metal Cutting Bandsaws, 2 in Cases
-

| | |
|----|---|
| 40 | One Milwaukee Metal Cutting Bandsaw in Case, One Chicago Electric Metal Cutting Bandsaw in Case |
| 41 | Two Milwaukee Metal Cutting Circular Saws in Cases |
| 42 | Lot of Two Tables: 30" x 6' x 29" H |
| 43 | Three Jig Saws (Milwaukee, Porter Cable, Chicago Electric) |
| 44 | Five Reciprocating Saws, Various Makes, Models, Sizes |
| 45 | Two DeWalt Drills |
| 46 | Two Heat Guns |
| 47 | Three Angle Grinders, Various Makes, Models, Sizes |
| 48 | Three Angle Grinders, Various Makes, Models, Sizes |
| 49 | Lot of Two Tables: 30" x 6' x 29" H |
| 50 | Bosch Impact Hammer in Case Model 248E |
| 51 | Cardi Impact Hammer in Case Model MT30-90-4 |
| 52 | Cardi Impact Hammer in Case Model MT30-90-10 |
| 53 | Hilti EB3500-A Battery Powered Epoxy Gun, in Case, with Battery Charger |
| 54 | Portable Bevel Mill Model 8000 S/N 6946 |
| 55 | One DeWalt Portable Magnetic Base Drill Press, One Milwaukee Portable Magnetic Base Drill Press |
| 56 | Bosch Impact Hammer in Case Model RH328VC |
| 57 | Lot of Two Tables: 30" x 6' x 29" H |
| 58 | 14" DeWalt Metal Cut-Off Saw Model D28715 S/N 140052 |
| 59 | 14" DeWalt Metal Cut-Off Saw Model D28715 S/N 092073 |
| 60 | 14" DeWalt Metal Cut-Off Saw Model D28715 S/N 069579 |
| 61 | Wacker Gas Powered Metal Cut-Off Saw Model VTS935L3 |

| | |
|----|--|
| 62 | Three Circular Saws, (1) 8" (2) 7-1/4" |
| 63 | Two Haslett-Michigan Applicator Guns |
| 64 | One Drumond 1/2 HP Non-Submersible Transfer Pump, S/N 3418-37378 |
| 65 | Table: 30" x 6' x 29" H |
| 66 | Two Circle Jigs: LG 181-12, Small 171-12 |
| 67 | Lot of Miscellaneous Wrenches and Tools |
| 68 | One Trailer Hitch Tongue |
| 69 | Four Assorted Clamps, Vise and Puller |
| 70 | Lot of Miscellaneous Twist Drill Bits |
| 71 | Fuel Hose |
| 72 | Troy-Bilt 3000 psi Pressure Washer, 3000 psi, 2.7 gpm, 8.75 hp, S/N NA |
| 73 | Airlessco Model SL1100 Paint Sprayer, S/N 0903766 |
| 74 | 115,000 BTU Ready Heater Kerosene Powere Space Heater |
| 75 | 175,000 BTU Heat Star Kerosene Powered Space Heater |
| 77 | Two-Door Flammables Cabinet with Contents |
| 78 | Profax DC Power Source AEC200-3A Control in Tool Box |
| 79 | Lot: Garlock Gaskets, Assorted Sizes |
| 80 | Movin Cool Spot Cooling System |
| 81 | Pallet #1: Lot of Miscellaneous Tools, Rakes, Post Hole Diggers, Level, etc. |
| 82 | Pallet #2: Lot of Miscellaneous Lifting and Tie-Down Straps |
| 83 | Pallet #3: Lot of Miscellaneous Lifting Straps |
| 84 | Pallet #4: Lot of Miscellaneous chains, clamps, shackles, etc. |

| | |
|------|---|
| 85 | Pallet #5: Lot of Miscellaneous Lifting Straps |
| 86 | Pallet #6: Lot of Miscellaneous Electrical Cords |
| 87 | Snap-on Tool Box with contents |
| 88 | Parts Washer |
| 89 | Three Tier Storage Rack |
| 90 | Lot of Three Sets of Large and Small Sockets |
| 91 | Pallet #7: Lot of Miscellaneous Work Lights |
| 91A | LOT Caulking Guns in black case |
| 92 | Millermatic 212 welder, S/N MD121255N |
| 93 | Millermatic 212 welder, S/N MB170899N |
| 94 | Millermatic 251 welder, S/N LF196978 |
| 95 | Miller Load Bank, S/N LJ250172C |
| 96 | Bank of Eight Miller Welding Units, New 2016 |
| 97 | Lincoln PowerWave, S/N U1111100930 |
| 98 | Miller DeltaWeld 452 S/N KK081843 (ID H018) with Miller Wire Feed (S/N LN240336W) |
| 99 | Miller DeltaWeld 452 with Miller Wire Feed (S/N LG461045W) |
| 100 | Miller Dimension 452 (S/N LH010119C) with Miller 22A Wire Feed |
| 101 | Miller Dimension 452 (S/N LH010121C) with Miller 24A Wire Feed (S/N LG461079W) |
| 102 | Miller DeltaWeld 452 (S/N KK052927) with Miller 24A Wire Feed (S/N LG461078W) |
| 103 | Lincoln PowerWave S350 (HF223) on wheeled cart with Lincoln Wire Feed (HF324) |
| 103A | Lincoln PowerWave S350 (HF274) |
| 104 | Lincoln CV-305 S/N 11177 (HT231) on wheeled cart with Lincoln DH-10 Wire Feed |

| | |
|------|--|
| 105 | Lincoln Idealarc DC-600 (S/N AC835635) |
| 106 | Miller SRH-333 (S/N HH019983) |
| 107 | Miller DeltaWeld 452 (S/N LC198799) with Miller 22A Wire Feed (S/N LH020322W) |
| 108 | Miller Dimension 452 (S/N LG370103C), 24A Wire Feeder |
| 109 | Miller Dimension 452 (S/N LG060035C), 24A Wire Feeder |
| 110 | Miller Dimension 452 (S/N LH010068C), 22A Wire Feed (S/N LG390127W) |
| 111 | Miller Dimension 452 (S/N LG370061C), Profax Wire Feeder |
| 112 | Miller DeltaWeld 451 (S/N K3009038) with Miller 24A Wire Feed (S/N LG481698W) |
| 113 | Lincoln NA-3N Wire Feed, S/N U1100902565 |
| 114 | Lincoln NA-3N Wire Feed, S/N U1120800289 |
| 115 | Lincoln NA-3N Wire Feed, S/N 1080401057 |
| 116 | Lincoln NA-3N Wire Feed, S/N NA |
| 117 | Lincoln NA-3N Wire Feed, Missing Meters, S/N U1060504952 |
| 118 | Thermal Dynamics Model Cutmaster 82 Manual Cutting Torch, 3/4" - 1-1/2" manual cuts, 5/8" pierce, input ratings: 72A at 230V / 39A at 460V / 39A at 600V, 402 cfh gas flow, 70 psi gas pressure, wt. (approx): 43 lbs., S/N US52256178 |
| 118A | Thermal Dynamics Model Cutmaster 42 Manual Cutting Torch, in travel case |
| 118B | Miller Dynasty 280DX S/N MD490339L in travel case |
| 119 | Lincoln SAE-300HE Diesel Powered Welder, new 2013, on skid, rated output: 25A/30V at 100%, 300A/32V at 60%, 50 - 390A DC output range, 3000 wats genertor, 24.7 Hp at 1800 rpm, 3 cylinders, S/N C1150200270 |
| 120 | Lincoln SAE-300HE Diesel Powered Welder, new 2013, on skid, rated output: 25A/30V at 100%, 300A/32V at 60%, 50 - 390A DC output range, 3000 wats genertor, 24.7 Hp at 1800 rpm, 3 cylinders, S/N C1150100129 |
| 121 | Pallet with Welding Air Hoses |
| 122 | Pallet with Welding Cables |
| 122A | Dayton Bench Grinder Dust Pedestal, S/N NA |

| | |
|-----|--|
| 123 | Pallet with Four Portable Miller Welding Cases |
| 124 | Torch Cart with Hoses, Anthony Model 94FW-16 |
| 125 | Torch Cart with Hoses |
| 126 | Torch Cart with Hoses |
| 127 | LOT: Fire Extinguishers |
| 128 | Welding Supplies: Gauges, Hose Repair Kits, Misc. |
| 129 | Welding Supplies: Profax and Tweece |
| 130 | Victor Shield Torch Assembly, 20 ft. hose |
| 131 | Welding Consummables, Bin #1 |
| 132 | Welding Consummables, Bin #2 |
| 133 | Welding Consummables, Bin #3 |
| 134 | Welding Consummables, Electrodes Bin #4 |
| 135 | Welding Consummables, New Electrodes, Bin #5 |
| 136 | Welding Consummables, Electrodes Bin #6 |
| 137 | Flux Cored Wire, Assorted Size and Material Bin #7 |
| 138 | Flux Cored Wire, New, Assorted Size and Material, Bin #8 |
| 139 | Welding Supplies, Bin #9 |
| 145 | LOT: Welding Rods, Assorted Sizes |
| 146 | Grinding Wheels with Rack |
| 147 | ProFax Mig Gun, 250 Amp |
| 148 | Empire Blast Pot |
| 149 | Rosedale Products Model PLC8-30-1P-125-CBPB Portable Cart Coolant / Fluid Filtration System, new 2012, 125 psi pressure rating, S/N NA |

| | |
|------|--|
| 152 | Heavy Duty Storage Cages on Casters, 5 columns, 4 columns with 3 Rows, 1 column on end with full length door |
| 153 | Heavy Duty Storage Cages on Casters, 5 columns, 3 Rows |
| 154 | Heavy Duty Storage Cages on Casters, 6 columns, 4 columns with 3 Rows, 2 columns with full length doors on each end |
| 154A | Hydraulic 36,000lb Capacity Welding Positioner w/ 36" x 36" Mounting Plate, Part Fixture Rotary Table w/ Attachments, Tilt & Hydraulic Adjustable Height, Machine Mounted Operator Controls, L-Beam & U-Beam, Dims: 20' Long x 142" Tall, 120" Wide, Machine Weight: 30,000 lbs ** Sale Price to Inc ...[more] |
| 155 | RANSOME Model 7H 24,000 Lb. Welding Headstock Positioner, new 1981, 24,000 lb. cap., 12" gravity center, 12" eccentricity, 288,000 lb.-in. rotational torque, 0.01 – 0.50 rpm table speed, 7.5 hp motor, adj. ht., S/N 5728469 |
| 156 | REDROCK Model RP3T 6,600 lb. Welding Positioner, 48" table, 0.1 – 1 rpm (variable), 0 – 135 deg. tilt range, 42" table ht., 480 volt / 3 phase, pendant control, S/N RR2011-0101 |
| 157 | Bode 4,500 Lb. Capacity Welding Positioner, with 4-jaw chuck and pendant control, S/N NA |
| 158 | Aronson Model SHD20A-PTVR2 2,000 Lb. Capacity Welding Positioner with 3 jaw chuck, S/N 76561 |
| 159 | PROFAX Model WP-2000-4 Welding Positioner, 2,000 lb. cap., 35" table, 0.12 - 1.2 RPM (var.), 0 – 135 deg. tilt range, 440 volt / 3 phase, forward / reverse foot pedal, S/N WP2000-4-06 |
| 160 | PROFAX Model WP-1000 Welding Positioner, 1,000 lb. cap., 24" table, 0.2 - 2 RPM (var.), 0 – 135 deg. tilt range, 115 volt / single phase, forward / reverse foot pedal, S/N WP10-2009 |
| 161 | PROFAX Model WP-1000, Welding Positioner, 1,000 lb. cap., 24" table, 0.2 - 2 RPM (var.), 0 – 135 deg. tilt range, 115 volt / single phase, forward / reverse foot pedal, S/N WP10-2008 |
| 162 | PROFAX Model WP-500 Welding Positioner, 500 lb. cap., 20" table, 0.4 - 4 rpm (var.), 0 – 135 deg. tilt range, 115 volt / single phase, forward / reverse foot pedal, S/N WP5-2647 |
| 163 | Teledyne Readco Model UPC-5 Welding Positioner, 500 Lb. cap., Pacemaster DC drive, foot pedal, S/N 106882 |
| 164 | Pandjiris positioner with 3-jaw chuck, S/N 4008877 |
| 165 | KEC Model CW6x6 6' x 6' Welding Manipulator, power elevation, power boom travel, S/N WEST1 |
| 166 | Pandjiris Model 172-HD Welding Manipulator on travel cart, S/N 400-9427 |
| 167 | Pandjiris Model 172-HD Welding Manipulator on travel cart, S/N 800-3542-5 |
| 168 | Webb 30 Ton Bolt-Adjustable Tank Turning Rolls, new 2013, 1 drive unit, 3 idler units, 30 ton turning cap., 12" – 16' cap., 4 wheels per axle, 0 – 45 ipm speed, SN 2013-325/2013-073 |
| 168A | WeldWire Bolt-Adjustable Turning Rolls Set, Drive Unit & Idler Unit, Short Bed S/N 1218001785 |

| | |
|------|---|
| 168B | WeldWire Bolt-Adjustable Turning Rolls Idler Units (2), Short Bed |
| 168C | Idler Unit, Bolt-Adjustable |
| 168D | WeldWire Self-Adjusting Turning Rolls, New 2008, 24" - 165" cap., 38,000 lbs. rotation cap., 38,000 loading cap., 16" roller dia., 4 - 40 ipm roller speed, 4 hp, 480V/3P/60Hz, S/N 356169 |
| 169 | LJ Welding Automation 20 Ton Pipe Fit up Station consisting of 1-drive and 3 idler units, all on travel carts with individual roll adjustment for precise fit up of pipe and tubular sections via automated control or manual function, new 2013, 20 ton cap., 6" - 60" dia. cap., 0 - 90 ipm roller speed, ...[more] |
| 170 | (1) Set LJ Welding Automation 20 Ton Model GE10TRV-100 Adjustable Pipe Turning Rolls, 48" max diameter, Drive and Idler on individual travel carts, adjustable work height, Pendant control, foot pedal, new 2013. (ID #'s HF573 / HF576) |
| 171 | (1) Set LJ Welding Automation 20 Ton Model GE10TRV-100 Adjustable Pipe Turning Rolls, 48" max diameter, Drive and Idler on individual travel carts, adjustable work height, Pendant control, foot pedal, new 2013. (ID #'s HF575 / HF581) |
| 172 | (1) Set LJ Welding Automation 20 Ton Model GE10TRV-100 Adjustable Pipe Turning Rolls, 48" max diameter, Drive and Idler on individual travel carts, adjustable work height, Pendant control, foot pedal, new 2013. (ID #'s HF572 / HF579) |
| 173 | (1) Set LJ Welding Automation 20 Ton Model GE10TRV-100 Adjustable Pipe Turning Rolls, 48" max diameter, Drive and Idler on individual travel carts, adjustable work height, Pendant control, foot pedal, new 2013. (S/N's Drive: 008 / Idler: 008) |
| 174 | (1) Set LJ Welding Automation 20 Ton Model GE10TRV-100 Adjustable Pipe Turning Rolls, 48" max diameter, Drive and Idler on individual travel carts, adjustable work height, Pendant control, foot pedal, new 2013. (S/N's Drive: 007 (HF574) / Idler: 010) |
| 175 | (1) Set LJ Welding Automation 20 Ton Model GE10TRV-100 Adjustable Pipe Turning Rolls, 48" max diameter, Drive and Idler on individual travel carts, adjustable work height, Pendant control, foot pedal, new 2013. (ID #'s HF577 / HF580) |
| 177 | (1) Set LJ Welding Automation 12 Ton Model 06R-200 Vessel Rolls, 6" – 144" diameter range, adjustable height from 23 – 39" (top of wheel), pendant control, foot pedal, new 2013. (S/N's Drive: 105 / Idler: 161) |
| 178 | (1) Set LJ Welding Automation 12 Ton Model 06R-200 Vessel Rolls, 6" – 144" diameter range, adjustable height from 23 – 39" (top of wheel), pendant control, foot pedal, new 2013. (S/N's Drive: 102 / Idler: 154) |
| 178A | Lot of 4 Bolt-Adjustable Idler Units |
| 179 | Fronius TransTig TT450 (S/N 12300124) with Fronius TransPocket TP200 (S/N 12270764) |
| 180 | Fronius TransTig TT450 (S/N 18020189) with Fronius TransPocket TP200 (S/N 12270765) |
| 181 | Fronius TransTig TT450 (S/N 11220178) with Fronius TransPocket TP200 (S/N 09290298) |
| 182 | Fronius FPA9000 TIG System (S/N 11389502), PARTS ONLY |
| 183 | Fronius FPA9000 TIG System (S/N 12420001), PARTS ONLY |

| | |
|------|--|
| 184 | PDS BarTech Model PCE-3630S/2 200 Amp Pre/Post Weld Heat Treat Power Supply Unit, new 2013, with 18 zones, individual temp. controls, dual chart recorders, S/N 13-1684 |
| 184A | Lot of power cables |
| 184B | Lot of heat sensor cables, ceramic blankets and/or other accessories (TR 02). Contents to be verified by buyer. |
| 185 | PDS BarTech Model PCE-3630S/2 200 Amp Pre/Post Weld Heat Treat Power Supply Unit, new 2013, with 18 zones, individual temp. controls, dual chart recorders, S/N 13-1683 |
| 185A | Lot of power cables |
| 185B | Lot of heat sensor cables, ceramic blankets and/or other accessories (TR 12). Contents to be verified by buyer. |
| 186 | PDS BarTech Model PCE-3630S/2 200 Amp Pre/Post Weld Heat Treat Power Supply Unit, new 2013, with 18 zones, individual temp. controls, dual chart recorders, S/N 13-1682 |
| 186A | Lot of power cables |
| 186B | Lot of heat sensor cables, ceramic blankets and/or other accessories (TR 08). Contents to be verified by buyer. |
| 187 | PDS BarTech Model PCE-3630S/2 200 Amp Pre/Post Weld Heat Treat Power Supply Unit, new 2013, with 18 zones, individual temp. controls, dual chart recorders, S/N 13-1685 |
| 187A | Lot of power cables |
| 187B | Lot of heat sensor cables, ceramic blankets and/or other accessories (TR-03). Contents to be verified by buyer. |
| 188 | Lot of 3 Units: Mannings Heat Treatment System, S/N 0721016, Mannings Heat Treatment System, S/N A1179, Mannings Heat Treatment System, S/N 052876, inc. cables, heat blankets, etc. |
| 188A | Lot of 3: PDS Bar Tech Temperature Graph Recorders |
| 191 | PDQC 1000 Stand-up Cabinet Hydrostatic Test Pump, 10,000 psi max. liquid pressure, 97:1 pressure ratio, 1/2" x 15' high pressure discharge hose, high pressure liquid needle bleed valve, 4" dial (0 - 15,000 PSIG) gauge, air pressure isolation valve, 1/2" air pressure regulator, S/N 2526 |
| 192 | Keen Model K-MPO 2000 W Rod Oven, new 2016, 150 - 550 F temp. range, cap.: (18) 12" [33 lbs.] FCAW wire spools + (8) [10 lb.] 36" TIG filler rods + 600 lbs. stick electrodes, 2" thermal insulation, (2) 2000W heating elements, +/- 1 deg. accuracy, 4-digit LED temp. display, 120V, single phase, S/N 21 ...[more] |
| 193 | Compressed Air Dryer Unit, Model 801200, 1200 scfm at 100 psi & 100 deg. F inlet air, 200 psig M.W.P, 35 - 110 F ambient temp. range, 5 hp, R-22 refrigerant, 460V/3P/60Hz, S/N 0315A-3-9010-22 |
| 194 | NEW, Triangle Engineering Model VI3013HL-U Heavy Duty Shop Exhaust Fan, 0.5 hp motor, 30" dia. blade, 9180 CFM at 0.0 SP, 7880 CFM at 0.125 SP, 6430 CFM at 0.25 SP, OAD (w x d x h): 34.75" x 20" x 34.75", wt. 111 lbs., S/N D13 |

| | |
|-----|--|
| 195 | NEW, Triangle Engineering Model VI4814 Heavy Duty Shop Exhaust Fan, 0.75 hp motor, 48" dia. blade, 19100 CFM at 0.0 SP, 14300 CFM at 0.125 SP, 6160 CFM at 0.25 SP, OAD (w x d x h): 52.75" x 20" x 52.75", wt. 185 lbs., S/N C13 |
| 196 | Quincy Air Compressor, 80 gal. tank, 22.6 cfm at 175 psi, 7.5 hp motor, 230V / Single Phase / 60 Hz, S/N UTY526050 |
| 197 | Quincy Air Compressor Model QT7.5, 80 gal., 175 psi, 7.5 hp, 23.8 cfm at 100 psi, 22.6 cfm at 175 psi, S/N QU1203060098 |
| 198 | Kobalt Air Compressor, 60 gal. 3.7 hp, 155 psi, 11.5 cfm at 90 psi, 13.4 cfm at 40 psi, S/N K09710677A |
| 199 | Industrial Air Model ILA3606056 Air Compressor, 60 gal., 3.7 hp, 175 psi, 125 - 155 psi working pressure S/N F16211528A |
| 200 | Central Pneumatic Air Compressor, S/N NA |
| 201 | Victory Model V920 Unitized High Definition CNC Plasma Cutting Machine, new 2013, 9' x 20' cutting area, dual side drive, Ultra-Cut 300 XT 300 amp plasma power source (3" edge start (mild steel), 2" edge start (alum., SS), 1.75" Pierce (mild steel), 1.25" pierce (alum., SS), 93 A input at 480V, CS ...[more] |
| 202 | Victory Thermal Dynamics Ultra-Cut 300 XT High Precision Plasma Cutting System, 3" edge start (mild steel), 2" edge start (alum., SS), 1.75" Pierce (mild steel), 1.25" pierce (alum., SS), 93 A input at 480V, CSA / CE / CCC applications, 5 - 300 Amps, 100% duty cycle at 104F, 300 A DC putput current, ...[more] |
| 203 | Rack with Plasma Consumables and side table with components, spare vertical torch height slide in box |
| 204 | Victor Track Torch, new 2005, Model VCM200 |
| 205 | SMS (Superior Motion Systems) Model XT5 Linear Slide System, S/N 50639 |
| 206 | Jancy Model JB2400 Tube and Pipe Bender, new 2007, 2" sch. 40 cap., 180 deg. single shot bends, 35 second cycle time for 180 deg. bend, on casters for mobility, S/N JB-0399 |
| 207 | Ridgid Model 1224 Pipe Threader, 1/4" – 2" NPT cap. at 36 rpm, 2-1/2" – 4" at 12 rpm, 1/4" – 2" bolt cap., 1/4" – 2" universal die head, 2-1/2" – 4" receding die head, 2-speed gearbox, through head oiling, on portable wheeled stand, S/N NA |
| 208 | Marvel Spartan Hercules Model S330/2 Swivel Head High Speed Horizontal Bandsaw, new 2005, 12" x 18" or 13" round at 90 degree, - 60 - +45 degree miter cutting capacity, 3 HP variable speed blade drive, with 2 roller conveyor sections, S/N S330-352 |
| 209 | Marvel Spartan Model IW110D 110 Ton Ironworker, new 2005, 110 ton cap., dual operation, electronic back stop, assorted punches and dies, S/N IW110D-357 |
| 210 | Duracraft Model DP-1214 Bench Drill Press, 5/8" cap., 12 speeds, 280 - 2800 rpm (var. speed), 3/4 hp, 12-1/2" dia. tilting table, 6-1/2" throat, 3-1/2" spindle travel, S/N 27162 |
| 211 | Ooya 4' 13" Model RE2-1300 Radial Arm Drill, 13-3/8" col. dia., 40-3/4" hor. head travel, 11-5/8" – 52-1/2" spindle to col. face, 3-1/16" spindle dia., 11-13/16" spindle travel, No. 4 MT spindle taper, 12 spindle speeds, 38 – 1985 rpm, 3 hp, 6 feeds, 0.0032 – 0.04 ipr, 27-1/2" arm vet. travel, OAD (...[more] |
| 212 | JET Model JTM-4VS Vertical Mill, new 2005, 9" x 49" table, 60 – 4200 rpm (var. speed head), 2 HP, R-8 spindle taper, 3-3/8" quill dia., 3 feeds, 0.0015/0.003/0.006 ipr, 5" spindle travel, 90 deg. head swivel L-R, 45 deg. head tilt F-B, 4-1/2" – 19" spindle to col., max. 17-1/2" spindle to table, 28- ...[more] |

| | |
|------|--|
| 213 | JET Model GH-1660-ZX Geared Head Gap Bed Engine Lathe, new 2009, 16" swing over bed, 10" over carriage, 60" centers, 3 1/8" spindle bore, 25 – 1800 rpm, inch/metric threading, steady rest, Acu-Rite DRO, 4-way tool post, S/N 090825ZX2115 |
| 214 | 200 Ton Enerpac Hydraulic H-Frame Shop Press, 200 ton cap., 10,000 psi max. oper. pressure, 48.5" max. daylight, 48" max. bed width, double-acting hyd. return cylinder, 13" cyl. Stroke, 3.1 ips rapid advance, 22.1 ips pressing speed, S/N NA |
| 215 | HACO Atlantic 275 Ton x 12' Press Brake, new 2013, 144" overall, 124" between housings, 12" throat, 8" stroke, 25 HP, power ram adj., power backgauge, DRO for ram position, 3-speed ram, floor flush, 4-way die, S/N 91973 |
| 216 | MG 10' x 1/2" Model AK 313C Double Pinch Hydraulic Plate Roller, new 2013, 122" max bend length, 1/2" rolling capacity, 3/8" pre-bend, 11" dia. top roll, 10.2" dia. side rolls, 10 hp, 220V, hyd. table assist, overarm support, side support (1600 kg max. load), pendant control, OAD (approx.): 181" x 4 ...[more] |
| 217 | TEREX Model RT450B Rough Terrain Crane, 50 ton cap., 105' boom, outriggers, load monitor, Greer Model RCI510 digital control panel / safety system, S/N 10510 |
| 218 | Taylor Model TX360M Heavy Duty Forklift, new 2008, 36,000 lb. cap., 24" load center, 135.5" lift, 121" wheel base, diesel motor, 15 deg. forward tilt / 12 deg. backward tilt, power side shift, 17.4 mph max. speed, 175" min. outside turning radius, S/N S GE 35803 |
| 219 | Caterpillar Model TH460B Telehandler, 8,800 lb. cap., 44' boom height, 4 wheel drive, 7200 hrs., S/N CATTH460HSLF00323 |
| 220 | John Deere Model 3038E Tractor, new 2015, RC2060 mower, front end loader, 443 hrs., S/N 4R7BU1623FT142252 |
| 221 | Daewoo Model D25S-3 Forklift, new 2008, 5000 lb. cap., 3-stage mast, side shift, S/N 90-08929 |
| 222 | Skyjack Model SJIII 3219 Scissor Lift, 307" max. work height, 39" - 228" platform height, 64" x 26" platform size, 55" wheel base, 66" outside turning radius, 0.6 – 1.8 mph speed, 500 lb. cap., S/N NA |
| 222A | Club Car |
| 223 | Wacker MT 70-5-28 Generator and Portable Boom Lights on Trailer |
| 224 | 2008 Dodge RAM 3500 Stake Bed Truck, headache rack, gooseneck trailer hitch, mileage: 260358, VIN 3D7ML48A48G209042 |
| 225 | 2008 LoadMax Gooseneck Trailer, 2-axle, with fold-up drive on ramps: O/A Length 43'; O/A Width 8' 6", Bed 29', Ramp Folded 5' |
| 226 | 16' Top Hat 2-axle trailer Model EA16x6.5-5E-C, Date: 2014, VIN 4R7BU1623FT142252 |
| 227 | Custom Trailer, 18' bed plus 65" hook-up, O/A width 8' 4", (4) NEW Tires |
| 228 | Work trailer with (2) built in tool boxes, T-08, 7' 10" L x 6' 3" W |
| 229 | Work trailer with built in tool box, 6' 10" L x 5' W |
| 230 | Work trailer with built in tool box, 6' 10" L x 5' W |

| | |
|------|--|
| 231 | Work trailer with built in tool box, T-04, 6' 10" L x 5' W |
| 235 | Parts Welders (4) Miller (2) Lincoln |
| 235A | Miller Welder SRH444- S/N LG340477C, Still Hooked Up |
| 235B | Miller Welder SRH444 S/N NA, Still Hooked Up |
| 236 | Trailer Hitch Attachment |
| 237 | Ramp Sections, 4 pcs., 45 degree |
| 238 | Lot: 4 Sections Rolling Conveyor |
| 239 | Hippo Hopper |
| 240 | Metal Scrap Bin with Contents, 48" x 48" x 48" |
| 241 | Tank, Stainless Steel (ASTM-A-240), DOT 57 Design, 180 gal. cap., 9.5 psig, 6680 lbs. gross cap., 348 lbs. tare, originally tested 1994, S/N 89356 |
| 242 | Tank, Fuel Storage with Containment Border |
| 243 | Tank, Thermal Oil 520-GA |
| 244 | Tank, Diesel |
| 245 | Fluid Totes (4 pc) |
| 246 | LOT: (3) I-Beam Work Stands |
| 247 | LOT: (4) Work Stands |
| 248 | LOT: (4) Work Stands |
| 249 | LOT: (4) Work Stands |
| 250 | LOT: (2) Work Stands |
| 251 | Triangle Overhead Metal Roof, 38' x 19' x 80" high |
| 252 | NEW Overhead Rolling Door, 8' x 12' |
| 253 | NEW Overhead Rolling Door, 8' x 12' |

254 JoBox 48" L x 30" D x 52" T

255 JoBox 48" L x 30" D x 52" T

256 JoBox 48" L x 30" D x 52" T

257 JoBox Large 74" L x 30" D x 52" T

258 Metal Job Box with Lift Lid 60" L x 48" D x 42" T

259 LOT: 4 Ladders

260 LOT: 2 Lunch Tables

261 LOT: 2 Ridgid Tristand 1/8" - 6"

262 LOT: 2 Ridgid Tristand 1/8" - 6"

263 LOT: 2 Ridgid Tristand 1/8" - 6"

264 LOT: 2 Ridgid Tristand 1/8" - 6"

265 LOT: 2 Ridgid Tristand 1/8" - 6"

266 LOT: 2 Ridgid Tristand 1/8" - 6"

267 LOT: 10 Pipe Roller Stands

268 LOT: 10 Pipe Roller Stands

269 LOT: 10 Pipe Roller Stands

270 LOT: 10 Pipe Roller Stands

271 LOT: 10 Pipe Roller Stands

272 LOT: 10 Pipe Roller Stands

273 LOT: 10 Pipe Roller Stands

282 Handy Portable Gasoline Tank

283 Forklift Safety Basket with Mesh Cage

| | |
|-------|---|
| 284 | Forklift Safety Basket |
| <hr/> | |
| 285 | LOT: 2 Metal Tank Holders with Divider |
| <hr/> | |
| 286 | LOT: Welding Room Dividers |
| <hr/> | |
| 287 | LOT: 2 Scaffolds on casters |
| <hr/> | |
| 288 | Anvil Model 150 - 70K secured to metal table |
| <hr/> | |
| 289 | Manitowac Icemaker QV0212A |
| <hr/> | |
| 290 | Microwave Oven, Roper |
| <hr/> | |
| 291 | Microwave Oven, Sharp |
| <hr/> | |
| 292 | Lunch Table |
| <hr/> | |
| 295 | Jet Saw |
| <hr/> | |
| 296 | Phoenix Dry Rod Oven Electrode Stabilizing Oven |
| <hr/> | |
| 297 | Flammable Safety Cabinet |
| <hr/> | |
| 298 | Movein Cool Spot Coolant System |
| <hr/> | |
| 299 | Portable Rigger Chain Stand |
| <hr/> | |
| 300 | Diesel Welder Skid for transport |
| <hr/> | |