



# INVESTMENT RECOVERY SERVICES

## MCR MACHINE ONLINE ONLY AUCTION

11519 S. Petropark  
Houston  
Texas  
77041  
United States

Ended Feb 18, 2020 1:31pm CT (7:31pm GMT)

Lot	Description
1	Baldor Double End Buffer/Polisher, Cat #111, 1/3 hp, 3600 rpm, 115V/1P/60Hz, oad: 17" x 7" x 15" high, S/N M0701151673
2	Baldor Double End Buffer/Polisher, Cat #111, 1/3 hp, 3600 rpm, 115V/1P/60Hz, oad: 17" x 7" x 15" high, S/N B1101251314
3	8" Craftsman Model 319.19063 Double End Bench Grinder, 8" dia. x 1" x 5/8" arbor grinding wheel, 2000 - 3450 rpm var. speed, 1 hp motor, oad: 18" x 11" x 12" high, S/N B9435
4	Darex XT3000 Xpandable Tool Sharpener, new 10/2007, 1/4 hp motor, sharpens std. / split point drills to 118 - 150 deg., 1/8" - 13/16" drill dia. cap., oad: 20" x 20" x 16" high, wt: 68 lbs., S/N 6402B
4A	Chicago Ultrasonic Cleaner
5	Central Machinery 22" Magnetic Floor Sweeper with Release, 22" wide x 3" deep sweep area, 9 lbs. magnetic pull, 1" - 2-1/8" adj. ground clearance, one-pull release, Item #98399
6	5500 Lb. Northern Industrial Pallet Jack, 2500 kg (5500 lb.) cap., 3" - 7.5" fork height, 6.3" x 2.4" x 48" long forks, 27" fork width, S/N NA
7	16 Gal. Ridgid Wet / Dry Shop Vac, 6.5 hp, 16 gal. cap., pleated paper cartridge filter, 2-1/2" dia. x 7' long hose, 20' electrical cord, rolling casters on collection drum, drain, S/N NA
8	ETL Oscillating Pedestal Fan, Type 30P-TP120, 2.3 amps, 60 Hz, (2) pieces, S/N 0201221
8A	ETL Oscillating Pedestal Fan, Type 30P-TP120, 2.3 amps, 60 Hz, (2) pieces, S/N NA
9	Maxair Model BF24TF Floor Fan, 2800 - 4000 cfm air flow, 24" dia. fan blade, S/N NA
10	Patton Heater
11	26" Werner Model 150B Aluminum Step Ladder, 300 lb. cap, P/N 63385-10
12	8' Keller Model W2-8 Wooden Step Ladder
13	Listed Work Light, 53 TK, with stand
14	Irwin Model X298 Bench Vise, 6" opening, 6" jaw width, swivel, bench mount
15	Zeiss Contura G2 Coordinate Measuring Machine (CMM), new Oct. 2007, 39.4" X axis, 63" Y axis, 2.6" Z axis, 3370 lbs. table load, VAST XT scanning probe, computer, monitor and desk to control CMM, S/N 200710501098

16	TESA micro-hite 3D Type 03939036 Coordinate Measuring Machine (CMM), new 2006, 18.1" x 20" x 16.5" measuring volume, 440 lbs. max. load, Swiss made, S/N 06100075
17	Mitutoyo LH-600 Linear Height Coordinate Measuring Machine (CMM), 0" - 24" measuring range stroke, roller bearing guides, 5.7" color TFT LCD monitor, S/N NA
18	24" x 36" x 4-1/4" thick Granite table on black table stand, oad: 25" x 37-1/2" x 41" high
20	Iscar ITS-Bore BHF/BHFI 63 – 125 Set
20A	ATC Portable Refractometer
21	Changda Pin Gage Set, 125 pieces, 0.501" - 0.625", Minus M3-
22	Changda Pin Gage Set, 125 pieces, 0.626" - 0.750", Minus M4-
23	Pin Gage Set, 0.061" - 0.250", Model M1, Minus
24	Pin Gage Set, 0.251" - 0.500", Model M2, Minus
25	Gage Blocks Set, 0.05" - 4.0", Grade B
26	Fowler Gage Ball Set, 1/8" - 1"
27	Group of Thread Go/No Go Gages, inc. MSS 1.5 6H Go, MSS 1.5 6H No Go, 1/8 - 27 NPT, 3/8 - 18 NPT (Go/No Go), 3/8 - 16 UNC-2B, 3/4 - 10 UNC-2B, 5/16 - 18 UNC-2B, (2) 8 - 32 UNC-2B, 10 - 32 UNF-2B, M6 X 1 6H, M4 0.7 6H, M3.0 X 0.50 6H
28	Set of (2) 4" x 6" x 2" Precision Steel Blocks with 23 Holes
29	Set of (4) 2" x 3" x 1" Precsion Steel Blocks
30	Set of (4) 2" x 3" x 1" Precsion Steel Blocks
31	Set of (4) 2" x 3" x 1" Precsion Steel Blocks
32	(1) 1" x 1-1/2" x 9" long Precision Ground Flat Stock (Precision Marshall Steel Co.), Aristocrat Air Hardening
33	(1) Thread Measuring Wire Set
34	Set of (2) 1-1/4" x 1-1/4" x 1-5/8" long V-Block with Clamp
35	Set of (2) Drill Press V-Block Fixtures Centers IT (aluminum)
37	Sine Plate 6" x 6" with Sine Bars

38	Precision Toolmaker's Vise, 5" opening, 4" jaw width
39	Comparator Gage Stand with 6" x 6" Granite Base
40	SPI Pin Gage Set, 0.011" - 0.060"
41	SPI Dial Indicator
42	SPI Dial Caliper, 0" - 24"
43	Starrett Dial Caliper, 0" - 12"
44	Mitutoyo Blade Micrometer, 0" - 1"
45	Mitutoyo Dial Bore Gage Depth Extension (incomplete)
45A	Parallel Set and Misc. QC Tools
45B	Small tailstock
46	Dynamo Model SBC 420 Sand Blast Cabinet, new 2012, 47.5" x 24" x 22.5" high work area, 10.5" x 22.5" view window, 24" gloves, 15 cfm/80-125 psi air req., 110V/60Hz/12A, OAD: 53" x 35" x 65.5" high, S/N NA
47	Donaldson Torit Model 20 CYC Cyclone Collector Dust Collection System, 5 hp, 2000 cfm cap., 20" cyclone dia., 8" dirty air inlet, 10" clean air outlet, single hopper, 208/230/460V / 3P / 60Hz, S/N 10834769-L1-1
48	Wellsaw V20 EXT Vertical Bandsaw, 20" deep throat, 16" high table to guide, 177" blade length, 21" dia. blade wheels, 45 - 3000 fpm blade speeds in 2 ranges, 26" x 26" table, 5 deg. inside tilt, 45 deg. outside tilt, 37.5" table height, 3 hp blade motor, oad: 32" x 48" x 83.5" high, wt.: 950 lbs., ...[more]
49	Cosen Model MH-1016JA Horizontal Bandsaw, new 2011, 10" rnd. cap., 9" sq. cap., 9" x 14.5" rect. Cap., 4 blade speeds, 95, 150, 213, 321 fpm, 2 hp blade motor, 1/8 hp coolant motor, 25.6" workbed height, 131.9" x 1" x 0.035" blade, 230V, oad: 69" x 28" x 42.5" high, wt.: 1010 lbs., S/N 1000523
50	Kurt Model D688 Single Station Machine Vise, 8.8" opening, 6" jaw width, 7342 lbs. clamping force at 80 ft-lbs torque
51	Kurt Model D688 Single Station Machine Vise, 8.8" opening, 6" jaw width, 7342 lbs. clamping force at 80 ft-lbs torque
52	Kurt Model D688 Single Station Machine Vise, 8.8" opening, 6" jaw width, 7342 lbs. clamping force at 80 ft-lbs torque
53	Kurt Model D688 Single Station Machine Vise, 8.8" opening, 6" jaw width, 7342 lbs. clamping force at 80 ft-lbs torque
54	Kurt Model D688 Single Station Machine Vise, 8.8" opening, 6" jaw width, 7342 lbs. clamping force at 80 ft-lbs torque
55	Kurt Model D688 Single Station Machine Vise, 8.8" opening, 6" jaw width, 7342 lbs. clamping force at 80 ft-lbs torque

56	Kurt Model D688 Single Station Machine Vise, 8.8" opening, 6" jaw width, 7342 lbs. clamping force at 80 ft-lbs torque
57	Kurt Model D688 Single Station Machine Vise, 8.8" opening, 6" jaw width, 7342 lbs. clamping force at 80 ft-lbs torque
58	Kurt Model D688 Single Station Machine Vise, 8.8" opening, 6" jaw width, 7342 lbs. clamping force at 80 ft-lbs torque
59	Kurt Model D688 Single Station Machine Vise, 8.8" opening, 6" jaw width, 7342 lbs. clamping force at 80 ft-lbs torque
60	Kurt Model D688 Single Station Machine Vise, 8.8" opening, 6" jaw width, 7342 lbs. clamping force at 80 ft-lbs torque
61	Kurt Model D688 Single Station Machine Vise, 8.8" opening, 6" jaw width, 7342 lbs. clamping force at 80 ft-lbs torque
62	Kurt Model D688 Single Station Machine Vise, 8.8" opening, 6" jaw width, 7342 lbs. clamping force at 80 ft-lbs torque
63	Kurt Model D688 Single Station Machine Vise, 8.8" opening, 6" jaw width, 7342 lbs. clamping force at 80 ft-lbs torque
64	Kurt Model D810 Single Station Machine Vise, 10" opening, 8" jaw width, 11,600 lbs. clamping force at 160 ft-lbs torque
65	Kurt Model D810 Single Station Machine Vise, 10" opening, 8" jaw width, 11,600 lbs. clamping force at 160 ft-lbs torque
66	Victor Model 1640 B Engine Lathe, 16" swing over bed, 9.84" over cross slide, 23" in gap, 40" centers, 11" bed width, 16 spindle speeds, 33 - 2000 rpm, 7.5 hp, 2.03" spindle bore, D1-6 nose, MT6 taper, 0.0033 - 0.0455 ipr long. feeds, 0.0028 - 0.0387 ipr cross feeds, (36) 4 - 56 TPI inch threads, (...[more])
67	10 Ton Dake Model B-10 Single Acting Manual Hydraulic H-Frame Bench Top Press, 10 ton cap., 1.5" ram dia., 6" stroke, approx. 1/8" per stroke ram advance speed, 16-3/4" between uprights, work head travels between uprights, 3" between channels, 6" - 16" ram to table, 23" x 18" base, 36" overall ht., (...[more])
67A	Metal Stand, 23-1/2" x 21-1/4" x 16" high
68	2350° F Paragon Model A-66B3 Electric Kiln, 2350 F max. temp., 15 amps, 240V/1P/60Hz, 3600 watts, 1.22 cu. Ft. chamber vol., 13.5" chamber width, 13.25" chamber depth, NEMA 14-30R, 4-way rotary switch control, oad: 22" x 25.5" x 28" high (add 9.5" for stand), wt: 172 lbs., S/N 263152
69	Kurt Model HDL6J Double Station Machine Vise, NEW IN BOX, 4" opening, 6" jaw width, 1.485" jaw depth, 4-position clamping, 7460 lbs. clamping force at 70 ft-lbs torque, wt: 125 lbs.
70	Kurt Model HDL6J Double Station Machine Vise, NEW IN BOX, 4" opening, 6" jaw width, 1.485" jaw depth, 4-position clamping, 7460 lbs. clamping force at 70 ft-lbs torque, wt: 125 lbs.
71	Kurt Model HDL6J Double Station Machine Vise, 4" opening, 6" jaw width, 1.485" jaw depth, 4-position clamping, 7460 lbs. clamping force at 70 ft-lbs torque, wt: 125 lbs.
72	Kurt Model HDL6J Double Station Machine Vise, 4" opening, 6" jaw width, 1.485" jaw depth, 4-position clamping, 7460 lbs. clamping force at 70 ft-lbs torque, wt: 125 lbs.
73	Kurt Model HDL6J Double Station Machine Vise, 4" opening, 6" jaw width, 1.485" jaw depth, 4-position clamping, 7460 lbs. clamping force at 70 ft-lbs torque, wt: 125 lbs.

74	Kurt Model HDL6J Double Station Machine Vise, 4" opening, 6" jaw width, 1.485" jaw depth, 4-position clamping, 7460 lbs. clamping force at 70 ft-lbs torque, wt: 125 lbs.
75	Kurt Model HDL6J Double Station Machine Vise, 4" opening, 6" jaw width, 1.485" jaw depth, 4-position clamping, 7460 lbs. clamping force at 70 ft-lbs torque, wt: 125 lbs.
76	Mitsubishi BA24 Wire EDM (B) Machine, new 07/2013, 34.6" x 26.8" table, 3300 lbs. table load cap., 23.6" X axis, 15.7" Y axis, 16.7" Z axis, 15 deg. at 10.2" thickness max. taper angle, 51 ipm rapids, 0.004" - 0.012" wire dia., 22 lb. max spool wt., 0.02" min. hole dia., 211 gal. water tank, wt: 7,8 ...[more]
76A	Metal Shelf with Tooling and Misc. for Mitsubishi BA24 EDM
77	Mitsubishi BA24 Wire EDM (A) Machine, new 03/2011, 34.6" x 26.8" table, 3300 lbs. table load cap., 23.6" X axis, 15.7" Y axis, 16.7" Z axis, 15 deg. at 10.2" thickness max. taper angle, 51 ipm rapids, 0.004" - 0.012" wire dia., 22 lb. max spool wt., 0.02" min. hole dia., 211 gal. water tank, wt: 7, ...[more]
77A	Metal Shelf with Tooling and Misc. for Mitsubishi BA24 EDM
78	Toyoda FV1680 MCE (Mold Center Edition) CNC Vertical Machining Center, new 2013, 68.9" x 31.5" table, 63" X axis, 31.5" Y axis, 31.5" Z axis, 4400 lbs. table load, 7.9" - 39.4" spindle to table, 6000 rpm spindle speed, 35/30 hp, 485 ft.-lbs. torque, CAT 50 taper, geared head spindle, 945 ipm rapids ...[more]
79	Lot of 14 pieces of CAT 50 Tooling
80	Machinist's Work Station, 25" x 72" x 38-1/2" high wooden table, 14 tool holding stations, white board, overhead fluorescent lights, metal base, NOTE: Tooling shown in photos not included with machinist's station
80A	Lot of (5) CAT 50 Tooling (Note: 2 new in box)
80B	Lot of (5) CAT 50 Tooling
80C	Lot of (5) CAT 50 Tooling
80D	Lot of (5) CAT 50 Tooling
80E	Chip Cart
80F	Huot Toolscoot Roll-Around Tool Cart, 18" x 37" x 34-3/4" high, 18 tool cap. top shelf, 18 tool cap. bottom shelf, on casters
81	Toyoda FV1680 MCE (Mold Center Edition) CNC Vertical Machining Center, new 2011, 68.9" x 31.5" table, 63" X axis, 31.5" Y axis, 31.5" Z axis, 4400 lbs. table load, 7.9" - 39.4" spindle to table, 6000 rpm spindle speed, 35/30 hp, 485 ft.-lbs. torque, CAT 50 taper, geared head spindle, 945 ipm rapids ...[more]
82	Lot of 14 pieces of CAT 50 Tooling
83	Machinist's Work Station, 25" x 72" x 38-1/2" high wooden table, 14 tool holding stations, white board, overhead fluorescent lights, metal base, NOTE: Tooling shown in photos not included with machinist's station

83A	Lot of (5) CAT 50 Tooling
83B	Lot of (5) CAT 50 Tooling
83C	Lot of (5) CAT 50 Tooling
83D	Lot of (5) CAT 50 Tooling
83E	Chip Cart
83F	Roll-Around Tool Cart, 24" x 48" x 35-1/4" high, 28 tool cap. top shelf, 28 tool cap. bottom shelf, on casters
84	Toyoda FV1680 MCE (Mold Center Edition) CNC Vertical Machining Center, new 2008, 68.9" x 31.5" table, 63" X axis, 31.5" Y axis, 31.5" Z axis, 4400 lbs. table load, 7.9" - 39.4" spindle to table, 6000 rpm spindle speed, 35/30 hp, 485 ft.-lbs. torque, CAT 50 taper, geared head spindle, 945 ipm rapids ...[more]
85	Lot of 14 pieces of CAT 50 Tooling
86	Machinist's Work Station, 25" x 72" x 38-1/2" high wooden table, 14 tool holding stations, white board, overhead fluorescent lights, metal base, NOTE: Tooling shown in photos not included with machinist's station
86A	Lot of (5) CAT 50 Tooling
86B	Lot of (5) CAT 50 Tooling
86C	Lot of (5) CAT 50 Tooling
86D	Lot of (5) CAT 50 Tooling
86E	Chip Cart
86F	Roll-Around Tool Cart, 23-1/2" x 34-1/2" x 45-1/4" high, 15 tool cap. top shelf, 15 tool cap. bottom shelf, on casters
87	Daewoo DMV 4020 CNC Vertical Machining Center, New 2006, 47.2" x 19.7" table, 40.1" X axis, 20.1" Y axis, 24.6" Z axis, 1760 lbs. table load, 6000 rpm spindle speed, 20 hp, CT50 taper, 1181 ipm rapids, 24 tool side mount ATC, 11" SMW model RT-275 4th axis rotary table, Fanuc 21i-MB CNC control, 118 ...[more]
88	Lot of 14 pieces of CAT 50 Tooling
89	Machinist's Work Station, 25" x 72" x 38-1/2" high wooden table, 14 tool holding stations, white board, overhead fluorescent lights, metal base, NOTE: Tooling shown in photos not included with machinist's station
89A	Lot of (5) CAT 50 Tooling
89B	Lot of (5) CAT 50 Tooling

89C	Lot of (5) CAT 50 Tooling
89D	Lot of (5) CAT 50 Tooling
89E	Lot of (5) CAT 50 Tooling plus Cat 50 Tool Holding Vise
90	Sullair 1100 E Encapsulated Rotary Screw Air Compressor with Wet Storage Tank and Air Dryer, 120 gal. tank, 15 hp, 43.7 - 68.5 acfm, 100 - 175 psig, 66dBA, 1-1/2" NPT discharge connect, 1/4" NPT moisture drain connection, oad (L x W): 53.2" x 31.5", wt.: 1044 lbs., S/N 398019590004
91	Sullair 1100 E Encapsulated Rotary Screw Air Compressor with Wet Storage Tank and Air Dryer, 120 gal. tank, 15 hp, 43.7 - 68.5 acfm, 100 - 175 psig, 66dBA, 1-1/2" NPT discharge connect, 1/4" NPT moisture drain connection, oad (L x W): 53.2" x 31.5", wt.: 1044 lbs., S/N 201106230075
91A	Metal Shelf with Tooling and Misc. for Mazak QT Nexus 300-II CNC Lathe
92	Mazak Quick Turn Nexus 300-II CNC Turning Center, new 2011, 26.77" swing, 16.64" max. machining dia., 48.6" max. machining length, 3" max. bar dia., 4000 rpm spindle speed, 35 hp, 8.86" X travel, 49.21" Z travel, 12 pos. tool turret, 10" 3-jaw chuck, automatic tool eye, programmable tailstock, chip ...[more]
92A	Pallet with shipping brackets for Toyoda VMC's
92B	Box with leveling Pads
92C	12" 6-jaw Chuck with Adapter Plate
92D	Pulley, Misc. Brackets
93	4500 lb. Toyota Model 7FGCU25 Forklift, 4500 lb. lift cap. at 24", 189" lift height, 5 deg. back tilt, FSV mast, side shifter, solid tires, LPG fuel, 8875 lbs. truck weight, S/N 02824
94	Pallet Rack, 1 section, 4 shelves, with Extra Upright Support
95	Pallet Rack, 1 section, 4 shelves
96	Pallet Rack, 1 section, 5 shelves
97	Pallet Rack, 2 sections, 4 shelves, with Extra Upright Support
98	28" x 96" x 37-3/4" high, Wooden table with lower shelf (Table only, contents not included)
99	47" x 44-1/2" x 38-1/2" high, Wooden table top with black metal base (Table only, contents not included)
100	25" x 72" x 38" high, Table with 1-3/4" thick wooden top and white metal base, (Table only, contents not included)
101	25" x 72" x 38" high, Table with 1-3/4" thick wooden top and white metal base, with CAT 50 Tool Holding Fixture (Table and fixture only, contents not included)

102	25" x 72" x 38" high, Table with 1-3/4" thick wooden top and white metal base, (Table only, contents not included)
103	25" x 72" x 38" high, Table with 1-3/4" thick wooden top and white metal base, with 36" paper roll dispenser bolted to table (Table and dispenser only, contents not included)
104	25" x 72" x 38" high, Table with 1-3/4" thick wooden top and white metal base, (Table only, contents not included)
105	25" x 72" x 38" high, Table with 1-3/4" thick wooden top and white metal base, (Table only, contents not included)
106	25" x 72" x 38" high, Table with 1-3/4" thick wooden top and white metal base, (Table only, contents not included)
107	25" x 72" x 38" high, Table with 1-3/4" thick wooden top and white metal base, (Table only, contents not included)
108	25" x 72" x 38" high, Table with 1-3/4" thick wooden top and white metal base, (Table only, contents not included)
109	25" x 72" x 38" high, Table with 1-3/4" thick wooden top and white metal base, (Table only, contents not included)
110	24-1/2" x 36" x 32-3/4" high Black Plastic roll-around cart with upper and lower shelves
111	24-1/2" x 36" x 32-3/4" high Black Plastic roll-around cart with upper and lower shelves
112	24-1/2" x 36" x 32-3/4" high Black Plastic roll-around cart with upper and lower shelves
113	24-1/2" x 36" x 32-3/4" high Black Plastic roll-around cart with upper and lower shelves
114	18" x 30" x 32" high Metal roll-around cart with 3 shelves
115	18" x 30" x 32" high Metal roll-around cart with 3 shelves
117	Portable office desk, white work table top with black base on casters, with (1) black roll-around office chair and (1) black guest chair
118	33" x 44-1/2" x 45" high Black metal table with 2x4 metal spacers on top
119	Roller Stand, adj. height, 14" x 2" dia. roller
120	Roller Stand, fixed height, 11-1/2" x 2" dia. roller
121	V-Roller Stand, adj. height, (2) V-rollers, 5" x 2" dia. rollers
122	Lot of (3) Mover's Dollys, 18" x 30", on casters
123	Lot of (2) adj. width folding stands with cushioned top rails
124	Misc. Stand with cushioned rails



---

125	Lot of (4) work lights
126	4 th Axis Fixture for VMC
127	Tailstock (for VMC)
128	Angle Plate, 24" x 24" x 18"
129	Angle Plate, 20" x 16" x 12"
130	Lot of (4) machinery mover rollers
131	Parts Washer, solvent type, with parts trays/baskets, electric, 21" x 35" x 15 deep interior dimensions
132	Lot of (3) rolls of bubble wrap
133	6 shelf metal rack with misc. work holding fixtures and other items
134	6 shelf metal rack with misc. work holding fixtures and other items
135	Pallet with misc. round bar stock
136	Pallet with misc. square aluminum bar stock
137	Lot of (5) sets of alphanumeric die punches
138	Lot of (9) various size C-clamps
139	Toolbox with contents (allen wrenches and other)
140	Lot of misc. carbide tool inserts, misc. tooling
141	Lot of rasps, mallets, tube bending pliers, and cleaning brushes
142	Lot of various size grinding wheels
143	Lot of misc. tools
144	Enerpac manual hydraulic pump
145	Lot of misc. work holding fixtures
146	Lot of misc. work holding fixtures

---

---

147	Lot of misc. work holding fixtures
148	Lot of various size metal dowel pins
149	Box of misc. bolts, nuts and other
150	Pallet with misc. brackets and other
151	Collet sets, assorted sizes
152	Lot of assorted facing mill tooling
153	Lot of assorted drill bits, boring tools
154	Lot of assorted drill bits, taps, and other tooling
155	Lot of assorted drill bits, taps, and other tooling
156	Lot of assorted drill bits, taps, and other tooling
157	Lot of assorted tooling, drill chucks and other
158	Lot of grease guns
159	Small Rack (wood), 36" x 38" x 39-1/2" high, painted blue
160	Miscellaneous tooling
161	Miscellaneous bar stock material
162	Set of o-rings (var. sizes), o-ring splicer kit, helicoils, roll pins, Loctite set, torx set
163	Eye bolts, brackets, misc. nuts and bolts
164	Tool box with contents
165	Lot of (2) new Tungaloy facing cutters (in boxes)
166	Lot of misc. tooling, centers, CAT 50 tool holder
167	Drum Vac vacuum / filler for 55 gal. drum, misc. hoses
168	Lot of (5) CAT 50 Tooling

---

169 Lot of (5) CAT 50 Tooling

---

170 Lot of (5) CAT 50 Tooling

---

171 Lot of (5) CAT 50 Tooling

---

172 Lot of (5) CAT 50 Tooling

---

173 Lot of (5) CAT 50 Tooling

---

174 Lot of (5) CAT 50 Tooling

---