



M. DAVIS GROUP, LLC

Southern Classic Food Group Plant Consolidation Equipment Auction

450 N. Depot Dr.
Ogden
Utah
84404
United States

Started Nov 28, 2018 10am MT (5pm GMT)

| Lot | Description |
|-----|--|
| 1 | S/S COP Tank with Jet Spray System, Includes Fristam Aprox. 5 hp Centrifugal Pump, S/S Anderson Temperature Gauge, Internal Dims.: Aprox. 96" L x 24" W x 22" Deep |
| 2 | S/S COP Tank , with Racks, Internal Dims.: Aprox. 145" L x 15" W x 14" Deep |
| 3 | Waukesha 7.5 hp Positive Displacement Pump, M/N 130, S/N 261322, with 3" x 3" S/S Clamp Type Inlet/Outlet |
| 4 | S/S Diaphragm Pump, Mounted on S/S Portable Frame, with 2" x 2" S/S Clamp Type Inlet/Outlet |
| 5 | { Option of lots: 5, 6 } S/S Foamer, Mounted on Portable Frame with Hose, Reservoir Dims.: 32" Tall x 11" Dia. |
| 6 | { Option of lots: 5, 6 } S/S Foamer, Mounted on Portable Frame with Hose, Reservoir Dims.: 32" Tall x 11" Dia., with Air Gauges |
| 7 | { Option of lots: 7, 8 (P) } S/S Containers with S/S Lids, Dims.: Aprox. 9-1/2" Deep x 8" Dia. |
| 8 | { Option of lots: 7, 8 (P) } S/S Containers with S/S Lids, Dims.: Aprox. 9-1/2" Deep x 8" Dia. |
| 9 | S/S Butterfly Valves, 3" Clamp Type |
| 10 | Lot of Assorted S/S Fittings, Includes (20) S/S Clamp Type Elbows, 2"-3", with (5) S/S T's 2"-3" |
| 11 | S/S Air Blow Down Fittings |
| 12 | NEW Assorted S/S Weld Fittings, Including 3" x 2" Reducers, S/S T's, S/S Elbows, and Other S/S Fittings |
| 13 | S/S 2" Clamp Type Check Valves, with Internal Check Ball |
| 14 | S/S Butterfly Valves, 1-1/2" - 2-1/2" Clamp Type |
| 15 | { Choice of lots: 15, 16, 17, 18, 19 (P) } Mettler Toledo S/S Digital Platform Scales, M/N Digitol, with 9" x 9" S/S Platform |
| 16 | { Choice of lots: 15, 16, 17, 18, 19 (P) } Doran S/S Digital Platform Scale, M/N 8000, with 9-1/2" x 9-1/2" S/S Platform |
| 17 | { Choice of lots: 15, 16, 17, 18, 19 (P) } Fairbanks S/S Digital Platform Scale, with 10" x 10" S/S Platform |
| 18 | { Choice of lots: 15, 16, 17, 18, 19 (P) } Cardinal S/S Digital Platform Scale, M/N 708, with 19-1/2" x 16" S/S Platform |

| | |
|----|---|
| 19 | { Choice of lots: 15, 16, 17, 18, 19 (P) } Sartorius S/S Platform Scales, with (1) NEW Scale, M/N TE2101, with 7" x 5-1/2" S/S Platform, and 7" Dia. S/S Platform |
| 20 | Lot of Assorted Heavy Duty S/S Sweetener Pipe and Valving, Aprox. 7" Pipe with S/S Fittings |
| 21 | S/S 2" Clamps |
| 22 | { Choice of lots: 22, 23 (P) } S/S 2-1/2" Clamps |
| 23 | { Choice of lots: 22, 23 (P) } S/S 3" Clamps |
| 24 | S/S 4" Clamps |
| 25 | NEW Allen Bradley Touchscreen Display, M/N VersaView 1700P |
| 26 | { Option of lots: 26, 27 (P) } Alfa Laval S/S Air Valves, 2 & 3 Way Valves, 2" & 2-1/2" Clamp Type |
| 27 | { Option of lots: 26, 27 (P) } Alfa Laval 3-Way S/S Air Valve, 3" Clamp Type |
| 28 | { Option of lots: 28, 29 (P) } WCB 2-Way S/S Air Valve, 2" Clamp Type, S/N 193941-97 |
| 29 | { Option of lots: 28, 29 (P) } WCB 3-Way S/S Air Valves, 2" Clamp Type |
| 30 | { Choice of lots: 30, 31, 32 (P) } S/S Portable Totes, 5' L x 2' W x 20-1/2" Deep, On Portable Frame |
| 31 | { Choice of lots: 30, 31, 32 (P) } S/S Portable Totes, 5' L x 2' W x 20-1/2" Deep, On Portable Frame |
| 32 | { Choice of lots: 30, 31, 32 (P) } S/S Portable Totes, 5' L x 2' W x 20-1/2" Deep, On Portable Frame |
| 33 | Cam Spray S/S Power Washer, Mounted on S/S Portable Frame and Spray Nozzel |
| 34 | { Choice of lots: 34, 35, 36, 37 (P) } American Ultraviolet Co. UV Lights, M/N SC-2-P S/S, 120 Volts, with (2) S/S Filters, 3" Clamp Type |
| 35 | { Choice of lots: 34, 35, 36, 37 (P) } American Ultraviolet Co. UV Lights, M/N SC-2-P S/S, 120 Volts, with (2) S/S Filters, 3" Clamp Type |
| 36 | { Choice of lots: 34, 35, 36, 37 (P) } American Ultraviolet Co. UV Lights, M/N SC-2-P S/S, 120 Volts, with (2) S/S Filters, 3" Clamp Type |
| 37 | { Choice of lots: 34, 35, 36, 37 (P) } American Ultraviolet Co. UV Lights, M/N SC-2-P S/S, 120 Volts, with Foodline UV Light, Part #: SC-23, S/N S24T6, with (2) S/S Filters, 3" Clamp Type |
| 38 | NEW American Ultraviolet Box of UV Light Bulbs, (2) Boxes with (4) Bulbs Per Box |
| 39 | WCB 2-1/2" S/S Air Valves, M/N M61T25, with 2-Way S/S Clamp Type Bodies |

| | |
|-----|--|
| 40 | APV 3" S/S Air Valve, with 2-Way S/S Clamp Type Body |
| 41 | S/S 3" Air Valve, with 2-Way S/S Clamp Type Body, Check Valve Style Body |
| 42 | WCB 4" Air Valve, with 3-Way S/S Clamp Type Body |
| 43 | Lot of Assorted S/S Air Valves and (3) Actuated Ball Valves, Air Valves Include Tri-Clover & WCB 2"-3" Clamp Type Valves, with (2) 3-Way S/S Bodies |
| 44 | Lot of Assorted S/S Fittings, Including Elbows, Reducers, Reducers with Butterfly Valve, (2) Butterfly Valves, 90 Degree S/S Turns, and Other S/S Fittings |
| 45 | S/S Sanitary Fitting Wash Baskets, (3) Aprox. 22" L x 10" W x 10" Deep, and (1) 1-1/2" L x 6" W x 10" Deep |
| 46 | REBUILT Sterling 75 hp Electric Motor, 1770 RPM, with 230/460 Volts |
| 47 | S/S Check Valves, 3" & 4" Clamp Type |
| 48 | S/S 2" Clamps |
| 49 | Lot of Assorted S/S Clamps, Includes (9) 1-1/2" and (20) 2-1/2" Clamps |
| 49A | S/S Tables, (1)-6" L x 30" W x 33" H, and (1)-50" L x 27" W x 32" H |
| 49B | NEW Allen-Bradley PowerFlex4 VFDs, CAT #: 22A-V4P5N104 |
| 49C | NEW Allen-Bradley PowerFlex40 VFDs, CAT #: 22B-D012N104 & 22B-D017N104 |
| 49D | NEW Allen-Bradley PowerFlex40 VFDs, CAT #: 22B-D012N104 & 22B-D017N104 |
| 49E | 2-Allen-Bradley PowerFlex4 & Frenic Mini Inverter |
| 50 | Breddo 400 Gal. S/S Jacketed Likwifier, M/N LORWW, S/N D-93604 95243, Max. Pressure 90, with Sterling 75/38 hp Off-Set Motor, 1770 RPM, Motor S/N 43197450-9/28, with CIP Spray Ball and S/S Coco Crush Screen, Mounted on S/S Frame |
| 51 | Breddo 500 Gal. S/S Jacketed Likwifier, M/N LORW, S/N F40118-98626, Max. Pressure 90, with Baldor 75 hp Off-set Motor, 1775 RPM, with CIP Spray Ball and S/S Coco Crush Screen, Mounted on S/S Frame |
| 52 | { Choice of lots: 52 (P) } Damrow 2,100 Gal. S/S Processor, S/N 46362, 150 PSI @ 84 F- 5 F, with Side Man Door, with Dual Prop Agitation, Top Mounted Agitation Motor, with Dual CIP Spray Balls, with Mild Steel Exterior Skin, Tank Dims.: Aprox. 91" Tall x 83" Dia. (Pre-Surge Tank) |
| 53 | Damrow 2,100 Gal. S/S Processor, S/N 46363, 150 PSI @ 84 F- 5 F, with Side Man Door, with Dual Prop Agitation, Top Mounted Agitation Motor, with Dual CIP Spray Balls, with Mild Steel Exterior Skin, Tank Dims.: Aprox. 91" Tall x 83" Dia. (Post-Surge Tank) |
| 54 | RPA Process Technologies S/S Dual In-Line Filtration System, S/N A18202 & A18201, 150 PSI @ 220 F, -20 F @ 150 PSI, with (4) Actuated Ball Valves, (1) S/S Inline Magnet, with (2) Spare S/S Internal Filter Units, Filter Dims.: Aprox. 30" L x 9" Dia. |

-
- 55 { Choice of lots: 55, 56, 57 (P) } Ampco 7.5 hp Positive Displacement Pump, M/N SRBZP1-130-50, S/N 1715361-5-1-R3-6, with Ferraz Shawmat Safety Switch, with Aprox. 3" Clamp Type Inlet/Outlet, Mounted on S/S Skid
-
- 56 { Choice of lots: 55, 56, 57 (P) } WrightFlow Aprox. 7.5 hp Positive Displacement Pump, M/N 1300 TRA10, with Aprox. 3" Clamp Type Inlet/Outlet, with Safety Switch, Mounted on S/S Skid, with S/S Covers
-
- 57 { Choice of lots: 55, 56, 57 (P) } Ampco 7.5 hp Positive Displacement Pump, M/N SRBZP1-130-50, S/N 1819200-5-1-R3-6, with Ferraz Shawmat Safety Switch, with Aprox. 3" Clamp Type Inlet/Outlet, Mounted on S/S Skid
-
- 58 { Choice of lots: 58, 59 (P) } Fristam 5 hp Centrifugal Pump, S/N SPX35410301540, with Baldor 3450 RPM Motor, Aprox. 2" x 2" Clamp Type Inlet/Outlet, Mounted on S/S Legs
-
- 59 { Choice of lots: 58, 59 (P) } Fristam 5 hp Centrifugal Pump, S/N SPX174196561, with Baldor 3450 RPM Motor, with S/S Air Blow Down, Aprox. 2" x 1" Clamp Type Inlet/Outlet, Mounted on S/S Legs
-
- 60 S/S Inline Magnet, with 4" Clamp Type Inlet/Outlet, Magnet Dia.: Aprox. 8-1/2"
-
- 61 S/S Air Valve Manifold, Includes (6) G & H S/S Air Valves, with (3) WCB S/S Air Valves (NOTE: (3) WCB Not In Manifold)
-
- 62 Allen Bradley Touchscreen Display, M/N VersaView 1500P, CAT #: 6181P-15TPPXP, Mounted In S/S Control Panel
-
- 63 S/S Platform with Stairs, Including Forklift Off Loading Platform, with Hand Rails, Platform Dims.: Aprox. 146" L x 100" W x 43" H
-
- 65 BULK BID: U.S. BOTTLERS FILLING & CAPPING SYSTEM, WITH S/S HOPPER WITH S/S ORIENTER, INCLUDES LOTS 66 AND 67
-
- 66 U.S. Bottlers Filling & Capping System, M/N FM-24-44 & RC-12-22, Order #: 91250, with 24-Head Rotary Filling Station & 12-Head Rotary Capping Station, with Mass Flow Meter Upgrade (\$130,000.00 Upgrade), with Allen Bradley 1700P Touchscreen Display, S/N 5836280-1, with Fristam S/S Centrif ...[more]
-
- 67 S/S Cap Hopper with S/S Orienter, Hopper Dims.: Aprox. 38" L x 28" W x 34" Deep, with Aprox. 38" Dia. Orienter, with .5 hp Baldor Drive, 1725 RPM
-
- 68 { Choice of lots: 68, 69, 70 (P) } BULK BID: PFAUDLER 7-HEAD CAN FILLER, M/N RP607, WITH ANGELUS 3-STATION ROTARY CAN SEAMER, M/N 59P MSLF SEAMER, INCLUDES LOTS 69 AND 70
-
- 69 { Choice of lots: 68, 69, 70 (P) } PFAudler 7-Head Can Filler, M/N RP607, S/N R574 0870, Set-Up with 96 oz. Jug Parts, with Drives, Includes Pallet of Filling Valves and Parts
-
- 70 { Choice of lots: 68, 69, 70 (P) } Angelus 3-Station Rotary Can Seamer, M/N 59P MSLF SEAMER, S/N 60401264, with Allen Bradley VFD In S/S Control Panel
-
- 71 BULK BID: VOTATOR 18-HEAD ROTARY CAN FILLER, M/N P-18-L, WITH ANGELUS 6-STATION CAN SEAMER, INCLUDES LOTS 72 AND 73
-
- 72 Votator 18-Head Rotary Can Filler, M/N P-18-L, S/N 64-929, with Drives and Pneumatics, Includes Cart of Filling Pistons and Change Parts
-
- 73 Angelus 6-Station Can Seamer, with Drives, and Allen Bradley VFD and S/S Control Panel

| | |
|----|---|
| 74 | KAPS-ALL Cap & Orienter System, M/N C8, S/N 5332, with Drive and Aprox. 36" Dia. Top Mounted Orienter |
| 75 | S/S Cap Hopper & Incline Conveyor Feeder, M/N FS-8, S/N 4612, Hopper Dims.: Aprox. 36" L x 33" W x 28" Deep, Mounted on Portable Frame |
| 76 | AutoMate Inline Induction Sealer, M/N AM-250, S/N A26020, 220 Volts, 1 Phase |
| 77 | 2015 Enercon SuperSeal Max Sealer, M/N LM4989-12, S/N 122289-1-1, 240 Volts, 3 Phase, Mounted on Portable Frame |
| 78 | 3-Sections of S/S Product Conveyor, Total Feet: Aprox. 86', with (2) Drives (1-S/S Clade), with S/S Conveyor Covers with Plastic Sides, S/S Legs and Aprox. 4-1/2" W Plastic Belt, with Guide Rails |
| 79 | { Choice of lots: 79 (P) } 5-Sections of S/S Product Conveyor, Total Feet: Aprox. 103', with (4) Drives, S/S Legs and Aprox. 4-1/2" W Plastic Belt (1-Section Has 2" W Belt), with Guide Rails |
| 80 | 2-Sections of S/S Product Conveyor, Total Feet: Aprox. 61', with (2) Drives, S/S Legs and Aprox. 4-1/2" W Plastic Belt, with Guide Rails |
| 82 | BULK BID: FOGG 24-STATION S/S BOTTLE ORIENTER, S/S BOTTLE HOPPER & INCLINE FEEDER, I & S S/S BOTTLE WASHER, HYDRAULIC TOTE DUMPER, INCLUDES LOTS 83-86 |
| 83 | { Group of lots: 83, 84 (P) } Fogg 24-Station S/S Bottle Orienter, S/N 581-20-1-95, with S/S Chutes, Set-Up with 26 oz. + 48 oz. Change Parts, Aprox. 125" Dia., with Drives and Motors, Includes Spare Parts Cart with (36) Spare S/S Chutes, with 7 oz. and 24 oz. Change Parts |
| 84 | { Group of lots: 83, 84 (P) } S/S Bottle Hopper & Incline Feeder, Hopper Dims.: Aprox. 56" L x 59" W x 36" Deep, with 20" W Incline Conveyor with Flights, with GE Heavy Duty Safety Switch |
| 85 | I & H S/S Bottle Washer, S/N 9809-3-95, with Internal Bottle Conveyor System, Overall Dims.: Aprox. 29'L x 5' W x 90" H (NOTE: Missing Some Controls--See Photos) |
| 86 | Hydraulic Tote Dumper, Tote Chamber Dims.: Aprox. 45" L x 42-1/2" W x 47" H, with Mild Steel Frame |
| 88 | S/S Conveyor Bridge,with Ladder and Hand Rails, Overall Dims.: Aprox. 54" L x 33" W x 96" H |
| 89 | Hot & Cold Hose Stations, with Hose and Spray Nozzle |
| 90 | Lot of (1) S/S Single Bowl Sink with Knee Controls, S/S Wall Mounted Equip. Station, (1) S/S Control Panel with Sight Glass (NOTE: No Controls Included) |
| 91 | (2) S/S Platforms, (1) with 2-Teps and Hand Rails, Aprox. 63" L x 29" W x 63-1/2" H, and (1) with 2-Steps and Hand Rails, Aprox. 70" L x 32" W x 66" H |
| 95 | 2010 CIVision Inspection Station, M/N 1 CAMPRINT, S/N 13672, 120 Volts, 80 PSI, with Planar Touchscreen, M/N PT1710MX, with Aprox. 19" L x 9" W Product Opening (NOTE: SUBJECT TO CONFIRMATION) |
| 96 | Hartness International Spiral Conveyor System, S/N W64848SE, with 4-1/2" W Conveyor Belt, with (3) Allen Bradley PowerFlex 4 VFDs, Allen Bradley 10-Slot SLC 5/04 CPU PLC Rack, with Allen Bradley PanelView 600 Touchscreen (NOTE: Missing (3) PLC Input Slots) |

| | |
|-----|--|
| 97 | Bottling Development 12-Station Rotary Bottle Orienter, M/N BD2700, S/N BD2700-8-12-44, with Infeed/Outfeed Conveyor with Allen Bradley PanelView 1000 Touchscreen, with Allen Bradley 10-Slot PLC Rack (NOTE: Missing (2) Slot Inputs), and Allen Bradley 130s VFDs |
| 98 | PDC Shrinksealer, M/N 75C-M, S/N 206, 480 Volts, 3 Phase, with Pro-Face Touchscreen Display, with (2) Allen Bradley PowerFlex 4 VFDs |
| 99 | Barry-Wehmiller Pneumatic Scale Angelus Continuous Labeler, M/N W704D6, S/N W704D6-539, 480 Volts, 3 Phase |
| 100 | { Choice of lots: 100, 101 (P) } VideoJet 1550 Ink Jet Coder, S/N 1328430C29ZH, with Inline Ink Head with Stand, 120 Volts, 1 Phase, Mounted on Portable Frame |
| 101 | { Choice of lots: 100, 101 (P) } VideoJet 1550 Ink Jet Coder, S/N 1328428C29ZH, with Inline Ink Head with Stand, 120 Volts, 1 Phase, Mounted on Portable Frame |
| 102 | PDC Neck Bander, M/N KRC184654, S/N 412, 480 Volts, 3 Phase |
| 103 | S/S Accumulation Table, with 119" W Belt, Overall Dims.: Aprox. 15'L x 121" W x 55" H |
| 104 | AMBEC Combiner/Inliner, 12-Belt System, with Guide Rails and S/S Rejection Trough |
| 105 | Del Packaging Inc. Snap Cap Applicator, M/N ASRC 300, S/N 80-7-1 |
| 106 | Bevco S/S Cap Sterlizer, M/N M270, S/N J#17316, with 7-1/2" W Conveyor Bel, 460 Volts, 3 Phase, with (2) Allen Bradley VFDs and Allen Bradley MicroLogix 1000, with Drives |
| 107 | { Choice of lots: 107, 108, 109 (P) } 8-Sections of Arrowhead S/S Product Conveyor, Total Feet: Aprox. 149', with (5) Drives, S/S Legs and Aprox. 4-1/2"-7-1/2" W Plastic Belt, with Guide Rails |
| 108 | { Choice of lots: 107, 108, 109 (P) } 6-Sections of Arrowhead S/S Product Conveyor, Total Feet: Aprox. 44', with (4) Drives, S/S Legs and Aprox. 4-1/2" W Plastic Belt, with Guide Rails |
| 109 | { Choice of lots: 107, 108, 109 (P) } 3-Sections of Arrowhead S/S Product Conveyor, Total Feet: Aprox. 53', with (4) Drives, S/S Legs and Aprox. 3-1/4" W Plastic Belt, with Guide Rails |
| 110 | S/S Blower Unit, Mounted on S/S Legs |
| 111 | BULK BID: AERO GLIDE S/S COOLING TUNNEL, WITH APV PLATE PRESS HEAT EXCHANGER, M/N 0055 M65-10 |
| 112 | Aero Glide S/S Cooling Tunnel, with 144" W Belt, Overall Dims.: Aprox. 84 ft. L x 14 ft. W, with Related Duct Work and Blowers, Cold Water Internal System |
| 113 | APV Plate Press Heat Exchanger, M/N 0055 65-10, S/N 2003300300636, with (121) Plates, 284 - 5 Degrees F Design Temp. |
| 115 | Hartness International Case Packer, M/N 835, with Allen Bradley 10-Slot PLC and Other Conrols, with Spare Parts |
| 116 | Wayne Automation Corp. Partition Inserter, S/N 29231-7246, 480 Volts, 3 Phase, with Allen Bradley 10-Slot PLC Rack (NOTE: Missing (1) Slot Input--See Photos) |

| | |
|-----|---|
| 117 | { Group of lots: 117, 118, 119 (P) } SWF McDowell Case Erector, M/N 201, with Nordson Glue Pot |
| 118 | { Group of lots: 117, 118, 119 (P) } Wexxar Corp. Case Sealer, M/N TS-6, S/N 1426, with Nordson Glue Pot |
| 119 | { Group of lots: 117, 118, 119 (P) } 1-Section of Arrowhead S/S Product Conveyor, with 7-1/2" W Chain, Approx. 58' L with Baldor Drive |
| 120 | 3-Sections of Power & Roller Conveyor, Power Conveyor Approx. 5' L x 10-1/2" W Belt, Roller Conveyor Approx. 20' L x 15-1/2" W Rollers, with (1) Adjustable Roller Conveyor |
| 121 | (2) Packaging Control Panels, Including (12) Allen Bradley PowerFlex 4's, (5) Allen Bradley PowerFlex 40's, Allen Bradley VersaView 1500P Touchscreen, Allen Bradley VersaView 1700P Touchscreen, Allen Bradley 17-Slot PLC Rack (Old Style), All Located in 4-Door S/S Control Panel & (2) Door Control ...[more] |
| 122 | S/S Conveyor Bridges,with Ladder and Hand Rails, Overall Dims.: Approx. 54" L x 33" W x 96" H |
| 125 | BULK BID: SUPER SAC SUGAR UNLOADING SYSTEM, INCLUDING CHERRY BURRELL 400 GAL. MIX TANK WITH S/S FUNNEL, ST. REGIS 1,400 GAL. SINGLE WALL S/S TANK, BUDGIT 2-TON ELECTRIC HOIST WITH SUPER SAC ATTACHMENT, FRISTAM 5 HP CENTRIFUGAL PUMP, ALLEN BRADLEY PANIELVIEW PLUS 1000 TOUCHSCREEN, INCLUDES LOTS 126- ...[more] |
| 126 | Cherry Burrell 400 Gal. S/S Mix Tank, S/N 400-77-1730, with Sterling 2 hp Off-Set S/S Clade Motor, 1750 RPM, with Bottom Prop Agitation, Includes Approx. 5 hp Centrifugal Pump and Top Mounted S/S Funnel with Outlet Valve, Tank Dims.: Approx. 64" Tall x 39" Dia. |
| 127 | St. Regis 1,400 Gal. Single Wall S/S Tank, Sloped Bottom, Dual CIP Spray Balls, Top Mounted Agitation, Tank Dims.: Approx. 62" Tall x 82" Dia. with Top Mounted Man Door, |
| 128 | Budget 2-Ton Electric Hoist System, with Super Sac Attachment, Including (4) 257" Tall Uprights and Cross Beams, SuperSac Unloading Station |
| 129 | Fristam 5 hp Centrifugal Pump, S/N FP73295996, 2-1/2" x 1-1/2" Clamp Type Inlet/Outlet |
| 130 | Allen Bradley Panel View Plus 1000 Touchscreen Display, CAT #: 2711P-RP2, with S/S Enclosure |
| 131 | Hamilton 50 Gal. S/S Kettle, S/N 9913-1, 150 PSI @ 366 F, with Hinge S/S Lid and Steam Valving |
| 132 | 2-Tank CiP System, with (2) 450 Gal. & 350 Gal. Single Wall S/S Tanks, Tank Dims.: 79" Tall x 42" Dia. And 62" Tall x 42" Dia. With Platform with Stairs, with Fristam Centifugal Pump, (3) Air Valves, S/S Heat Exchanger, Approx. 80" L x 7" Dia. With Steam Valving |
| 133 | Micro Motion S/S Flow Metering System, M/N DL200S999SU, S/N 233975 6794, with (4) Flow Meters with (3) Read Outs, with Sensors |
| 134 | Dust Collection System, with S/S Duct Work, and Plastic Collection Vessel |
| 135 | (2) S/S Control Panels, Includes (2) Allen Bradley PowerFlex 70's, (2) Allen Bradley PowerFlex 40's, (1) Allen Bradley 16-Slot PLC Rack (Old Style), (2) ABB Commander 1900 Chart Recorders |
| 136 | Remaining Items in Sugar Unloading Area, Including, (1) S/S Flow Diversion Station, (3) S/S Air Valves, (1) S/S Pneumatic Control Panel, with (5) S/S Check Valves (LOCATED ABOVE CIP SYST.) |

| | |
|------|--|
| 137 | Traulsen Double-Door S/S Refrigerator, Overall Dims.: Aprox. 52" L x 33" W x 83" Tall |
| 138 | Lot of Assorted Janitorial Supplies, Includes (6) Portable Mop Buckets, Snow Shovel, Mop, (3) Squeegees, Caution Sign |
| 139 | Storage Area Fence, with (2) Swing Gates, with (4) Vertical Posts and 2-Sections of Fencing |
| 140 | BULK BID: PASTEURIZATION SYSTEM, INCLUDES APV PLATE PRESS HEAT EXCHANGER, M/N R51, AND (2) S/S SHELL AND TUBE HEAT EXCHANGERS, LOTS 141-143 |
| 141 | { Group of lots: 141, 142, 143 } APV Plate Press Heat Exchanger, M/N R51, S/N 25724, with (1) Divider, (16) S/S Plates On Cold Side, (140) S/S Plates On Hot Side, (156) Total S/S Plates, S/S Frame, with Aprox. (32) S/S Spare Plates |
| 142 | { Group of lots: 141, 142, 143 } S/S Shell and Tube Heat Exchanger, Includes Centrifugal Pump, Steam Valving and Actuated Ball Valve, Mounted On Skid, Shell and Tube Dims.: Aprox. 77" L x 13" Dia. (NOTE: Used for Hot Side of Pasteuization System) |
| 143 | { Group of lots: 141, 142, 143 } S/S Shell and Tube Heat Exchanger, Includes Centrifugal Pump, Steam Valving and Actuated Ball Valve, Mounted On Skid, Shell and Tube Dims.: Aprox. 62" L x 8" Dia. (NOTE: Used for Cold Side of Pasteuization System) |
| 144 | Bell & Gosslett Shell and Tube Heat Exchanger, S/N 89R78866-01, Includes Centrifugal Pump, Steam Valving, Mounted On Skid, Shell and Tube Dims.: Aprox. 68" L x 9" Dia. |
| 145 | Krones 750 Liters Hot Water Tank, M/N M529057P, with S/S Shell and Tube Heat Exchanger, Dims.: Aprox. 45" L x 10-1/2" Dia. |
| 146 | A + B Process Syst. 150 Gal. Single Tank CIP System, S/N 11075301, with Cone Bottom, Includes Fristam 7.5 hp Centrifugal Pump |
| 147 | S/S Double Door Control Cabinet, Includes (3) PowerFlex 40 VFD's, (9) PowerFlex 4 VFDs, (2) PowerFlex 4M VFD's, (1) Allen Bradley 16-Slot PLC Rack (Old Style) (NOTE: Missing (2) Slot Inputs) |
| 148 | Fristam 10 hp Centrifugal Pump, S/N FPX7410010888, with Baldor 3500 RPM Motor, with Square D Safety Switch |
| 149 | S/S Platform with 6-Steps, Overall Dims.: Aprox. 85" L x 30-1/2" W x 55" H |
| 150 | { Choice of lots: 150, 151 } Jacksan & Torrey 8,000 Gal. S/S Single Wall Vertical Tank, Dome Top/Dome Bottom, with Mild Steel Legs (HFCS2) (NOTE: Previously Used As Sweetner Tank) |
| 151 | { Choice of lots: 150, 151 } Jackson & Torrey 8,000 Gal. S/S Single Wall Vertical Tank, Dome Top/Dome Bottom, with Mild Steel Legs (HFCS1) (NOTE: Previously Used As Sweetener Tank) |
| 152 | { Choice of lots: 152, 153 } Valley Foundry/Machine Works 6,500 Gal. S/S Single Wall Vertical Tank, with Mild Steel Base, Tank Dims.: 25' Overall Height x 7'9" Dia. (07458) (NOTE: Previously Used As Sweetener Tank) |
| 153 | { Choice of lots: 152, 153 } Valley Foundry/Machine Works 6,500 Gal. S/S Single Wall Vertical Tank, with Mild Steel Base, Tank Dims.: 25' Overall Height x 7'9" Dia. (07468) (NOTE: Previously Used As Sweetener Tank) |
| 153A | { Choice of lots: 153A, 154 } Valley Foundry/Machine Works 6,500 Gal. S/S Single Wall Vertical Tank, with Mild Steel Base, Tank Dims.: 25' Overall Height x 7'9" Dia. (07467) (NOTE: Previously Used As Sweetener Tank) |

| | |
|-----|--|
| 154 | { Choice of lots: 153A, 154 } Valley Foundry/Machine Works 6,500 Gal. S/S Single Wall Vertical Tank, with Mild Steel Base, Tank Dims.: 25' Overall Height x 7'9" Dia. (07460) (NOTE: Previously Used As Sweetener Tank) |
| 155 | { Option of lots: 155, 156, 157, 158 } Valley Foundry/Machine Works 6,500 Gal. S/S Single Wall Vertical Tank, with Mild Steel Base, Tank Dims.: 25' Overall Height x 7'9" Dia. (07465) (NOTE: Previously Used As Sweetener Tank) |
| 156 | { Option of lots: 155, 156, 157, 158 } Valley Foundry/Machine Works 6,500 Gal. S/S Single Wall Vertical Tank, with Mild Steel Base, Tank Dims.: 25' Overall Height x 7'9" Dia. (07463) (NOTE: Previously Used As Sweetener Tank) |
| 157 | { Option of lots: 155, 156, 157, 158 } Valley Foundry/Machine Works 6,500 Gal. S/S Single Wall Vertical Tank, with Mild Steel Base, Tank Dims.: 25' Overall Height x 7'9" Dia. (07459) (NOTE: Previously Used As Sweetener Tank) |
| 158 | { Option of lots: 155, 156, 157, 158 } Valley Foundry/Machine Works 6,500 Gal. S/S Single Wall Vertical Tank, with Mild Steel Base, Tank Dims.: 25' Overall Height x 7'9" Dia. (07466) (NOTE: Previously Used As Sweetener Tank) |
| 159 | Waukeshaw 7.5 hp Positive Displacement Pump, Size 130, 2-1/2" x 2-1/2" Clamp Type Inlet/Outlet, 1760 RPM Motor |
| 160 | Positive Displacement Pump Head, with 3" Clamp Type Inlet/Outlet |
| 161 | { Choice of lots: 161, 162 } Viking 10 hp Positive Displacement Pump, with Baldor 1175 RPM Motor, 230/460 Volts |
| 162 | { Choice of lots: 161, 162 } Viking 15 hp Positive Displacement Pump, M/N LL124, S/N 1408879, with Teco 1750 RPM Motor |
| 163 | 4-Coil Overhead Heating System, with Uprights and Cross Beams |
| 165 | DCI 3,000 Gal. S/S Processor, S/N C96-D-5107, 150 PSI @ 100 F, with S/S Legs, Man Ladder, Top Mounted Man Door |
| 166 | Trane Chiller, M/N RTAA 1004 XT01 A300 GNBFC, S/N U08H01154, 460 Volts/60 Hz/3 Phase |
| 168 | BULK BID: PRO-WATER SYSTEMS 15,000 GAL. PER DAY EQUALIZATION/AERATION WASTE WATER TREATMENT SYSTEM, MODEL C-100-HE, INCLUDES LOTS 169-180 |
| 169 | St. Regis 2,000 Gal. S/S Single Wall Tank, S/N 11369, with S/S Leg and Man Ladder, Top Mounted Man Door, Tank Dims.: Aprox. 87" Tall x 84" Dia. |
| 170 | 20,000 Gal. S/S Storage Silo, with Painted Exterior (NOTE: Missing Alcove) |
| 171 | Hoppered Bottom Clarifiers, Aprox. 130" L x 71" W |
| 172 | Vertical Mild Steel Storage Tank, Aprox. 7' Dia. |
| 173 | Waste Water Daf Chamber, with (5) Blowers, Spray System, with Service Walkway with Hand Rails. Dims.: Aprox. 67' L x 23' W |
| 174 | WCB 7.5 hp Positive Displacement Pump, M/N 60, S/N 105521, with Leeson 1740 RPM Motor |
| 175 | Tri-Clover 7.5 hp Positive Displacement Pump, M/N PR300-4M-UC2-5L-5, with 4" Clamp Type Inlet/Outlet |

| | |
|------|---|
| 176 | WCB 1 hp Positive Displacement Pump, M/N 130 01, with Super E 1150 RPM Motor |
| 177 | 10 hp Centrifugal Pump, with Reliance 1500 RPM Motor |
| 178 | Viking 15 hp Positive Displacement Pump, M/N Q124A, S/N 10845348, with 1160 RPM Motor |
| 179 | { Choice of lots: 179, 180 } Goulds 5 hp Centrifugal Recirculation Pump, M/N M3P1A2FRMDO, with Nema Motor |
| 180 | { Choice of lots: 179, 180 } Goulds 5 hp Centrifugal Recirculation Pump, M/N M3P1A2FRMDO, with Nema Motor |
| 181 | Mueller 10,000 Gal. S/S Silo, Single Wall and Insulated, with Alcove |
| 185 | Superior High Altitude Boiler System, M/N 6-X-1000, S/N 14976, Heating Surface 14976, Design Pressure 150 PSI, Steam Capacity 6900 lbs./Hr., Min. Valve Capacity 8224 lb./Hr., with Water Injection System, with (2) Pumps, Mounted on Skid |
| 186 | { Choice of lots: 186, 187 } Allen Bradley Centerline 39-Bucket Motor Control Center, Horiz. Power: 1200A, Vert. Power: 300A, Overall Dims.: Aprox. 140" L x 24" W x 92" H |
| 187 | { Choice of lots: 186, 187 } Allen Bradley 33-Bucket Motor Control Center, Horiz. Power: 1200A, Vert. Power: 300A, with (2) ABB VFDs, Overall Dims.: Aprox. 21' L x 24" W x 92" H |
| 188 | { Choice of lots: 188, 189 } Square D Transformer, Style 34349-17212-041, CAT No.: 75T3H, 75 KVA, 3 Phase |
| 189 | { Choice of lots: 188, 189 } HPS Transformer, 25 KVA, CAT #: NMF025LE, Type ANN |
| 191 | Ingersoll Rand 100 hp Air Compressor, M/N SSR-EP100, S/N CK4792U01263, Rated Operating Pressure 125 PSIG |
| 192 | Patton's Inc. Air Dryer, M/N DAC800, S/N 78F188, with (1) Vertical Air Receiver, Dims.: Aprox. 120" Tall x 36" Dia. |
| 193 | Sullair 30 hp Air Compressor, Part No. 407106, S/N 509650353-941, 200 PSIG Max., with Vertical Air Receiver, Aprox. 100" Tall x 36" Dia. |
| 194 | Glycol Recirculation System, with (2) 15 hp Centrifugal Pumps, with Baldor 3450 RPM Motors, with Aprox. 73" L x 75" W x 71" Tall Tank, Mounted on Skid |
| 195 | Water Softener System, with (2) Vertical Tanks and Top Mounted Meter, Tanks Dims.: Aprox. 66" Tall x 14" Dia. |
| 196 | S/S Sink with (2) Spickets and Knee Controls, with S/S Back Splash with Glove Holsters, Soap/Towel Dispensers, Hair/Beard Net Holders, 48" L x 23" W |
| 197 | Republic 1-Section of Lockers, with (2) Stacked Lockers |
| 200 | Toyota 2,900 lb. Sit-Down Electric Forklift, M/N 7BEU18, S/N 24543, with Side Shift, 36 Volt Battery, with 3-Stage Mast, with Exide 36 Volt Battery Charger, M/N D3G-18-850 ***Delayed Removal Dec. 31st |
| 200A | Nissan 4,300 lb. Sit-Down Propane Forklift, M/N KPHO 2A25V, with 3-Stage Mast ***Delayed Removal Dec. 31st/Does NOT Includes Fork Extensions |

| | |
|------|--|
| 201 | Toyota 4,400 lb. Sit-Down Electric Forklift, M/N 7FBCU25, S/N 69171, with 3-Stage Mast, with 48 Volt Battery, with Exide 48 Volt Battery Charger, M/N D3E2-24-950 ***Delayed Removal Dec. 31st |
| 201A | MAC Phazer 36 Volt Battery Charger, M/N 18MP750534, S/N 05153502 |
| 201B | Exide 36 Volt Battery Charger, System 3000, M/N ES3-18-950, S/N HR-57543-2-2-LH |
| 202 | Wulftec Stretch Wrapper, M/N WHP-150, S/N 12005-1-1103, 120 Volts, 1 Phase, with (3) Allen Bradley PowerFlex 4 VFDs, with Rotating Platform |
| 203 | Lan Stretch Wrapper, S/N 2505, with Rotating Platform, 115/230/460 Volts |
| 204 | { Choice of lots: 204, 205 } Clarke Electric Walk Behind Floor Scrubber, M/N Focus, Self Contained 110 Volt Charger |
| 205 | { Choice of lots: 204, 205 } Clarke Electric Walk Behind Floor Scrubber, M/N Encore L Class, with Clark Battery Charger |
| 206 | Genie Electric Sky Jack, M/N GS-2632, with 87-1/2" L x 30-1/2" W Platform |
| 207 | { Choice of lots: 207 } 5,500 lb. Hydraulic Pallet Jack, with 48" L Forks |
| 208 | 5,000 lb. Hydraulic Pallet Jack, S/N HPI 30-06-1529, with 48" L Forks |
| 210 | Fristam Aprox. 5 hp Centrifugal Pump, M/N FPX 9641-200, S/N FPX 35410301542, with 2-1/2" x 3" Clamp Type Inlet/Outlet, Mounted on S/S Portable Frame |
| 211 | { Option of lots: 211, 212 } NEW Baldor 10 hp Motor, 1180 RPM, Cat #: EM2332T, 230/460 Volts |
| 212 | { Option of lots: 211, 212 } NEW Baldor 10 hp Motor, 1180 RPM, Cat #: ECP2332T, 230/460 Volts |
| 213 | NEW SEW Drive, Type S77026DT100LS4BM62HR, 2235 RPM |
| 214 | Tri-Flo 10 hp Centrifugal Pump, M/N C327ME621TA, S/N 209994-01, with 2" x 3" Clamp Type Inlet/Outlet, with 3465 RPM Motor & 7.5 hp Centrifugal Pump, with 4" x 2" Clamp Type Inlet/Outlet |
| 215 | Waukeshaw 10 hp Positive Displacement Pump, M/N 130, with 3" X 3" Clamp Type Inlet/Outlet |
| 216 | NEW Baldor 10 hp Motors, 3490 RPM, CAT #: EJMM3711T |
| 217 | Lot of Assorted (22) Motors, Including NEMA, Baldor, and Leeson, and (1) S/S Clad Motor, 0.16-2 hp Motors (Located on 2-Pallets) |
| 218 | Lot of Assorted (19) Motors, Including Leeson and Baldor, 3 hp-10 hp (Located on 3-Pallets) |
| 219 | Lot of Assorted (32) Gear Drives, by Tigear, SE Encore, SEW (Located on 3-Pallets) |
| 220 | APV S/S Pump Head, M/N 8VS2, S/N H-5216-94, 3" x 2" S/S Clamp Type Head |

| | |
|-----|---|
| 221 | Dodge Screw Conveyor Reducer, Size: SCXT225 |
| 222 | S/S Plastic Glove Stand, with (4) Boxes of Plastic Gloves |
| 223 | { Choice of lots: 223, 224 } S/S Carts, with S/S Bottom Shelf, Aprox. 4' L x 3' W |
| 224 | { Choice of lots: 223, 224 } S/S Carts, with S/S Bottom Shelf, Aprox. 3' L x 3' W |
| 225 | Tuff + Gusty and Venco Industrial Fans, Mounted on Portable Frames, Aprox. 43" Dia. |
| 226 | Lot of Assorted S/S Tables and Plant Fixtures, (6) Total Pieces, (1) Desk Tye with Bottom Shelf and Side Walls |
| 227 | Lot of Assorted S/S Tables and S/S Foreman Desk, (1) with S/S Bottom Shelf |
| 228 | Aprox. 15 hp Sweetener Centrifugal Pump, with Butterfly Valve and Check Valve |
| 229 | { Choice of lots: 229, 230 (P) } Aprox. 5 hp Sweetener Centrifugal Pumps, with Butterfly Valves and Piping |
| 230 | { Choice of lots: 229, 230 (P) } Aprox. 5 hp Centrifugal Pumps, Screw Type Inlet/Outlets |
| 231 | Lot of Assorted Pumps, Motors/Drives by Fristam, Baldor, Tri-Clover, with Dayton Blower (Located on 5 Pallets) |
| 232 | Lot of Assorted Electrical Supplies Includes Conduit, Brackets, Sensors, Junction Boxes, and Other Electrical Supplies (Located on 6 Pallets) |
| 233 | Lot of Assorted Stockham Steam Valves, with (4) Butterfly and (4) Ball Valves (Located on 2 Pallets) |
| 234 | Lot of Assorted S/S Clamps, 1"-3" with Other S/S Fittings and Pipe Closers, and of S/S Closers |
| 235 | S/S Product Piping, 3" Clamp Type Piping, Aprox. 11' Sections |
| 236 | { Choice of lots: 236, 237 (P) } 3-Sections of Lockers, Stacked Lockers (18) Total Lockers |
| 237 | { Choice of lots: 236, 237 (P) } 3-Sections of Lockers, Stacked Lockers (18) Total Lockers |
| 238 | Vertical Tool Cabinets with 11-Drawers |
| 239 | (5) Vertical Filing Cabinets, with 5-Drawers, and (1) 2-Door Horizontal Filing Cabinet |
| 240 | (11) Vertical Filing Cabinets with (5) Drawers, and (1) 10-Drawer Horizontal Filing Cabinet |
| 241 | (4) Vertical Shelving Units, with 4-Shelves Per Unit |
| 243 | Lincoln Power Mig 255 Welder, Mounted on Portable Frame |

| | |
|-----|--|
| 244 | Miller Thunderbolt XL Welder, Mounted on Portable Frame |
| 245 | Willis Drill Press, M/N SE725, S/N 4963, with Palmgreen Machine Vice |
| 246 | Ball Bearing Double End Grinder, with 1 hp Motor 1725 RPM, and Craftsman Double Edge Grinder, M/N 397.19580 |
| 247 | Lot of Assorted Belts, by Dayton, Good Year, and Dayco |
| 248 | Lot of Assorted Parts, Includes 5-Cubbie Hole Parts Units, Bearings, Electrical, Lovejoy Pump Parts, Air Line Parts, Battery Charger Connectors, and Other Present Parts |
| 249 | 21-Sections of Pallet Racking, with 12' High Uprights, and Cross Beams |
| 250 | { Choice of lots: 250, 251, 252 (P) } Eagle 30 Gal. Double Door Flammable Storage Cabinet, M/N 1932 |
| 251 | { Choice of lots: 250, 251, 252 (P) } JustRite 40 Gal. Double Door Flammable Storage Cabinet |
| 252 | { Choice of lots: 250, 251, 252 (P) } JustRite 4 Gal. Flammable Storage Cabinets |
| 253 | { Choice of lots: 253, 254 } Modular Office Building, Overall Dims.: 28' L x 16' W x 112" H |
| 254 | { Choice of lots: 253, 254 } Modular Office Building, Overall Dims.: 28' L x 16' W x 112" H |
| 255 | S/S Plant Half Sink, with Foot Controls and Nozzels |
| 256 | VFD Units, Including (2) Allen-Bradley PowerFlex70s, Allen-Bradley 1336 Plus II VFD |
| 257 | Cutler-Hammer & Westinghouse Switches, 15-30 AMPS |
| 258 | Square D Switches, 20-100 AMPS |
| 259 | Allen-Bradley 1305 VFD Drives, CAT #: 1305-BA03A |
| 260 | 12 Pce. Misc. Electrical Lot, Includes (3) Programming Terminals, CAT #: 1201-HAI and Other Misc. Electrical |
| 261 | 5-Plant Fans, Assorted Sizes |
| 262 | 8-Pce. Plant Stairs, Assorted Sizes |
| 263 | Pallet of Assorted S/S Valves, Including (17) S/S Butterfly Valves, (1) Air Valve, and (2) S/S Check Valves |
| 264 | Lot of Assorted S/S Clamps, Assorted Sizes, Aprox. (156) Total Clamps, Assorted Sizes |
| 265 | Upright Beams and Cross Beams, Includes Triangle Beams (Located Outside), Used to Hold Process Piping |

266 S/S Process Piping, Straight Sections and 90 Degree Angle Sections, Some Valves and Fittings, Piping Ranging from 1"-4"

267 S/S Buckets

268 S/S Tables, Assorted Sizes, Some with Bottom Shelves

269 S/S Tables, Assorted Sizes
