



M. DAVIS GROUP, LLC

(2) Plant Auction - IMAC Dairy & Drying Plants– Located in Oklahoma City, OK and Muenster, TX

Texas
United States

Ended Dec 09, 2020 12:07pm ET (5:07pm GMT)

Lot	Description
0	Terms of Removal: Buyer's are permitted to conduct their own removal. If a buyer is interested in conducting their own removal, they must be approved by M. Davis Group & the Seller. If you are interested in being approved, you must submit the following information: Appropriate Certific ...[more]
1	Mueller Aprox. 6,500 Gal. S/S Vertical Crystallizer, S/N 131825, Tank Dims.: Aprox. 9' Dia. x 14' L Straight Side, Partial Bottom Sidewall Dimple Jacket, Side Entering Agitator, Dish Top, Sloped Bottom (LOCATED IN Muenster, TX)
2	Mueller Aprox. 6,500 Gal. S/S Vertical Crystallizer, S/N 131825-2, Tank Dims.: Aprox. 9' Dia. x 14' L Straight Side, Partial Bottom Sidewall Dimple Jacket, Side Entering Agitator, Dish Top, Sloped Bottom (LOCATED IN Muenster, TX)
3	Mueller Aprox. 6,500 Gal. S/S Vertical Crystallizer, S/N 131825-1, Tank Dims.: Aprox. 9' Dia. x 14' L Straight Side, Partial Bottom Sidewall Dimple Jacket, Side Entering Agitator, Dish Top, Sloped Bottom (LOCATED IN Muenster, TX)
4	Aprox. 1,500 Gal. S/S Single Wall Storage Tank, Tank Dims.: Aprox. 72" Diameter x 92" Straight Side, Flat Top, Sloped Bottom, Includes (2) 40 hp Centrifugal Pumps (LOCATED IN Muenster, TX)
5	Dual Compartment Aprox. 200 Gal. S/S Tank, Each Compartment Dims.: Aprox. 36" W x 36" L x 40" D (LOCATED IN Muenster, TX)
6	Surtobilt Positive Displacement Blower Vacuum Skid, M/N GAEHBLA, S/N 4453 (LOCATED IN Muenster, TX)
10	C. E. Rogers Spray Dryer, with S/S Components & Associated Valving & Fittings, Includes Platform & Stairs, First Effect Chest Will Be 56" Dia., Containing 622, 1-1/2" Dia. x 16' Long S/S Tubes, Heating Surface 3,888 Sq. Ft., Second Effect Chest Will Be 40" Dia., Containing 295, 1-1/2" Dia ...[more]
11	Aprox. 300 Gal. S/S Tank, Tank Dims.: Aprox. 48" Dia. x 42" H Straight Side (LOCATED IN Muenster, TX)
12	Aprox. 450 Gal. S/S Tank, Approximately 450 Gallon, Tank Dims.: Aprox. 56" Dia. x 44" H Straight Side (LOCATED IN Muenster, TX)
13	Aprox. 60 Gal. S/S Tank, Tank Dims.: Aprox. 42" Dia. x 15" H Straight Side (LOCATED IN Muenster, TX)
14	Alfa Laval Plate Heat Exchanger, M/N H7-RM, S/N 30101-99402, Built 1993. Expandable Stainless Steel Frame (LOCATED IN Muenster, TX)
15	Aprox. 450 Gal. S/S Dual Compartment Rectangular Tank, Internal Compartment Dims.: Aprox. 55" W x 55" L x 36" D, Mounted on S/S Legs (LOCATED IN Muenster, TX)
16	S/S Pasteurizer, Model SV 1 1/2-56-4-15, Mounted on Frame (LOCATED IN Muenster, TX)

- 17 Tri-Clover 4-Tank CIP System, with (2) Centrifugal Pumps. Includes S/S Balance Tank, Control Panel, & Associated Valving & Fittings (NOTE: Does NOT Include Heat Exchanger) (LOCATED IN Muenster, TX)
-
- 18 Aprox. 1,750 Gal S/S Horizontal Tank, with Carbon Steel Sheathing, Dish Heads, Tank Dims.: Aprox 84" Diameter x 72" Long with Ladder & Man Door, with Dual S/S CIP Spray Ball (LOCATED IN Muenster, TX)
-
- 19 Aprox. 1,750 Gal S/S Horizontal Tank, with Carbon Steel Sheathing, Dish Heads, Tank Dims.: Aprox 84" Diameter x 72" Long with Ladder & Man Door, with Dual S/S CIP Spray Ball (LOCATED IN Muenster, TX)
-
- 20 Aprox. 1,500 Gal. S/S Acid Tank, Tank Dims.: Aprox. 58" Wide x 72" Long x 96" Tall, with Bottom S/S Agitation (LOCATED IN Muenster, TX)
-
- 21 Cluster of (12) 2" Clamp Type S/S Air Valves (LOCATED IN Muenster, TX)
-
- 22 Aprox. 6,000 Gal. S/S Horizontal Tank, with Carbon Steel Sheathing, Dish Heads, Tank Dims.: Aprox. 96" Dia. x 192" L (LOCATED IN Muenster, TX)
-
- 23 Aprox. 4,000 Gal. S/S Horizontal Tank, with Carbon Steel Sheathing, Dish Heads, Tank Dims.: Aprox. 96" Dia. x 120" L (LOCATED IN Muenster, TX)
-
- 24 Aprox. 4,000 Gal. S/S Horizontal Tank, with Carbon Steel Sheathing, Dish Heads, Tank Dims.: Aprox. 96" Dia. x 120" L (LOCATED IN Muenster, TX)
-
- 25 Aprox. 700 Gal. S/S Rectangular Tank, Tank Dims.: Aprox. 72" Wide x 48" Long x 48" Deep (LOCATED IN Muenster, TX)
-
- 26 Gaulin Homogenizer, M/N 1250MCP185TBS, S/N 10756651 (NOTE: Missing Head & Other Parts--See Photographs)(LOCATED IN Muenster, TX)
-
- 27 S/S Pasteurizer, with S/S Balance Tank (LOCATED IN Muenster, TX)
-
- 28 Fitzpatrick Fitzmill, M/N DASO12, with Aprox. 36" Pedestal Sifter & Rotary Airlock Valve (LOCATED IN Muenster, TX)
-
- 29 Cluster of (10) 2" Clamp Type S/S Air Valves (LOCATED IN Muenster, TX)
-
- 30 S/S Curd Mixer, S/S Trough Dims.: Aprox. 9" Dia. x 72" L Ribbon Style Screw, Side Rotary Valve Discharge (LOCATED IN Muenster, TX)
-
- 31 Dual Air Operated Dewatering Cheese Press (LOCATED IN Muenster, TX)
-
- 32 Dual Air Operated Dewatering Cheese Press (LOCATED IN Muenster, TX)
-
- 33 6-Station Enclosed Horizontal Barrel Cheese Press, Stainless Steel with Carbon Steel Frame, with Front and Rear Doors (LOCATED IN Muenster, TX)
-
- 100 S/S Single Rotor Delumper, with S/S Feed Hopper, Aprox. 32" Wide x 8" Deep, Driven by a 5 hp Motor (LOCATED IN Muenster, TX)
-
- 101 Butler S/S Cyclong Collector, Aprox. 16" Dia. x 39" Tall, S/N 5208-693 Includes S/S Manual Lift, Mounted on S/S Portable Frame (LOCATED IN Muenster, TX)

102	Aprox. 200 Gal S/S Single Wall Tank, Aprox. 40" Dia. x 40" H Straight Side, with CAT 10 hp High Pressure Pump, M/N 1520, Mounted on Frame (LOCATED IN Muenster, TX)
103	Aprox. 85 Gal. S/S Tank, Tank Dims.: Aprox. 24" Diameter x 33" Straight Side (LOCATED IN Muenster, TX)
104	Rigid Pipe Threader, M/N 300, with Stand and Foot Pedal Control. Includes Various Dies (LOCATED IN Muenster, TX)
105	Dual Pedestal Grinder (LOCATED IN Muenster, TX)
106	Miller Dialarc HF Welder, S/N HG021606, Mounted on Portable Frame (LOCATED IN Muenster, TX)
107	Metal Welding Table, Overall Dims.: Aprox. 4' x 10' (LOCATED IN Muenster, TX)
108	Contents of Parts Room, Includes Bearings, Stainless Steel Pipe, Motors, Belts, Electrical Wire, Fuses, Fittings, and Other Present Parts In Photographs & Associated with the Lot (LOCATED IN Muenster, TX)
109	Ford 1000 Tractor with Rear Mower Attachment (LOCATED IN Muenster, TX)
110	S/S Cone Bottom Feeder, Cone Dims.: Aprox. 48" Diameter x 62" H Straight Side (LOCATED IN Muenster, TX)
111	Sullair Rotary Screw Air Compressor, M/N 12B-40HACAC, S/N 003-86148., 44,580 Hours (LOCATED IN Muenster, TX)
112	Chester Jenson 2-Compartment 2,000 Gal. S/S Tank, Tank Dims.: Aprox. 60" W x 52" L x 79" D (LOCATED IN OKLAHOMA CITY, OK)
113	Aprox. 2,300 Gal. S/S Processor, Tank Dims.: Aprox. 8' Diameter x 76" Straight Side, Dish Top, Sloped Bottom (NOTE: No Manway Cover) (LOCATED IN OKLAHOMA CITY, OK)
114	Aprox. 2,300 Gal. S/S Processor, Tank Dims.: Aprox. 8' Diameter x 76" Straight Side. Dish Top, Sloped Bottom (NOTE: No Manway Cover) (LOCATED IN OKLAHOMA CITY, OK)
115	S/S Tanks, (1) Aprox. 500 Gallon Zero Milk Tank, (1) Mueller Aprox. 1,000 Gallon HIPER FORM Tank, & (1) Mueller Aprox. 500 Gallon Tank (LOCATED IN OKLAHOMA CITY, OK)
116	Westfalia Separator, with S/S Bowl, Bowl S/N 1644416 (NOTE: Parts Machine--See Photographs) (LOCATED IN OKLAHOMA CITY, OK)
117	Gaulin Homogenizer, Type 10001CP185TBS, S/N 3797863 (NOTE: Parts Machine--See Photographs) (LOCATED IN OKLAHOMA CITY, OK)
118	Walker Aprox. 9,500 Gal. S/S Horizontal Tank, S/N 1520, Tank Dims.: Aprox. 108" Diameter x 20' Long, with Partial Bottom Sidewall Jacket, Dual Agitators, (4) S/S CIP Spray Balls (LOCATED IN OKLAHOMA CITY, OK)
119	Walker Aprox. 7,500 Gal. S/S Horizontal Tank, S/N 2720, Tank Dims.: Aprox. 108" Diameter x 15' Long. Partial Bottom Jacket, Dual Agitators, (4) S/S CIP Spray Balls (LOCATED IN OKLAHOMA CITY, OK)
120	Aprox. 20,000 Gal. S/S Silo, Silo Dims.: Aprox. 11' Dia. x 30' Tall, with Inverted Dish Bottom, Partial Bottom Sidewall Jacket, Side Entering Agitator (NOTE: Some Top Imploded Damage) (LOCATED IN OKLAHOMA CITY, OK)

121	Heil Aprox. 20,000 Gal. S/S Silo, S/N 911223, Silo Dims.: Aprox. 10' Diameter x 35' H, with Partial Bottom Sidewall Jacket, Sloped Bottom, Side Entering Agitator (LOCATED IN OKLAHOMA CITY, OK)
122	Heil Aprox. 20,000 Gal. S/S Silo, S/N 911224, Silo Dims.: 10' Diameter x 35' H. Partial Bottom Sidewall Jacket, Sloped Bottom, Side Entering Agitator (NOTE: Some Top Imploded Damage) (LOCATED IN OKLAHOMA CITY, OK)
123	Aprox. 20,000 Gal. S/S Silo, Silo Dims.: Aprox. 10' Diameter x 35' H, Sloped Bottom, Partial Bottom Sidewall Jacket, Side Entering Agitator (LOCATED IN OKLAHOMA CITY, OK)
124	Aprox. 20,000 Gal. S/S Silo, Silo Dims.: Aprox. 10' Diameter x 35' H. Sloped Bottom, Partial Bottom Sidewall Jacket, Side Entering Agitator (LOCATED IN OKLAHOMA CITY, OK)
125	Mueller Aprox. 2,000 Gal. S/S Processor, Processor Dims.: Aprox. 8' Diameter x 62" Straight Side with Baffle and 2 Blade Sweep Agitator (LOCATED IN OKLAHOMA CITY, OK)
126	Mueller Aprox. 2,000 Gal. S/S Processor, Processor Dims.: 8' Diameter x 62" Straight Side with Baffle and 2-Blade Sweep Agitator (LOCATED IN OKLAHOMA CITY, OK)
127	Mueller Aprox. 2,500 Gal. S/S Processor, Processor Dims.: Aprox. 5' Diameter x 72" H Straight Side, Dish Top, Sloped Bottom, Baffle, 2- Blade Sweep Agitator, & S/S CIP Spray Ball (LOCATED IN OKLAHOMA CITY, OK)
128	Creamery Package Aprox. 5,000 Gal. S/S Horizontal Tank, with Carbon Steel Sheathing, Tank Dims.: Aprox. 8' Diameter x 12' Long, Dish Heads, (2) Spray Balls, Partial Bottom Jacket (NOTE: No Manway Cover) (LOCATED IN OKLAHOMA CITY, OK)
129	Crepaco Stainless Steel Aprox. 6,000 Gal. S/S Horizontal Tank, with Carbon Steel Sheathing, Tank Dims.: Aprox. 8' Diameter x 16' Long, Dish Heads, Agitator Shaft with 2 Paddle Blades, Partial Bottom Jacket (NOTE: No Manway Cover) (LOCATED IN OKLAHOMA CITY, OK)
130	Cherry Burrell Aprox. 6,000 Gal. S/S Syrup Tank, Type GHWF, S/N 60-72-2700, with Carbon Steel Sheathing, Tank Dims.: Aprox. 8' Diameter x 16' Long, Dish Heads, (2) Spray Balls (NOTE: No Manway Cover)(LOCATED IN OKLAHOMA CITY, OK)
131	Mueller 6,000 Gal. S/S Horizontal Tank, with Carbon Steel Sheathing, Tank Dims.: Aprox. 8' Diameter x 16' Long. Dish Heads, Partial Bottom Jacket, (4) S/S CIP Spray Balls (NOTE: NO MANWAY COVER) (LOCATED IN OKLAHOMA CITY, OK)
132	Crepaco Aprox. 200 Gal. S/S Liquifier, S/N C-6775, Liquifier Dims.: Aprox. 38" Wide x 38" Long x 26" Deep. Non-Jacketed, Bottom Disc Blade, Driven by a 30 HP Motor (NOTE: No Cover) (LOCATED IN OKLAHOMA CITY, OK)