

M. DAVIS GROUP, LLC



Multi-Location Food, Beverage and (1) Tanker Trailer
Auction - Contact M Davis Group to Consign YOUR
Equipment

Now Accepting Quality Consignments. Call 412-521-5751 to
Consign Your Surplus Assets!

Multi-Location
IA, KS, KY, LA, MD, NH,
NJ, NY, OH,
OK, PA, TX, WI

Pennsylvania

United States

Ended Oct 25, 2023 2:22pm ET (7:22pm BST)

Lot	Description
-----	-------------

- | | |
|----|---|
| 1 | Tenderit Meat Tenderizer, Model 5000, S/N 5768 (Loading Fee \$100) (Located Oklahoma City, OK) |
| 2 | Ross Jaccard/Needle Tenderizer, Model TC700, Volt 110 (Loading Fee \$100) (Located Oklahoma City, OK) |
| 3 | Hollymatic Cuber for Patty Machine, Model B, S/N 563 (Loading Fee \$100) (Located Oklahoma City, OK) |
| 4 | Hollymatic Patty Machine, Model 518, S/N 01275 (Loading Fee \$100) (Located Oklahoma City, OK) |
| 5 | Hollymatic Patty Machine, Model 8/65, S/N 198 (Loading Fee \$100) (Located Oklahoma City, OK) |
| 6 | Anyl-Ray Fat Tester, Model 316-3, S/N 1350, Volt 115, Amp 2, Single Phase (Loading Fee \$100) (Located Oklahoma City, OK) |
| 7 | Holac Dicer, Type VA, Machine #2257, Volt 220, Phase 3 (Loading Fee \$100) (Located Oklahoma City, OK) |
| 8 | Dun Rite Spiral Slicer, Model W-3, S/N 133 (Loading Fee \$100) (Located Oklahoma City, OK) |
| 9 | Hobart Table Top Slicer, Model 1712, S/N 11-311-545, Volt 5, HP 1/3 (Loading Fee \$100) (Located Oklahoma City, OK) |
| 10 | Butcher Boy Flaker, Model AU-MF, S/N 522, Volt 230, Phse 3 (Loading Fee \$100) (Located Oklahoma City, OK) |
| 11 | Wipe-A-Matic Bone-In Product Cleaner, Model T, S/N 6288-140 (Loading Fee \$100) (Located Oklahoma City, OK) |
| 12 | Cryovac Shrink Steam Tunnel, Model 3072C-100, S/N 1293124, Volt 220, Phase 3 Air Pressure (Loading Fee \$100) (Located Oklahoma City, OK) |
| 13 | Multivac Thermoformer, Model M855 with Spare Parts and Dies (Loading Fee \$500) (Located Edgerton, KS) |
| 14 | Multivac Thermoformer, Model F100 (Loading Fee \$300) (Located Edgerton, KS) |
| 15 | Variovac Rollstock Machine (Loadng Fee \$500) (Located Edgerton, KS) |
| 16 | Ulma Rollstock Machine (Loading Fee \$300) (Located Edgerton, KS) |

17	Koch Double Chamber Vacuum Sealer (Loading Fee \$100) (Located Edgerton, KS)
21	Gemco 30 cu.ft. Porta Hopper Tumble Mixer, S/S Construction with 5 hp, 208-230/460 V, 3 Phase Wash-Down Motor, (13) Hoppers, Control Panels and Safety Fence (Loading Fee \$250) (Located Saegertown, PA)
26	Globe 30 Qt. Mixer, Model SP30, S/N 7312321 with Bowl and Paddle, 115 Volt (Loading Fee \$250) (Located Fort Worth, TX)
27	7" Bottle Labeler, (Loading Fee \$200) (Located Fort Worth, TX)
28	Hobart Pot and Pan Dishwasher / Heat Exchanger (Loading Fee \$250) (Located Fort Worth, TX)
29	Kaeser Rotary Screw Air Compressor, Model 0B90, S/N 753104, Hr. 90, Volt 460, Phase 3 (Loading Fee \$500) Located Fort Worth, TX)
29a	Kaeser Rotary Screw Air Compressor, Model 0B90, S/N 753099, Hr. 90, Volt 460, Phase 3 (Loading Fee \$500) Located Fort Worth, TX)
30	Vestil Tilt Master, Model TM-20-DC (Loading Fee \$150) (Located Fort Worth, TX)
31	Vestil Tilt Master, Model TM-20-DC (Loading Fee \$150) (Located Fort Worth, TX)
32	Showes 9" S/S Auger, Model 9SC5, S/N B7881, Yr. 2018 (Loading Fee \$500) (Located Fort Worth, TX)
33	South Palletpal Roll-On Level Loader, Model C2 5-28, Platform Size 44 x 48 (Loading Fee \$250) (Located Fort Worth, TX)
34	South Palletpal Roll-On Level Loader, Model C2 5-28, Platform Size 44 x 48 (Loading Fee \$250) (Located Fort Worth, TX)
35	South Palletpal Roll-On Level Loader, Model C2 5-28, Platform Size 44 x 48 (Loading Fee \$250) (Located Fort Worth, TX)
36	South Palletpal Roll-On Level Loader, Model C2 5-28, Platform Size 44 x 48 (Loading Fee \$250) (Located Fort Worth, TX)
37	Orion Pallet Wrapper, Model 33/O, S/N 0572012TL5D, Pre Stretch, 120 Volt (Loading Fee \$500) (Located Fort Worth, TX)
37a	Lantech Overhead Pallet Wrapper, Model S300XT, S/N SM002844, Volt 120, Single Phase, Year 2007 (Note: Wrapper is Already Taken Down and Palletized) (Loading Fee \$500) (Located Fort Worth, TXO)
38	Forklift Fork Spreader Attachment (Loading Fee \$150) (Located Fort Worth, TX)
39	Eagle 110 Gal. Flammable Fire Proof Cabinet, Model HAZ5510, Size 32 W x 58 L x 65 High, Holds (2) 55 Gal. Barrels (Loading Fee \$150) (Located Fort Worth, TX)
40	Perl 6OST-6-T 6-Head Filler, S/N 209 (Loading Fee \$150) (Located Fort Worth, TX)
41	Titan H-100 Autobagger (Loading Fee \$150) (Located Fort Worth, TX)
42	Sergeant 110CT SGT Combo-II SYS Cap Shrink Wrapping System, S/N 68637, Volt 120 with Casters (Loading Fee \$150) (Located Fort Worth, TX)

42a	Little David Semi-Automatic Case Erector, Model CF-5, S/N 1511892CF5/E, Volt 110 with Casters (Loading Fee \$150) (Located Fort Worth, TX)
43	Four Continues Vertical Band Sealers, Volt 110 with Adjustabel Height (Loading Fee \$150) (Located Fort Worth, TX)
44	30" Wide x 24' Long Skate Wheel Flex Convenyor (Loading Fee \$150) (Located Fort Worth, TX)
44a	24" Wide x 24' Long Skate Wheel Flex Conveyor (Loading Fee \$150) (Located Fort Worth, TX)
44b	24" Wide x 40' Long Skate Wheel Flex Conveyor (Loading Fee \$150) (Located Fort Worth, TX)
45	Rosedale Filter System, Mode DNCO8-30-2F-1-150--CBPODPG, 150 psi (Loading Fee \$200) (Located Fort Worth, TX)
45a	American Chillers, Model DAVM2003 - Split, Indoor Pump/Evaporator Cabinet, S/N 2104027, Volt 207-230/3/60 (Loading Fee \$250) (Located Fort Worth, TX)
48	Acro 7,000 Gal. Tanker, Model AUGUR, VIN #1A911442121005035 - SOLD AS IS (Unit #9829) (Located Pacific Junction, IA)
50	Manesty Model B Unipress 27-Station Tablet Press, S/N 15712, 230 Volt, 3 Phase (Located Union Grove, WI) (Loading/Rigging Fee \$500)
51	Broderson Carry Deck Crane, Model IC 80 1D, S/N 131716, Propane, 35 Foot Boom with Jib (Located Union Grove, WI) (Loading/Rigging Fee \$450)
52	Stainless Steel Drain Table 24 x 48 inch (Located Union Grove, WI) (Loading/Rigging Fee \$75)
53	4 inch Flow Divert Valve (Located Union Grove, WI) (Loading/Rigging Fee \$25)
54	100 Gallon S/S Tank 30" dia x 53" tall (Located Union Grove, WI) (Loading/Rigging Fee \$50)
55	COP Tank with 5 hp Pump (Located Union Grove, WI) (Loading/Rigging Fee \$150)
56	Anderson AJ 300 Chart Recorder (Located Union Grove, WI) (Loading/Rigging Fee \$75)
57	Anderson AJ300 Chart Recorder (Located Union Grove, WI) (Loading/Rigging Fee \$75)
58	Garver Electrifuge, S/N 12602 (Located Union Grove, WI) (Loading/Rigging Fee \$75)
58a	(30) Qty. 3" S/S Clamps (Loading Fee \$25) (Located Union Grove, WI)
58b	(60) Qty. 2.5" S/S Clamps (Loading Fee \$25) (Located Union Grove, WI)
58c	(100) Qty. 2" S/S Clamps (Loading Fee \$50) (Located Union Grove, WI)
58d	(50) Qty. 1.5" S/S Clamps (Loading Fee \$25) (Located Unon Grove, WI)

58e	(25) Plastic Pallets - Aprox. 40" x 48" (Loading Fee \$125) (Located Union Grove, WI)
58f	(20) Plastic Pallets - Aprox. 40" x 48" (Loading Fee \$100) (Located Union Grove, WI)
61	Greerco In-Line Colloid Mill, Model W750H with 20 hp XP Motor - Unused (Located Rahway, NJ)
61a	Cornell D16 Versator, S/N 9617, S/S Contact Parts (Located Rahway, NJ)
62	10 cu.ft. S/S Double Ribbon Blender Mixer, Last Used in Food Manufacturing Plant (Located Slidell, LA)
63	Spreey 800 mm 52 Plate Filter Press (Located Lexington, KY)
66	McCarter Corp. Dual Compartment Chocolate Mixing Tank, Type RG, S/N 51-305-629 with 15 hp Motor and Drive, 230/460 V, 1750 RPM, 3 Phase, Mounted on Milk Steel Legs (Rigging, Loading Site Management Fee \$1,750 USD) (Located McKeesport, PA)
67	Blommer Single Compartment Horizontal Jacketed Chocolate Tank, with 5 hp Motor Drive, 230/460 V, 1175 RPM, Mounted on Mild Steel Legs (LOCATED IN MCKEESPORT, PA) (RIGGING, LOADING, SITE MANAGEMENT FEE: \$1,750.00 USD)
70	IWM Dump Buggy Washer, Model EC20L SP, YOM 2012, UK Made (Located Jessup, MD) (Loading Fee \$200)
71	Goodway Continuous Mixer, S/N QC002-2011, Includes 150 Litre. Batter Holding Tank, S/S Holding Tank is Jacketed for Temperature Control. S/N QC002-2011, Very Good Condition. (SOLD AS IS WHERE IS) (Loading Fee \$100) (Located Jessup, MD)
72	Aprox. 175 litre Jacketed Agitated Slurry Mixer, S/N QC001-2011, S/S Construction, Very Good Condition (SOLD AS IS WHERE IS) (Loading Fee \$100) (Located Jessup, MD)
73	Turbo Tools Dough Cutting Table with Tools - In Complete Working Order (SOLD AS IS WHERE IS) (Loading Fee \$100) (Located Jessup, MD)
74	Pallet Turntable Wrapper - As New - Never Installed (SOLD AS IS WHERE IS) (Loading Fee \$100) (Located Jessup, MD)
77	2008 Multivac Flow Wrapper, Model R535, S/N 121247, LH Configuration, 480 Volts, 3 Phase, 100 psi, (2) Pumps Mfg. Busch - (1) Pump is Cobra for Sealing Station and (1) Pump is a Model MINK for Forming Station (MDG I.D. #15) (Located Little Chute, WI)
77a	2008 Multivac Flow Wrapper, Model R535, S/N 123849, LH Configuration, 480 Volts, 3 Phase, 100 psi, (2) Pumps Mfg. Busch - (1) Pump is Cobra for Sealing Station and (1) Pump is a Model MINK for Forming Station (MDG I.D. #11) (Located Little Chute, WI)
77b	Assorted Spare Parts for Multivac Roll-Fed Flow Wrappers, Model R535 including: Vacuum Pumps; Bar Seals; Arm Sealers; Plate Heating; Assembly Sprockets; Transformer; Digital Modules; Bulk Hold-Down; Bearing Drives; Plate Backing; Guide Chain; Gear Motors, Solenoid Pneumatic Valve; Rod Connectors; Se ...[more]
80	G H (Alfa Laval) 7.5 hp 4" S/S Sanitary Positive Displacement Pump, Model 822, S/N 95-8-50174 with Belt Driven Motor, 3/60/230/460 V, Unit Mounted on a S/S Base, This Pump Was Just Recently Removed From Service From a Dairy Plant. Pump is in Excellent Working Condition as Seen with Attached Video (L ...[more]
81	Sprout Waldron S/S Sanitary Pedestal Sifter Model PS34, Single Deck with 2-Separations, System will come with 3 Screens, 1 hp Drive Motor, 3/60/230-460 V, This was Last Used in the Dairy Industry Under a Spray Dryer, System was just run through Shop and remains in excellent working condition, Please ...[more]

81a	Gizzard S/S Washer / Cleaner, Model MC2 - Poultry Processing Equipment, Last Used in the food industry and remains in very good condition. Gizzard Washer/Cleaner is designed for removing gastric contents and fat from the surface of opened gizzards. The gizzard washer and cleaner is manufactured in s ...[more]
81b	Gizzard S/S Washer / Cleaner, Model MC2 - Poultry Processing Equipment, Last Used in the food industry and remains in very good condition. Gizzard Washer/Cleaner is designed for removing gastric contents and fat from the surface of opened gizzards. The gizzard washer and cleaner is manufactured in s ...[more]
82	Grote S/S Sanitary Slicer/Applicator, Model S/A, We have Many Different Sizes of Tooling for this Slicer; Product Size up to 6" (152.4 mm) Dia., Slicing Zone - 22", 30" or 48" Wide; Slice Thickness up to .5" (12.7 mm) standard, up to 1.5" (38.1 mm) Optional; Slicing Zone Widths 22" (558.8 mm), 30" (...[more]
83	Dixie Evolution Thermoformer, Model Evolution, S/N EVO.0211, Mfg. 1998 -- System last used in the dairy industry doing cheese -- Unit is in excellent condition and comes with numerous spare parts. This system will need to ship via flatbed (Loading Fee \$250) (Located Hortonville, WI)
84	Fitzpatrick 10 hp S/S Delumper/Crusher, 230/460 V, Dual Shaft 6" Diameter Rolls x 12" L, System Mounted on a Carbon Steel Portable Frame, This is a Plug and Play, Unit was Last Used in the Food Industry and Remains in Excellent Working Condition (Crating and Loading Fee \$400) (Located Hortonville, W ...[more]
85	EasteyHeat Shrink Tunnel, Model ET1608-30-MPV-1, S/N ET1608 301-5090. Used Shink Tunnel with 4-Directional Air Flow Provides Positive Shirinking, Variable Velocity Control, Lockign Casters, Variable Speed Conveyor, Roller Conveyor, Three Heater Banks, Chamber Dimensions 30 L x 16" W x 08" H. Designed ...[more]
86	Thermo Goring Kerr Tek DSP3/3-PSU S/S Sanitary Metal Detector. Unit was last used in the food industry. Specs include Apperture Opening 7-1/2" W x 7" H, All S/S Head and Frame, Frame Extension is Carbon Steel, 120/230 Vac, 50/60 Hz, 6" W White Intralox Belting, 6-1/2" High Product Clearance, Air Bl ...[more]
86a	Loma Metal Detector, S/S Sanitary Unit Aprox. 6" W x 3" H Apparature Opening, 5" W Belt, Air Blast Reject, Touchpad Controls, Infeed and Discharge Height is 32", Adjustable Foot Pads to Raise and Lower Infeed Discharge Heights, All S/S Frame, Plug and Play Ready, Unit Just Removed from Service in 20 ...[more]
86b	Safeline S/S Sanitary Metal Detector, Model SL2000, S/N 21040-05 with 6 x 4 Apperture Opening, 48" Infeed and Discharge Height, 4" x 48" Intralox Belt Conveyor (Lased Used in the Food Industry) (Crating and Loading Fee \$350) (Located Hortonville, WI)
87	Bradman LakeDual Mandrel Tray Former, Model XS2-60, S/N 16891 with Allen Bradley Micrologix Controller, 480 V, Portable on Casters, Unit last used in the food industry, System remains in Excellent Condition, This sytem wil need to ship via flatbed (Loading Fee \$400) (Located Hortonville, WI)
88	Used OK International Case Erector/Taper, Model Superformer 1, S/N 00-21098, Mfg. 2000, OEM 2" Tape Head, 480 V, 3 Phase, 60 Hz, OEM Case Size Range - Minimums are Aprox. 8" L x 8" W x 6" D and Maximums are Aprox. 24" L x 20" W x 24" D; OEM Rated at Up to 15 Cases Per Minute, S/S Frame Including Hou ...[more]
89	CTM Printer Applicator with Portable Stand and Parts Unit, Model 3600-PA, S/N 3600-0726-0504. There is also a parts unit that will come with this system, The 3600-PA Dual Action Tamp (DAT) Printer Applicator is a high speed, thermal transfer labeler used to print and apply pressure sensitive labels ...[more]
90	Interpack Top and Bottom Case Sealer Taper, Model UA 262024-B, S/N TM09511 E 001 with Autoflap, IPG's UA Series Uniform Automatic Case Sealers are Operator Free Machines that fold the top four flaps and process same sized RSC Style Cases. Side Belt Drive is Preferred for Void Fills, Overfills and Li ...[more]

91	S/S Sanitary Ribbon Blending Hopper/Tank, Aprox. 330 cu. Ft. / 2500 Gallons, All S/S Design Units, Measure Aprox. 200" L (16.5 Ft.) x 72" W x 72" Deep with 15 hp Main Drive Motor for Ribbon Agitator, 7.5 hp Drive Motor for Screw Augers, 10 hp Drive Motor for Waukesha 224 Positive Displacement Pump (...[more]
91a	S/S Sanitary Ribbon Blending Hopper/Tank, Aprox. 330 cu. Ft. / 2500 Gallons, All S/S Design Units, Measure Aprox. 200" L (16.5 Ft.) x 72" W x 72" Deep with 15 hp Main Drive Motor for Ribbon Agitator, 7.5 hp Drive Motor for Screw Auger, All Motors are 208-230/460 V. These were last used to blend chee ...[more]
92	3M Top and Bottom Case Taper, Model 700 RKS, Type 19300, S/N 6187 with 3" Tape Heads, 115 Volt, 5.8 Amps (Loading and Crating Fee \$400) (Located Hortonville, WI)
93	3M Adjustable Top and Bottom Case Taper, Model 200A, Type 29200, S/N 7844 with 2" Tape Head, 110 Volt (Loading and Crating Fee \$400) (Located Hortonville, WI)
94	3M Adjustable Top and Bottom Case Taper, Model 200A, Type 29200, S/N 50072 with 2" Tape Head, 110 Volt (Loading and Crating Fee \$400) (Located Hortonville, WI)
95	3M Adjustable Top and Bottom Case Taper, Model 200A, Type 29200, with 2" Tape Head, 110 Volt (Loading and Crating Fee \$400) (Located Hortonville, WI)
96	3M Adjustable Top and Bottom Case Taper, Model 200A, Type 29200, with 2" Tape Head, 110 Volt (Loading and Crating Fee \$400) (Located Hortonville, WI)
97	3M Adjustable Top and Bottom Case Taper, Model 200A, Type 29200, with 2" Tape Head, 110 Volt (Loading and Crating Fee \$400) (Located Hortonville, WI)
98	Fabco 18" x 108" S/S Sanitary Conveyor, Model F4-FBC, S/N 310305-431 (7-1-11) with 2-Lug Link Chain for Blocks or Boxes, 19" Between Side Rails with 3" High Side Walls, 13" Overall Wide Across Chain Area, 108" Long Belts, 31" High with Adjustable Legs, 1 hp, 208-230/460 - Complete with Control Box, ...[more]
99	Aprox. 10" Wide x 281" Long Incline S/S Sanitary Intralo Belt Conveyor with 1/2" High Cleats, 9" Apart, Infeed 9" High, Discharge 13.5"; 2" Guide Rails Run Entire Length of Conveyor, Portable Locking Casters, Lesson S/S Wash Down Drive Motor, See Motor Tag Photo for Specs. Unit was last used in the ...[more]
100	Aprox. 10" Wide x 201" Long Incline Intralo Belt Conveyor with 12" High Infeed, 41" High Discharges, S/S Side Rails - Run Entire Length of Unit; All S/S Sanitary Construction; Hydraulic Driven, Portable on Casters, Unit last used in the food industry and remains in excellent condition, This unit due ...[more]
101	Aprox. 10" Wide x 158" Long S/S Blowoff Belt Conveyor with 10" Wide Belt with Perforations to Allow Air to be Blown on the Product, 158" Long, 30" Infeed and Discharge Height (Heights Can be Varied with Adjustable Foot Pads); .5 hp, 208-230/460 S/S Wash Down Drive Motor, 14" Backsplash that runs 154 ...[more]
102	Blentech S/S Sanitary Batch Steam Cooker, Model SM-4848-PJS, Year Mfg. 2002, Lasted utilized in the food industry, MAWP PSIG 45 at 292 Degree F, MDMT 45 PSIG at -25 Degree, Pressure Jacketed and Live Steam Bottom Injection, Scraped Surface Agitation with Paddles, Aprox. 22 cu. ft. working (630 Litres ...[more]
103	Aprox. 8" W x 16' L S/S Sanitary Intralox Conveyor with 90 Degree Turn, 1/2 hp Drive, 208/230/460 V, Electric Eye, Infeed and discharge height is 45 inches. This is adjustable with foot pads, 2 Inch siderails the entire length of the conveyor -- This system was last used in a Tyson Foods Plant and j ...[more]

104	Econo Chesse Corp. 16" W x 189" L S/S Sanitary Incline Blue Belt Conveyor, S/N SS 102612 with 16" Wide Sanitary Solid Blue Belting, First Section of Conveyor Measures 90" Before Incline Section, 8" Side Rails Run the Entire First Section on the Conveyor, Incline Troughing Section of Conveyor Measure ...[more]
105	Aprox. 34" x 167" S/S Sanitary Blue Intralox Belt Conveyor, All S/S Construction, Infeed and Discharge Height Can be Changed with the Adjustable Legs, Hydraulic Driven, 2-1/2" Side Rails, Portable on Casters, Unit last used in the food industry. This item should ship via flatbed. Could possibly go c ...[more]
106	2-Tank CIP Unit, Each Tank Aprox. 50 Gal., Unit Last Used in the Dairy Industry, All S/S on Common Frame, Each Tank measures 24" x 24" x 37" Deep, Overall Dimensions of the Unit are 53" L x 26" W x 55" H (NOTE: Will Crate the System for \$300) (Loading Fee \$50) (LOCATED HORTONVILLE, WI)
107	PMR (Packaging Machinery Resources) Dual Lane Continuous Container Filler, Sealer, Lidder, Model 1300, S/N 20070207, with All S/N Sanitary System, 440 Volt, Allen Bradley Micrologic Controller, Allen Bradley PowerFlex Speed Controller, Allen Bradley Panelview 300 Control Pad, Unit is on Casters, Sys ...[more]
108	200 CU FT Stainless Steel Liquids/Powder Paddle/Ribbon Blender, (111 cu ft capacity to top of agitator arm, Trough measures: 48"W x 96"L x 80" deep overall, Agitator is 46" dia with 3-1/2" wide blades x 3/8" thick, Single shaft, No mfg tag, 3 inch end bottom drain; 21-1/2 clear to ground, 2 hp SEW E ...[more]
109	BOXXER T-30 Automatic Case Erector and Bottom Tape Sealer from Eagle Packaging Machinery, Model BOXXTER T-30, S/N 14281, 3/60/230 V, This is an affordable and compact erector capable of running both regular-slotted and half-slotted style boxes, Erecting and Taping up to 30 cases/min. System was last ...[more]
110	Food Process Systems S/S Sanitary Box Filler, Model 6000, S/N 145702 with Allen Bradley Ultra 3000 Controllers with PanelView 300 Screen, A-B Servo Motor, Aprox. 12" W x 110" L Intralox Box Filling Conveyor System, Mfg. by Food Process Systems, Lodi, WI; White Flighted Intralox Belt Set at 36" Work ...[more]
111	Food Process Systems S/S Sanitary Box Filler on Portable Casters, with Allen Bradley Servo Motor and Controls, Aprox. 12" W x 116" L Box Filling Conveyor System, Blue Intralox Belt Set at 32" Work Height, See Through plastic feed chute over belt, OAD's: Aprox. 36" W x 120" L x 86" H. Used in excelle ...[more]
111a	Aprox. 2" Dia. S/S Sanitary Screw Feeder x 48" Long x 40" Discharge Height Variable with S/S Hopper with Bin Vibrator, 1 hp SEW Eurodrive Motor, Variable Speed Controlled - Complete with Control Panel with Variable Speed Controller, Start and Stops, All S/S Sanitary Construction, S/S Safety Grate, P ...[more]
112	Hoppman Centrifugal Bottle Feeder, Model FT/40, S/N 16136, Unit is in Very Good Condition, Will Crate for No Charge to Ship Common Carrier, Please inquire for shipping Rates (Located Hortonville, WI)
113	FMC Link Belt S/S Sanitary Vibratory Feeder (now owned by PPM Technologies) - Main Feed Pan 12" W x 6" D x 84" L, 1 hp, 230/460 V, 3.6 / 1/8 amps, Discharge Height 35". This Adjustable, Foot Pad Mounting to Floor, All S/S Construction, OAD's: 42" W x 104" L x 43"H, Last Used in Food Industry, Used i ...[more]
114	Smalley Vibratory S/S Feeder Conveyor, Model 1-V-015-007-SS-USDA, S/N 9108, Aprox.- 15" W x 84" L x 37" Discharge Height - Last Used in Food Industry, Self-Contained Electric/Hydraulic Operated - Not Adjustable Speed, 1/2 hp, 208/230-460 V, Overall Dimensions 39" W x 84" L x 68" H, All S/S Sanitary ...[more]
115	Waukesha Cherry Burrell Thermutator, Model 624DE, Serial # 98113UA, Product 400 PSI, Media 250 PSI, Product 400 deg F, Media 400 deg F, Unit complete with start/stop controls, Overall dimensions 72 inches wide X 72 inches long X 30 inches high, Last Used in the Food Industry, Used in excellent condi ...[more]

116	Marchant Schmidt S/S Sanitary Accumulation and Diverger Conveyor, ID #18511-023 (2010) - This is an accumulation and diverging unit. It can divert 4-lanes of product and accumulate, then divert to single file at 120 pcs. a minute, Unit has (4) 1-5/8" W x 25" L Flat Belts at Infeed, They feed onto ac ...[more]
117	Aprox. 15" 126" L White Intralox Belt Conveyor with 32" Infeed and Discharge Height. Infeed and Discharge Heights are Adjustable with Foot Pads, All S/S Frame, Last Used in the Food Industry and Reamins in Excelletn Condition (Crating and Loading Fee \$400) (Located Hortonville, WI)
118	New England Machinery Stainless Steel Inclie Cleated Belt Conveyor, Stainless steel construction, Hopper measures 50 inches X 50 inches X 22 inches, 20 Inch wide solid belting, 3 Inch high cleats, Discharge height is 80 inches, Unit is portable on casters, This system will need to ship via flatbed(L ...[more]
119	HiSpeed Micromate Checkweigher, Model CM60MM-MS, S/N 10760 - Unit last used in the food industry, Used in excellent condition, Pedestal column control heads, Job 92110480, Scale head is missing drive motor, Chains are 6-1/4" apart and 20-1/2" L, System Fires Up Under Power, Will Crate Unit to Ship C ...[more]
120	HiSpeed Micromate Checkweigher, Model CM60MM-MS, S/N 10761 - Unit last used in the food industry, Used in excellent condition, Pedestal column control heads, Job 92110480, Scale head is missing drive motor, Chains are 6-1/4" apart and 20-1/2" L, System Fires Up Under Power, Will Crate Unit to Ship Co ...[more]
121	Nercon Incline Belt Conveyor, Aprox. 12 Inch Wide X 123 Inches Long, Infeed Height is 15 Inches, Discharge Height is 46 Inches, 2 1/4 Inch Adjustable Siderails, Infeed and Discharge Height Adjustable with Adjustable Footpads, 1 HP Baldor Drive with Tigear Gearbox 3/60/230/460 Volt, Vibco Adjustable ...[more]
122	Dorner Inspection Conveyor, Series 2200, Aprox. 3- 1/2 Inches Wide X 36 Inches Long with Markem 9840 Data Control Display (see these on ebay from 700-4500 by itself), Electric Eyes, Air Operated Reject, Hinged Covers , All Stainless Steel Frame, Adjustable Legs, Overall Dimensions are 65 Inches Hi ...[more]
123	Wieland Engr. Aprox. 22" x 86" Inclined Troughing Blue Belt Sanitary Conveyor, S/N A555004, Last used in the food industry conveying cheese, Used in excellent working condition, Stainless Steel Sanitary Construction, Air cylinders tighten belt tension, 14 inch infeed x 47 inch discharge, Belt scrape ...[more]
124	10 inch wide dual lane 90 degree slat top conveyor with 90 deg turn dual lane , Each lane is 10 inch wide, Slight incline from 36 to 42 inches, Infeed and discharge heights adjustable with adjustable foot pads, 1-1/2 hp, Outside lane makes 5 ft turn, Unit is in excellent working condition, Will crat ...[more]
125	Dual 18" White Intralox Belt Conveyor Pack Off S/S Conveyor, Both Belts are 18" W x 72' Long, Tables measures 15-1/2" w x 56-1/2" Long - Unit is currently set up with a slight incline. Current infeed is 17" and 36" High with a discharge of 24" and 48" -- 1/2 hp S/S Washdown Drive, 3/60/230/460 V, Si ...[more]
126	Marchant Schmidt S/S Incline Cleated Conveyor, Aprox. 12" W X 130" L, Unit last used the food industry and remains in excellent working condition with Cleated White Intralox Belt Conveyor, 12 Inch wide belt with 2 inch high cleats spaced 10 to 24 inches apart, 130 Inch long belt length, Infeed heigh ...[more]
127	Johnson Cheese Shredder, Model 9600, All S/S Sanitary Construction, Dual Lane Feed to Handle Up to 40 pound blocks, Each Lane measures 24" L x 8-1/2" W x 8-1/2" High. System is rated up to 10,000 lbs. per hour depending on feed rate, System has Speed Control, Portable on Casters, NOTE: Tetra Pak pur ...[more]
128	Keenline S/S Sanitary 90 deg intralox belt conveyor, Serial # 20211SAR, This unit was last used in the food industry conveying cheese. The unit is as nice as you will find used. with 18 inch wide belt, 94 inches overall length, 3/4 hp Baldor drive 3/60/208-230/460 volt, Current infeed height is 12 i ...[more]

129	Keenline 10 Inch Wide S/S Sanitary Incline Intralox Belt Conveyor, S/N 17677SAR - Variable Speed with 90 deg exit, Last used in the food industry and remains in excellent working condition, S/S Side Rails, 90 Degree Turn at the Exit, Conveyor total overall length is 202 inches, Unit has an Allen Bra ...[more]
129a	Spantech Aprox. 10" W x 199" L S-Turn S/S Intralox Belt Conveyor with .5 hp S/S Drive Motor, 208-230/460 V Motor, 199" L Portable on Casters. Unit last used in the food industry and remains in excellent working condition, This unit will need to ship via Flatbed Due to the Length (Loading Fee \$200) (...[more]
129b	Aprox. 15" Dual Intralox S/S Sanitary Food Grade Pack-Off Conveyor -- Unit Last Used in the food industry and remains in excellent working condition. Top Intralox Belt is 15" W x 40" L, Bottom Intralox Belt is 15" W x 44" L, Infeed Height for Bottom Belt is 29", Infeed Height for Top Belt is 47". Th ...[more]
130	Waukesha SPX Model 134 Stainless Steel Sanitary Positive Displacement Pump, Serial # 300918 02 with Baldor 7 1/2 HP 208/230/460 Volt 1725 RPM, Mounted on a stainless steel frame with adjustable legs, 10 to 1 Dodge Gear Reducer, Rectangular inlet 4 1/2 inches X 15 1/4 inches, 3 1/2 Inch tri clamp out ...[more]
131	Key Iso Flo S/S Sanitary Shaker/Feeder, Model Model 431751-1, S/N 03-96940, Aprox. 18 Inches X 10 Foot, This unit was last used in the dairy industry and remains in excellent condition.All Stainless Steel Sanitary Construction, Overall dimensions of the unit measures 30 inches wide X 122 inches long ...[more]
132	S/S Sanitary Vibratory Scale Feeder, Aprox. 24" W x 132" L. Last Used in Food Industry. Unit Removed From Production fr Koch Foods Nov. 2021, Last Used to Feed a Rotary Scale Doing Chicken Breasts, Dimple Pan Measures 132" L x 24" W x 10" Deep, Infeed Height 36", Discharge Height 32", Heights are Ad ...[more]
133	S/S Sanitary Vibratory Scale Feeder, Aprox. 16" W x 112" L. Last used in Food Industry. Unit Removed from Production Floor from Koch Foods, Nove. 2021. Last Used to Feed a Rotary Scale Doing Chicken Breasts. Dimple Pan Measures 112" L x 16" W x 8" Deep, Infeed Height 36", Discharge Height 28", Heigh ...[more]
134	CSE S/S Sanitary Steam Injected Screw Cooker / Blancher, Model CCS.2014.W, S/N 85002, Aprox. 20" Dia. x 14 ft. with Aprox. 20" Dia. x 14 ft. L Auger, 10 Bottom Steam Injected Ports, 3-Hinged Covers, Insulated Sidewalls, 2.5 hp, 208-230/190 Volt Motor thru Reducer, Chain and Sprocket. This unit was l ...[more]
135	Waukesha S/S Sanitary Posiitive Displacement Pump, Model 014U2, S/N 404735 - 06 with SEW Eurodrive .5 hp, 230/460 V, 1-1/2" Flanged Inlet, 4" Rectangular Outlet, Reduced up for 3"; All S/S Portable Stand - Unit Last Used in the Food Industry. System will be run through shop and put under power prior ...[more]
136	Aprox. 500 Gal. S/S Dimple Jacket Tank - Not sure what the tank was last used for. You will get exactly what you see. Tank is rated at 50 psi @ 300 degree F.(Crating and Load Fee \$350) (Located Hortonville, WI)
137	Quadrell Label Applicator, Model Q32RZ170, S/N 50114-01 (mfg 11-18-023) for Palletized Skids with Allen Bradley PanelView 300 Micro-Controller, Mounted on SS "T" Stand on Casters, Recently removed from Squibb Plant. Missing Control Board Inside Allen Bradley Panel. 120/60/1, OAD's 45" L x 43" W x 76 ...[more]
138	All S/S 8 ft. COP Tank, Aprox. 213 Gal., Dual Bottom Spray Tubes with (2) 1-1/2" Pipe with 14-1/4" Spray Holes, Thermometer, Tri-Clover 5hp Pump, 230/460 Volt, 1750 RPM, 3 Phase, (1) 2" Inlet, (1) 2" , (1) 3" and (1) 2" Threaded Outlets, Inside Dimensions Aprox. 103" L x 20" W x 25-1/2" D, Overall D ...[more]
139	Tetra Spiraflo Tubular S/S Sanitary Heat Exchanger, Model MTC-108/W-6-2, Mfg. #123096-04, All S/S Unit with 7-Tubes, 4" Opening, Overall Dimensions Aprox. 256" L x 38" W x 39" Height. Unit was last used in the food industry. System is in excellent condition. This was very expe ...[more]

141	Frautech Cenrifugal Separator, Type FREEDOM, Model CA31T, S/N 95108, Mfg. Year 1996 (Located Bowling Green, KY) (Loading Fee \$2,500 USD)
142	Tri-Blender with Weg 7.5 hp S/S Washdown Motor, Model 00736ETCESS213TCFL, 3600 RPM, 213TC Frame Footless (NOTE: Piping Not Included) (Located Bowling Green, KY) (Loading Fee \$550 USD)
146	Lot of (5) GE Multilin F35 U03BKLF8LH6LM6CPXX Feeder Management Relay (Loading Fee \$50) (Located Springfield, NH) (NOTE: Packing and Palletizing Can Be Provided By Seller for an Additional Cost. Items Not Picked Up by November 30th, 2023, will be considered abandoned)
147	Lot of (3) GE Multilin F35 U03BKLF8LH6LM6CPXX Feeder Protection Relay AS IS (Loading Fee \$50) (Located Springfield, NH) (NOTE: Packing and Palletizing Can Be Provided By Seller for an Additional Cost. Items Not Picked Up by November 30th, 2023, will be considered abandoned)
148	Lot (2) GE Multilin F35 U03BKLF8LH6LM6CPXX Feeder Protection Relay (Loading Fee \$50) (Located Springfield, NH) (NOTE: Packing and Palletizing Can Be Provided By Seller for an Additional Cost. Items Not Picked Up by November 30th, 2023, will be considered abandoned)
149	Lot (100) 3/8" NPT Jenkins 600# CWP Brass FP 201J LD Ball Valve NEW (Loading Fee \$25) (Located Springfield, NH) (NOTE: Packing and Palletizing Can Be Provided By Seller for an Additional Cost. Items Not Picked Up by November 30th, 2023, will be considered abandoned)
150	Lot (20) Victaulic 731 Suction Diffuser NEW (Loading Fee \$100) (Located Springfield, NH) (NOTE: Packing and Palletizing Can Be Provided By Seller for an Additional Cost. Items Not Picked Up by November 30th, 2023, will be considered abandoned)
151	Yokogawa HR2300 Model 376032 Hybrid Chart Recorder (Loading Fee \$25) (Located Springfield, NH) (NOTE: Packing and Palletizing Can Be Provided By Seller for an Additional Cost. Items Not Picked Up by November 30th, 2023, will be considered abandoned)
152	3" HSI Houston Service Industries 0713215-36261 Centrifugal Blower NEW (Loading Fee \$50) (Located Springfield, NH) (NOTE: Packing and Palletizing Can Be Provided By Seller for an Additional Cost. Items Not Picked Up by November 30th, 2023, will be considered abandoned)
153	12" 150# Jacoby-Tarbox 910-12I SS Sight Flow Indicator NEW (Loading Fee \$50) (Located Springfield, NH) (NOTE: Packing and Palletizing Can Be Provided By Seller for an Additional Cost. Items Not Picked Up by November 30th, 2023, will be considered abandoned)
154	Lot of (50) 8" Victaulic 606 Rigid Coupling for Copper NEW (Loading Fee \$50) (Located Springfield, NH) (NOTE: Packing and Palletizing Can Be Provided By Seller for an Additional Cost. Items Not Picked Up by November 30th, 2023, will be considered abandoned)
155	Lot of (50) 8" Victaulic 606 Rigid Coupling for Copper NEW (Loading Fee \$50) (Located Springfield, NH) (NOTE: Packing and Palletizing Can Be Provided By Seller for an Additional Cost. Items Not Picked Up by November 30th, 2023, will be considered abandoned)
156	2-1/2" x 2" Fristam FPX1742-190 SS Centrifugal Pump Baldor 30 HP Motor NO IMPELLER/AS IS (Loading Fee \$50) (Located Springfield, NH) (NOTE: Packing and Palletizing Can Be Provided By Seller for an Additional Cost. Items Not Picked Up by November 30th, 2023, will be considered abandoned)
157	Lot (100) 1/4" NPT Apollo 600# CWP Ball Valve 70-101-57 NEW (Loading Fee \$25) (Located Springfield, NH) (NOTE: Packing and Palletizing Can Be Provided By Seller for an Additional Cost. Items Not Picked Up by November 30th, 2023, will be considered abandoned)

158	Lot (110) 1/4" NPT Apollo 600# CWP Ball Valve 70-101-57 NEW (Loading Fee \$25) (Located Springfield, NH) (NOTE: Packing and Palletizing Can Be Provided By Seller for an Additional Cost. Items Not Picked Up by November 30th, 2023, will be considered abandoned)
159	Lot of (2) 3/4" Fisher Baumann 85000 Sanitary Pinch Control Valve DVC2000 (Loading Fee \$25) (Located Springfield, NH) (NOTE: Packing and Palletizing Can Be Provided By Seller for an Additional Cost. Items Not Picked Up by November 30th, 2023, will be considered abandoned)
160	Lot of (8) Siemens Simatic Tiway 1 TI505 Network Interface Module 505-7340 NEW/SEALED (Loading Fee \$25) (Located Springfield, NH) (NOTE: Packing and Palletizing Can Be Provided By Seller for an Additional Cost. Items Not Picked Up by November 30th, 2023, will be considered abandoned)
161	1-1/2" NPT Grundfos CME10-2 Cast Iron End Suction Pump 3 HP Motor B15 (2996) (Loading Fee \$50) (Located Springfield, NH) (NOTE: Packing and Palletizing Can Be Provided By Seller for an Additional Cost. Items Not Picked Up by November 30th, 2023, will be considered abandoned)
162	ABB Baldor ACB530-U1-059A-4 Variable Speed Drive 40 HP NEW (Loading Fee \$50) (Located Springfield, NH) (NOTE: Packing and Palletizing Can Be Provided By Seller for an Additional Cost. Items Not Picked Up by November 30th, 2023, will be considered abandoned)
163	10" Flanged 300/350 PSI WWP Nibco F-697-0 Fire Main Gate Valve NEW (Loading Fee \$50) (Located Springfield, NH) (NOTE: Packing and Palletizing Can Be Provided By Seller for an Additional Cost. Items Not Picked Up by November 30th, 2023, will be considered abandoned)
164	1-1/2" NPT Zoeller 153 Series CI Effluent Pump w/ Switch & Alarm NEW (Loading Fee \$25) (Located Springfield, NH) (NOTE: Packing and Palletizing Can Be Provided By Seller for an Additional Cost. Items Not Picked Up by November 30th, 2023, will be considered abandoned)
165	Lot (10) Atlas Copco Controllers (Loading Fee \$50) (Located Springfield, NH) (NOTE: Packing and Palletizing Can Be Provided By Seller for an Additional Cost. Items Not Picked Up by November 30th, 2023, will be considered abandoned)
166	Allen-Bradley 20P-41AB180RA0NNN Ser A Powerflex DC Drive 50 HP NEW (Loading Fee \$50) (Located Springfield, NH) (NOTE: Packing and Palletizing Can Be Provided By Seller for an Additional Cost. Items Not Picked Up by November 30th, 2023, will be considered abandoned)
167	Pallet Miscellaneous Micro Motion, ABB, Siemens (Loading Fee \$50) (Located Springfield, NH) (NOTE: Packing and Palletizing Can Be Provided By Seller for an Additional Cost. Items Not Picked Up by November 30th, 2023, will be considered abandoned)
168	Chromaflow Chromatography Column (Loading Fee \$50) (Located Springfield, NH) (NOTE: Packing and Palletizing Can Be Provided By Seller for an Additional Cost. Items Not Picked Up by November 30th, 2023, will be considered abandoned)
169	Chromaflow Chromatography Column (Loading Fee \$50) (Located Springfield, NH) (NOTE: Packing and Palletizing Can Be Provided By Seller for an Additional Cost. Items Not Picked Up by November 30th, 2023, will be considered abandoned)
170	3" Krohne Optimass 7400C S50 Sanitary Modbus Flowmeter (Loading Fee \$50) (Located Springfield, NH) (NOTE: Packing and Palletizing Can Be Provided By Seller for an Additional Cost. Items Not Picked Up by November 30th, 2023, will be considered abandoned)
171	Lot (2) Feldmeier Equipment Stainless Steel Vessel (Loading Fee \$50) (Located Springfield, NH) (NOTE: Packing and Palletizing Can Be Provided By Seller for an Additional Cost. Items Not Picked Up by November 30th, 2023, will be considered abandoned)

172	Millipore SPK94630016 Tube Kit NEW (Loading Fee \$25) (Located Springfield, NH) (NOTE: Packing and Palletizing Can Be Provided By Seller for an Additional Cost. Items Not Picked Up by November 30th, 2023, will be considered abandoned)
173	Millipore SPK94630016 Tube Kit NEW (Loading Fee \$25) (Located Springfield, NH) (NOTE: Packing and Palletizing Can Be Provided By Seller for an Additional Cost. Items Not Picked Up by November 30th, 2023, will be considered abandoned)
174	GE Healthcare 28-9021-14 Column Kit NEW (Loading Fee \$25) (Located Springfield, NH) (NOTE: Packing and Palletizing Can Be Provided By Seller for an Additional Cost. Items Not Picked Up by November 30th, 2023, will be considered abandoned)
175	Millipore 31141601WC IPP800 Column Tube NEW (Loading Fee \$25) (Located Springfield, NH) (NOTE: Packing and Palletizing Can Be Provided By Seller for an Additional Cost. Items Not Picked Up by November 30th, 2023, will be considered abandoned)
176	GE Healthcare 28-9220-27 Column Tube NEW (Loading Fee \$25) (Located Springfield, NH) (NOTE: Packing and Palletizing Can Be Provided By Seller for an Additional Cost. Items Not Picked Up by November 30th, 2023, will be considered abandoned)
180	ProQuip tablet sizer. This is a 4 lane unit in operating condition. As shown in photos. Video available upon request. (Located Central New York, NY)
181	Lightnin Mixer. Driven by a .43 Hp, 50/60 Hz, 3 Phase, 208-220/440 Volt Motor. As shown in photos (Located Central New York, NY)
182	NJM CLI Labeler. Model: UNI510E-S009, Serial: 63099EA.1, 120 Volts, 60 Hz, Single Phase, 90 PSI. Comes with Conveyor and spare parts. As shown in Photos. Video available upon request (Located Central New York, NY)
183	Stainless Steel Piston Filler. This is a pneumatic driven piston Filler. Video available per request, As shown in photos. No Reserve (Located Central New York, NY)
184	Uline Impulse Sealer, Model: H-89, 18" Sealer Head. Unit appears unused, as shown in photos. No Reserve. (Located Central New York, NY)
185	Patterson Kelley 8 Qt Processor. 8 Qt working capacity, 140 Lbs/CFT material density. Shell is jacketed: Ful Vac at 212 DegF, Maximum Allowable Working Pressure is 30 PSI at 212 DegF, Has Liquid Solids Intensifier Bar. Comes with Lauda UKT 3000 Chiller. As shown in photos (Located Central New York, ...[more])
186	Microfluidics M110P Microfluidizer. Model: 110P, Serial: 2009038, Diamond Interaction Chamber: G10Z 30,000 PSI, Est Dims: 24x36x20. The Table/Cart is not included with the Machine. Video available per request, As shown on photos. (Located Central New York, NY)
187	PerFil Semi-Automatic Powder Filler. Model MF, Serial: 40275, 120 Volts, 1 Phase, 60 Hz. As shown in photos. (Located Central New York, NY)
188	PerFil Semi-Automatic Powder Filler. Model MF, Serial: 40287, 120 Volts, 1 Phase, 60 Hz. As shown in photos. (Located Central New York, NY)
189	Powerex High Shear Mixer-Granulator, Model: FM-VG-25, 15 Liter Max working capacity. Comes with high shear side chopper, As shown in photos. (Located Central New York, NY)
190	Key International 16 Station Rotary Tablet Press, Model DB-16. Tablets up to 5/8" (16 mm) in diameter. The press is single sided. Rated up to 1000 TPM. This listing is only available to USA Customers only. DEA Paperwork will be filed in accordance with DEA Guidelines. As shown in photos. (Located Ce ...[more])

191	Thermo Electron Checkweigher, Thermo Electron AC9GP Thermo Ramsey Versaweigh checkweigher with Ramssey AC9000 Plus Display, includes Garvey Conveyors. Conveyors are 5 Inch Wide, Straight 60"Long, Straight (no end) 90 Inches Long, Straight (middle) 80 Inches Long, Straight (bottom) 80 Inches Long, Be ...[more]
192	New England Machine Compact Bottle Unscrambler-Early 2000's machine in good working condition. This unscrambler features totally enclosed compact design with DTM 48" sorting bowl, and controls.. 208/240V,3Ph 60HZ. Requires 5-15cfm air. Currently set up to do 1oz, 2oz, & 4oz containers. Can hand ...[more]
193	Crown 6 Gallon Dual Kettle - Mfg. in 2019, Model GMT-6-6, Each Kettle has 6 Gallon Capacity, - (2) Kettles on One Table, MAWP 50 PSI @298 Degree F, MDMT 32 Deg F at 50 PSI -- Price is for Each Unit, As Shown in Photos (Located Central New York, NY)
193a	Crown 6 Gallon Dual Kettle - Mfg. in 2019, Model GMT-6-6, Each Kettle has 6 Gallon Capacity, - (2) Kettles on One Table, MAWP 50 PSI @298 Degree F, MDMT 32 Deg F at 50 PSI -- Price is for Each Unit, As Shown in Photos (Located Central New York, NY)
194	Bellatrx Accumulation Table. 36 Inch Diameter comes with top mounted orientator motor. As shown in photos (Located Central New York, NY)
195	Bel Top and Bottom Case Taper. Model: 150, Rated up to 30 CPM, 2" Wide Tape, 120 Volts, 1 Phase, 60 Hz As shown in photos. (Located Central New York, NY)
196	Carver Press, Model: 4350.L. This listing is only available to USA Customers only. DEA Paperwork will be filed in accordance with DEA Guidelines. As shown in photos. (Located Central New York, NY)
197	MaxAir Portable Dust Collector with Collection Wand. Driven by a 1 Hp, 3450 RPM, 115/208-230 Volt, Single Phase, 60 Hz. Never Used. As shown in photos. (Located Central New York, NY)
198	Loveshaw Case Taper. Model: LDU/2, Driven by a 1/3 Hp, 110 Volts, 1 Phase, 60 Hz motor. Missing Tape Heads. As shown in photos (Located Central New York, NY)
199	Sweco 18" Sifters and Screens. Qty 2 18" Sifter Decks (missing Bases), Qty 3 screens for 18" Sifters (30 Mesh). As shown in photos. (Located Central New York, NY)
200	Vacuum Cleaners - Qty 2. As shown in photos (Located Central New York, NY)
201	Open Date Printer. Model: Carton Printer, 120 Volt, Unit was mfg in 2005. As shown in photos. (Located Central New York, NY)
202	Packworld Impulse Heat Sealer. 24" Sealing bar. 120 Volts, 50/60 Hz, 1 Phase. 100 PSI Air. As shown in photos. (Located Central New York, NY)
203	BellatRX Bottle Recoverx. The Bottle RecoveRx is a unique solid dose product recovery system. Its revolutionary design automatically recovers product from containers of various shapes and sizes. Rated up to 40 BPM, Can handle Round, Rectangular, Square or Oblong containers 1" to 4" Diameter. 120 Vol ...[more]
204	Flow Sciences Hood. As shown in photos. (Located Central New York, NY)