



Machinery Network Auctions

CNC, Fabricating, and Plastics Machinery

California
United States

Ended Jan 23, 2020 3:03pm PST (11:03pm GMT)

| Lot | Description |
|-----|---|
| 1 | SNK FSP-120V 5 Axis CNC Vertical Profiler Mill, Fanuc 16M Control, 120" x 50" x 24" trvls, +/- 25 degree A & B axes, 4000 RPM, 40 HP, CT-50 Taper, s/n 451413 (Service Reports Available) (Stored in Lebanon, NJ) |
| 2 | SNK AIC-150 Multi-center Bridge Type 5-Face Machining Center, Fanuc OM-C CNC Control, 157"x106"x78.7" trvls, 3000 RPM,BT50 spindle taper , coolant system with coolant tank, |
| 3 | Henri Line MACBORMILL 235HS/6Q 6-Axis CNC Gantry Type Vertical Machining Center, Fanuc 15M control, 721" x 14" 44" trvl,s W, B & C axes, 25,000 RPM, 25 HP, HSK63 taper, 24 ATC, s/n 929A, New 1995, From Cessna (Located in Wichita, KS, USA) |
| 4 | Fidia K414 5-Axis High Speed Machining Center, Fidia C-20 Control, 165"x43"x55",42 ATC, 24K RPM, HSK63A BI-Rotary head, Laser Tool Measuring Device, HPX-21 Portable PB Panel, Operating Volume Cover, Working Area Mist Collector, M&h Probe, HMS Software License-annual, Haimer Tool Setter & To ...[more] |
| 4A | DTI FC 300 CNC Facing & Centering Machine, Siemens Sinumerik ctrl, Simple MDI programming, External hydraulic systems, Chip collection system, New 2012 |
| 5 | Leadwell T-7 CNC Turning Center Fanuc 0i-TD, 20 HP, 4500 RPM, 8" Chuck, X-Axis 7.9", Y-Axis 23.6", 20.4" Max Swing, 13.8" Turning Diameter, 21.6" Turning Length, S/N L2TAB0335, New 2012 |
| 6 | Leadwell T-7 CNC Turning Center Fanuc 0i-TD, 20 HP, 4500 RPM, 8" Chuck, X-Axis 7.9", Y-Axis 23.6", 20.4" Max Swing, 13.8" Turning Diameter, 21.6" Turning Length, S/N L2TAB0339, New 2012 |
| 6A | DMG Mori Milltap 700 CNC Drill & Tap Center, Siemens, 27"x 16"x 15" , 24k RPM Spindle , 25 Tool ATC, Renishaw OTS, Tool Setter, Renishaw, OMP Part Probe, w/ probe, sn: 15995751744, New 2017 *Professionaly Packaged by DMG Tech for Transportation, \$145K Replacement* |
| 6B | DMG Mori Milltap 700 CNC Drill & Tap Center, Siemens, 27"x 16"x 15" , 24k RPM Spindle , 25 Tool ATC, Renishaw OTS, Tool Setter, Renishaw, OMP Part Probe, w/ probe, sn: 15995751694 New 2017 *Professionaly Packaged by DMG Tech for Transportation, \$145K Replacement* |
| 7 | Mori Seiki CL-25 CNC Lathe, MSC 521 (F-21T) Control, Collet Chuck, CC, s/n 1537, New 1997 |
| 8 | Leistritz Polymat 70/500, Siemens Sinumerik FM357 CNC control , 2.75" max keyway, 19.7" max cut length, New 2009 |
| 10 | Okuma Cadet 40"X20"X20", 8K RPM, NT #40, 20 ATC, OSP 5020M, Chip Pan |
| 10B | Mazak QT 20HP, Mazatrol T-Plus cntrl, 17.3" swing, 11.8" max turning diameter, 19.7" max turning length, 2.76" bar capacity, 4000 RPM, 20HP, tailstock, CC, Tool Eye, w/ Chip Conveyor, s/n 129527, New 1997 |
| 11 | Okuma Crown SB CNC Lathe,OSP700 Control, 10" max turn diam, 2" spindle bore, 15" max swing, s/n 0705, 1997 |

| | |
|-----|---|
| 12 | LNS Hydro Bar Express 220, S/N 135208 05 |
| 13 | LNS HydroBar Sprint |
| 15 | SERVO 3000 1995 3 axis teach ctrl, 12"x48" tbl, 3 HP, power draw bar , 30"x15"X5" travels *Haas Control & Rotary Fixture Not Included* |
| 16 | DMG Deckel Maho DMC 104V Linear 4-Axis CNC VMC, Fanuc 32i Control, Cat 40, w/ Modul 4th Axis Trunnion, Chip Conveyor, s/n 29110003904, New 2006 |
| 17 | Mazak VTC200B 4-Axis VMC, Mazatrol PC-Fusion 640M ctrl, 44.1" x 20.1" x 20.1" travels, 10000 RPM, CT-40 tpr, ATC, CC, w/ Mazak Rotary Table with Kitagawa 12" 3 Jaw Chuck & Tail Stock, Chip Conveyor, s/n 156144, New 2002 |
| 19 | 6' X 12' Flow IFB6012 Waterjet, 100 HP 94,000 PSI dual intensifier, hopper, 2007 |
| 20 | 6' X 12' Flow IFB6012 Waterjet , 30 HP Hplex pump, 3940 hours, dynamic head, 2004 (Milford, CT) |
| 21 | 310 Ton 28.3 Oz. Nissei "Electric" ES6000-71E Injection Molding Machine, NC9300T Control, 2000 (NOTE: Axis board alarm is preventing the ejector servo motor from operating) |
| 22 | 110 Ton 6.7 OZ Sumitomo SH100C Injection Molding Machine, Core pull, 2003 |
| 23 | 220 Ton. 32 Oz. Cincinnati Powerline Electric NT220 Injection Molding Machine, Camac Xtream NT control, 1999, SN W21A0100014 |
| 24 | 176 Ton 9.3 Oz.,Mitsubishi 180MSJ-10 200 Injection Molding Machine ,MAC VII control, core pull, 2004 |
| 25 | Yushin VNXII-150SL-95 2004 850 MM vertical stroke, 1700 MM Traverse Stroke. 560 Kick Stroke *Missing Pendant Control* |
| 26 | 200 Ton Capitol 4 Post Hydraulic Spotting Press, 60" x 96" Ram & Bolster, 40" Stroke, PLC Control, 100HP, New 2002 |
| 27 | 1-1/4" PINES 5T vertical bender, Dial-A-bend controls, 20 HP,1993 |
| 28 | 60 Ton Eitel RP60 Straightening Press, Hyd, 8" str, OB supports,Modular outboard supports, Foot switch, s/n 27376, New 1982 |
| 29 | Bliss C75 Press, 75 ton, 6"STR., 3.5 ADJ., 15.5" SH.. 36"x24" bed, 60 SPM, Durant Coil Cradle & straightener 2,000 lb x 6" width 180,000 thickness, 1977 |
| 30 | 170 KVA, 36" Throat, 12" Gap. Miyachi ISA 1000 control, Janda Rebuild R3067 Spot Welder |
| 31 | 5/16" X 78.8" Birlik MSMS 2030X8 Motor operated 3-Roll Bending Machine, 8.6" Diameter of rolls, extended rolls, conical bending, portable control panel, s/n 1090.07.099 |
| 32 | CARELL IMCAR SPEC V Angle bending roll New 2007 |
| 32B | AMADA MODEL CM400 CIRCULAR SAW, 15.74" MAX CUTTING LENGTH, MAGAZINE LOADER, TRIM CUT & BAR EJECTOR, 4 SPEED 13 TO 32 RPM, 2005, S/N 11100050 |

| | |
|----|---|
| 33 | 50" X 16 GA. JET ESR-1650 3T Electric Slip Roll, 2010 |
| 34 | Farrel Sykes CS2 25" MAX BLANK, 3 5/8 " SPINDLE BORE |
| 35 | Farrel Sykes 5B gear generator, Max 66" Blank, 15" Spindle Bore |
| 36 | Sykes 4B Gear Max Blank 52" Dia,18" Max Face width Herringbone,10" Max Face Width Spur / Helical, Work Spindle Bore 9" |
| 37 | 10"x40" Kellenberger 1000R cylindrical grinder, 18" x 2.4" x 8" Bore grinding wheel dimension, 1975 |
| 38 | Lagun FTV-2 Vertical mill, 10"x50" TBL, DRO, PDB, PF, VISE, VS, s/n SE-17845 |
| 39 | 26" x 72" Leblond SERVO-SHIFT engine lathe, digital read-out, quick change toolpost, 15 1/2 3-jaw bison chuck, s/n 3H-644, NEW MID1960'S |
| 40 | 18"X72" Landis 3RH universal cylindrical grinder, microtronic electronic infeed, coolant system, 2 steady rest, 1977 |
| 41 | 20" X78" American Hustler CNC Lathe 10" SW OCS, 3" bore, 12" 3-jaw chuck, 4 sided turret, tailstock, pneumatic, 1979 |
| 42 | 21"X60" Mighty Turn ML-2160GL GL Gap Bed Engine Lathe |
| 43 | Stanko IA64 Engine Lathe, 31 1/2" x 110", 17" OCS, taper, I/M threading, s/n 393, new late 1960's |
| 44 | STANKO IM63N-3 27 1/2" x 120", DRO, taper, I/M threading, 13.75" OCS, s/n IM63N-3, 1998 |
| 45 | HEALD 273A 6 Jaw chuck, 17K RPM Red Head Spindle, Plunge Feed, S/N 47821, NEW 1977 |
| 46 | BELMONT ASTEC CDH-3A 1987 11.8" x 7.9" x 9.8" Auto Z, DRO, 1987 |
| 47 | Southwestern Ind Trak TRM 2 Axis CNC Vertical Bed Mill,Prototrak MX2 2 Axis CNC control, Vise, Work light, New 1992, control updated 2004 |
| 48 | Southwestern Ind Trak TRM 2 Axis CNC Vertical Bed Mill, Prototrak MX2 2 Axis CNC control, New 1994, control updated 2003 |
| 49 | 8" x 24" Tschudin HTG-600 Precision Universal ID/OD Cylindrical Grinder, Swing-down ID grinding attachment ,Fully automatic cycle by single lever control, Hydraulic table traverse ,Automatic infeed @ each table reversal, Automatic plunge feed infeeds/n 70364 - New 1970 |
| 51 | 5 HP Kaeser SX 6 Rotary Screw Air Compressor, 110 PSI, s/n 1069, New 2012 |
| 52 | 6" X 18" Brown & Sharpe 618 Valumaster precision hand feed surface, Roller bearing table, fine feed knobs for cross & vertical feeds(.0001"), 2 axis Anilam digital readout, Brown& sharpe super-precision spindle drive 3/60/230-460 volts electric, S/N: 523-618-4069, NEW 1980 |
| 53 | Ramco MK32CSS-HDX Parts Washer,3D Printed Parts Cleaner, 27"x31"x22" cap, s/n JB2782-17-001, *Brand New, Replacement Cost \$55,000* |

| | |
|----|--|
| 54 | Kelch Kalamatic 34 tool pre setter with cart, s/n1465, 2004 |
| 55 | Komatsu FG 15HT-17 Forklift Capacity 4000 lbs |
| 56 | Down Draft Table |
| 58 | 300 Ton 32.8 Oz Toyo TM-300H Injection Molding Machine, PLCS-9 Control, 1999, s/n 1207072 |
| 59 | 330 Ton 34 Oz. Cincinnati Powerline NT300 Electric Injection Molding Machine, Camac Xtream NT,1998, s/n W22A0198010 |
| 60 | 170 Ton 15.9 oz Toshiba ISE170-9A Injection Molding Machine, 1984, SN 439306 |
| 61 | 250 Ton 30 oz Toshiba ISE250-17A Injection Molding Machine, 1984, SN 419805 |
| 62 | 242 Ton 16 oz Nissei ES5000-50E Electric Injection Molding Machine, SPI Robot Interface, Wired For Core Pull, 2003, SN H22U010 |
| 65 | 99 ton Haitai HTW900 Injection Molding Machine Shot size: 6.5 oz., 2006, SN 05031 |
| 66 | Sterlco M2B2012-C Mold Temperature Controller ¾ HP 9 KW ,230 VOLT, S/N 36B0704, New 2006 |
| 67 | Sterlco M2B2012-C Mold Temperature Controller ¾ HP 9 KW ,230 VOLT, S/N 34D5627, New 2004 |
| 68 | Sterlco M2B2012-C Mold Temperature Controller ¾ HP 9 KW ,230 VOLT, S/N 34D5628, New 2004 |
| 69 | Sterlco M2B2012-C Mold Temperature Controller ¾ HP 9 KW ,230 VOLT, S/N 34D5630, New 2004 |
| 70 | Novatec DCS-25 M Desiccant Dryer with Hopper on Stand, S/N 10A1860-0243 |
| 71 | Novatec MDM-25 Desiccant Dryer with Hopper on Stand, SN 3A0353-1545 |
| 72 | American MSI MTC-8 Hot Runner Controller SN 950583 |
| 73 | Husky Delta AF12 Hot Runner Control |
| 74 | 150 Ton 8.8 OZ Toyo TM-150H Injection Molding Machine, PLCS-9 Control, SN 1140154, New 2000 *Available in March 2020* |
| 75 | 150 Ton 6.7 OZ Toyo TM-150H Injection Molding Machine, PLCS-9 Control, SN 1140084, New 1998 *Available in March 2020* |
| 76 | OKK KCV 600 – 20L CNC Vertical Machining Center, Fanuc 16M control, 80" x 25" x 25" trvls, 6000 RPM, 25 HP, Gered, CT50, 30 ATC, CC, s/n 206 (Located in Santa Ana, CA) |
| 77 | OKK KCV600 – 20L CNC Vertical Machining Center, Mitsubishi Neomatic control, 80" x 25" x 25" trvls, 6000 RPM, 25 HP, Gered, CT50, 30 ATC, CC, s/n 193 (Located in Santa Ana, CA) |

| | |
|-----|---|
| 78 | OKK KCV600 – 20L CNC 4 Axis Vertical Machining Center, Mitsubishi Neomatic control, 80" x 25" x 25" trvls, 6000 RPM, 25 HP, Geared, CT50, 30 ATC, CC, s/n 201 (Rotary Table Sold Separate) (Located in Santa Ana, CA) |
| 81 | Flow IFB6012 6' x 12' 50HP 60,000 PSI Waterjet, s/n 212104, New 2000 |
| 82 | SNK PC-60v 5 Axis CNC Profiler, Fanuc 11M control, 60" x 25" x 18", 24ATC, 5000 RPM, 50 Taper, New 1992 (Located in Wichita, KS) |
| 83 | Mori Seiki CL-20B, Fanuc 18, collet chuck, CC, s/n 1271, New 1995, LNS Quick Load Bar Feeder |
| 84 | Lagun Deluxe 3 2-Axis CNC Mill, Anilam Series 1100 Control, 54" x 11" Table, s/n 37603 |
| 85 | Kasuga Quantum Q-2000V 4-Axis, Fanuc 18iM Control, 80"x30"x20", 6K RPM, 50 Taper, 40 ATC, 30HP, s/n: Q7020081 |
| 89 | New Hermes IS400 CNC Engraver, s/n 2.502/B2, New 2002 |
| 90 | 20' x 8' x 6.5' Shipping Container with Racking & Cubbies |
| 91 | 20' x 8' x 6.5' Shipping Container with Racking & Cubbies |
| 92 | 20' x 8' x 6.5' Shipping Container with Racking |
| 93 | Blue M DC256C 650 Degree Max. Temp. Convection Oven, s/n DC3476 |
| 94 | Despatch V-29SD 850 Degree Max. Temp. Curing Oven, s/n 93275 |
| 95 | 15HP Dust Collector |
| 96 | Mitsubishi FG25, 5000Lbs Cap. LP Forklift, 9442 Hrs., s/nAF17B-01763 |
| 97 | Crown 35RRTT 3500Lbs. Standing Electric Forklift, s/n 1A122215 |
| 98 | 1/2 Ton Jib Crane with Coffing 1/2 Ton Hoist |
| 99 | 1/2 Ton Jib Crane with 1/2 Ton CM Lodestar Hoist |
| 100 | Gorbel 1/2 Ton Jib Crane with 1/2 Ton Coffing Hoist |
| 101 | Gorbel 1 Ton Jib Crane with 1 Ton CM Lodestar Hoist |
| 102 | Gorbel 1/2 Ton Jib Crane with 1/2 Ton CM Lodestar Hoist |
| 103 | 20" Pallet for Mori Seiki SH-500 with 12" x 12" x 22" Tombstone |
| 104 | 20" Pallet for Mori Seiki SH-500 with 16" x 16" x 25" Tombstone |

105 20" Pallet for Mori Seiki SH-500 with 16" x 12" x 25" Tombstone

106 KM 50 Tool Holders

107 KM 50 Tool Holders

108 KM 50 Tool Holders

109 KM 50 Tool Holders

110 KM 50 Tool Holders

111 KM 50 Tool Holders

112 KM 50 Tool Holders

113 KM 50 Tool Holders

114 KM 50 Tool Holders

115 KM 50 Tool Holders

116 KM 50 Tool Holders

117 KM 50 Tool Holders

118 KM 50 Tool Holders

119 KM 50 Tool Holders

120 KM 50 Tool Holders

121 KM 40 Tool Holders

122 KM 50 Lock II Tool Holders

123 KM 50 Lock II Tool Holders

124 KM 50 Lock II Tool Holders

125 KM 40 Straight Shank Tool Holders

126 KM 50 Tool Holders

| | |
|-----|---|
| 127 | KM 50 Tool Holders |
| 128 | KM 50 Tool Holders |
| 129 | KM 50 Tool Holders |
| 130 | KM 50 Tool Holders |
| 131 | KM 50 Tool Holders |
| 132 | KM 50 Tool Holders |
| 133 | KM 50 Tool Holders |
| 134 | KM 50 Tool Holders |
| 135 | KM 50 Tool Holders |
| 136 | KM 50 Tool Holders |
| 137 | KM 50 Tool Holders |
| 138 | KM 50 Tool Holders |
| 139 | KM 50 Tool Holders |
| 140 | Carbide Insert Tool Holders |
| 141 | Carbide Insert Tool Holders |
| 142 | Carbide Insert Tool Holders |
| 143 | Cut Off Tools |
| 144 | Kia SKT15LMS CNC Turning Center, Fanuc 21iM Control, Sub Spindle, Live Tools, 12 Station Turret, 13.8" Swing, 10" Turning Diameter, 20.9" Z-Axis, 1.75" Bar Capacity, MTA Magazine Style Bar Feed, Chip Blaster, Parts Catcher, Chip Conveyor, New 2004 |
| 147 | Haimer PC-200 High Speed Tooling Heat Shrinker |
| 149 | Supertec G38P-60NC Programmable Universal Cylindrical Grinder 14" Swing x 24" Centers, Metric PLC control, coolant tank, S/N GC10013, New 2010 (Located in Anaheim, CA) |
| 150 | OKK HM40 CNC Horizontal Machining Center, Fanuc 16M, 24"x22"x22", 15" sq. pallets, s/n 195, 1998 |

| | |
|-------|---|
| 151 | OKK HM40 CNC Horizontal Machining Center, Mitsubishi 6 Series Control, 24"x22"x22", 15" sq. pallets, s/n 230, 1996 *NEEDS SPINDLE REPAIR* |
| <hr/> | |
| 152 | Okuma LB15 CNC Turning, OSP Control LB, 12 Position Turret, s/n 1095 |
| <hr/> | |
| 153 | DoALL C-916 Horizontal Band saw |
| <hr/> | |
| 154 | Evaporator |
| <hr/> | |
| 155 | Evaporator |
| <hr/> | |
| 156 | Vacuum Compressor |
| <hr/> | |
| 157 | Mobile 50 Taper Tooling Rack |
| <hr/> | |
| 158 | High Speed Spinner |
| <hr/> | |
| 159 | Drill Press |
| <hr/> | |