



Maynards Industries USA LLC

K&B Capital, LLC

4336 Normandy Ct
Royal Oak
Michigan
United States

Surplus to the ongoing Operations of K&B Capital, LLC Two
Locations – CNC Machinery, Stamping Presses,

Started Apr 25, 2024 11am ET (4pm BST)

Lot	Description
0A	{ Group of lots: 0A, 0B, 0C, 0D, 0E, 0F, 0G } K&B CapitalSurplus to the ongoing Operations of K&B Capital, LLC from Two Locations - (1) Complete Plant to include CNC Machinery and Support Equipment from KP Sogoian - Royal Oak MI; (2) Stamping Presses and CNC's in Wixom MILots with numbers 1000 and ...[more]
0B	{ Group of lots: 0A, 0B, 0C, 0D, 0E, 0F, 0G } The sale is open for online bidding now and you can begin to place any online bids, or proxy bids now.To understand how to bid, please read the information below: There are essentially 2 auctions going on.One is online only, then the sale converts ...[more]
0C	{ Group of lots: 0A, 0B, 0C, 0D, 0E, 0F, 0G } Register 24 hours prior to the start of the auction.A valid credit card, billing address, office address, email address and company address are required to bid online.If you have a resale certificate or exemption, please provide a PDF copy to our of ...[more]
0D	{ Group of lots: 0A, 0B, 0C, 0D, 0E, 0F, 0G } BY REGISTERING, I ACKNOWLEDGE & AGREE THAT THE LOTS IN THIS SALE & THAT WILL BE ON MY INVOICE ARE SOLD AS IS, WHERE IS & IN ACCORDANCE WITH THE T&C ALSO PREVIOUSLY ACCEPTED, THE PROVISIONS OF WHICH ARE INCORPORATED HEREIN & MADE A PART HEREOF BY THIS RE ...[more]
0E	{ Group of lots: 0A, 0B, 0C, 0D, 0E, 0F, 0G } 12. DISPUTE BETWEEN BIDDERS/BID INCREMENTS – If any dispute arises between two or more bidders, the Auctioneer may decide the same or put the lot up for sale again at once, or resell to the highest bidder. Auctioneer may reject a nominal or fractional ...[more]
0F	{ Group of lots: 0A, 0B, 0C, 0D, 0E, 0F, 0G } Removal InfoRemoval starts Monday, April 29th.Removal times: Monday - Friday, 8am to 4pm each day.Last day for removal: Friday, May 10th.Contact for removalAaron Buffingtonaaron@auctionreadyllc.com313-782-1587Approved Contractors:Riggers:Pedowitz Mac ...[more]
0G	{ Group of lots: 0A, 0B, 0C, 0D, 0E, 0F, 0G } No payments will be accepted onsite.If you have a resale exemption please download this tax form and return by email auctions@maynards.com with the auction name in the title and your bidder number. If you are exporting, we will require a copy of the ...[more]
1	{ Group of lots: 1, 2 } Croprint 150 Time Clock
2	{ Group of lots: 1, 2 } Pyramid 3500 Time Clock
3	DF-Hand 5,500 Lbs. Capacity Pallet Truck
4	Craftsman Tool Box With Tool Chest (8) Drawers on wheels
5	(2) Tool Carts and (3) Small Tool Boxes

6	Hyet ET1158 Mobile Parts Washer 20 Gallon
7	{ Choice of lots: 7, 8 } Granite Table 36" X 24" X 5" S/N KPS133
8	{ Choice of lots: 7, 8 } Granite Table 36" X 24" X 5" S/N KPS-66
9	Mitchells Granite Table 24" X 18" X 5"
10	{ Group of lots: 10, 11 } Granite Table 24" X 18" X 4"
11	{ Group of lots: 10, 11 } Granite Table 18" X 12" X 4"
12	{ Group of lots: 12, 13, 14, 15, 16 } (2) Granite Table 12" X 10" X 4"
13	{ Group of lots: 12, 13, 14, 15, 16 } (2) Granite Table 12" X 10" X 4"
14	{ Group of lots: 12, 13, 14, 15, 16 } (2) Granite Table 12" X 10" X 4"
15	{ Group of lots: 12, 13, 14, 15, 16 } (2) Granite Table 12" X 10" X 4"
16	{ Group of lots: 12, 13, 14, 15, 16 } (2) Granite Table 12" X 10" X 4"
17	Do All Granite Table 123" X 12" X 20" On Wheeled Frame S/N 373158
18	Bel-Art Products Secador Case Desiccators
19	Clark Instruments MDT12 Hardness Tester S/N Kps121
20	Clark Instruments CFA8 Hardness Tester S/N Kps120
21	Cordax 1805 MEA CMM Machine 44" X 21" X 8" Granite Table with Renishaw PH1 Probe, With Tower Computer, Monitor and Printer
22	Brown & Sharpe CMM Machine 30" X 22" X 4" Granite Table Renishaw PH9 Probe, With Table Base S/N 43265
23	Taylor Hobson Talyrond 30 Roundness Measument Machine With Computer, Monitor, Printer and Case
24	Tesa Hite-350 14" Height Gage
25	Mitutoyo 18" Dual Beam Height Gauge
26	12"Dual Beam Height Gauge
27	Machine Dro 12" Digital Height Gauge

28	Starrett 20" Manual Height Gauge With Assorted Magnetic Bases, Scribe Bases
29	(2) 0-6" Depth Gage Sets (1) Asimeto Digital Depth Gage, (1) NSK Depth Gage Set
30	(5) Assorted Vernier Calipers (1) Brown&Sharpe 14" Manual, (1) 10" Manual, (2) Mitutoyo 6" Digital, (1) 6" Dial
31	Moore & Wright Micro 2000 0-1" Digital Micrometer
32	Sunnen CF-502 0-1" Bore Gage Setting Fixture
33	(7) Assorted Sized Micrometers
34	(4) Assorted Sized Bore Sets
35	Indi-Cal Ring and Bore Gages With Mitutoyo Touch Probe
36	Mitutoyo Standard Set and Versa Gage
37	SPI (2) Gage Block Sets
38	(3) Gage Block Sets
39	GTI VC100-1 Precision Vise, Combination Vise with Angle Block and (2) V Blocks
40	(2) Pin Gage Sets M1 - 190 Pcs.061-.250, M2 - 250 Pcs .251-.500
41	(5) Pin Gage Sets
42	Sunnen Pg-800-E (2) Precision Hole Gages S/N 8906189017
43	{ Choice of lots: 43 } Heidenhain Metronic GC140-MSR Gage-Chek Digital Display / Readout, With STI 2-3" Gage
44	{ Choice of lots: 44 } Heidenhain Metronic GC140-MSR Gage-Chek Digital Display / Readout, With 2'3" Gage
45	Heidenhain Metronic GC140-MSR Gage-Chek Digital Display / Readout, With STI 3-4" Gage
46	Heidenhain Metronic GC140-MSR Gage-Chek Digital Display / Readout, With Bowers 30-34 mm Bore Gage
47	Mitutoyo (3) 1-2" Precision Snap Gages With (2) Bases
48	{ Choice of lots: 48, 49 } Sheffield Comparator
49	{ Choice of lots: 48, 49 } Sheffield Comparator

50	(3) Indicator Bases and Dial Gages
51	(10) Assorted Size Dial Bore Gages With Sunnon Gage Setting Fixture Model PG-400-E
52	(4) Granite Indicator Bases
53	(4) Indicator Bases (2) Granite Indicator Bases, and (2) Indicator Stands with Circle Anvils, (1) Indicator Stand with Square Anvil
54	(3) Dial Precision Gages
55	Air Gage Co. 81MT (5) PLC Modules
56	Edmunds Gages E7120 (3) Accu-Touch Dimensional Amplifiers With Docking Units and No/Go Gages
57	(1) Tote of Pneumatic Air Tools Air Guns, Hand Grinders, Air Ratchet and Impact Gun
58	MSC CAP 1000T Vending System 120 Volts A.C, 60hz, 3 amp S/N SPSC1M
59	Wilton VSG Twenty Pedestal Drill Press With VFD Drive and Dynamic Brake S/N 2010
60	Delta Pedestal Drill Press Spindle Speed Max Low Speed 1140 RPM, Max High Speed 1725 RPM, Volts 115/230, 60hz S/N 93c71515
61	Duracraft FM-1214 Pedestal Drill Press 5/8" Capacity, Spindle Speeds 280-2800 RPM S/N 68460
62	Jet J-2500 Pedestal Drill Press 5/8" Drilling Capacity, 15" , 200 - 3630 Max RPM, 3/4 HP, 60hz, Volts 115/230, Amp 9.0/4.5, Single Phase S/N 10080551
63	Jet J-2500 Pedestal Drill Press 5/8" Drilling Capacity, 15" , 200 - 3630 Max RPM, 3/4 HP, 60hz, Volts 115/230, Amp 9.0/4.5, Single Phase S/N 10080545
64	Tradesman 20C - 8055S 5 Speed Bench Top Drill Press 1/2" Morse Chuck 1/4 HP, 115 Volts, 60Hz, 2.2Amps S/N 2914647
65	Central Machinery 5 Speed Bench Top Drill Press 10", 12 Speed, Spindle Speeds 300-2900 RPM, Table Tilt 45 Degree L/R, Spindle Stroke 2 3/8", 120 VAC / 3.85 Amp S/N 366851810
66	Lincoln 7RF115 Metal Cutting Band Saw Cutting Cap 4 1/2" RD, 4" X 6" Rect., Blade Size 1/2" X .1/80 X 64 1/2", Blade Speeds 65-95-165 FPM, Vise Size 4 X 5" Adjusts 45 Degree to 90 Degree, Bed Width 8", Bed Length 26", Horizontal Height 14", Vertical Height 33 1/3" S/N 352273
67	1993 ACER Ultima 3VS Milling Machine 9" x 42" Table Size, Travel Long 26", Travel Cross 14.75", 3 HP, 4200 RPM, R8 Taper, With Acu-Rite Readout
68	Do All DH-612 Surface Grinder 6" X 12" Magnetic Chuck, 220 Volts, 13 Instant Amps, 2.6 Norm. Amps, 3 Phase, 60 Hz S/N 138-672678

69	Hyd-Mech H-14A Fully Automatic 14" Dual Column Horizontal Bandsaw Capacity 14" X 14", Blade 1 1/4" X 12'6" X .042, Blade Speed 50 - 350 FPM (Variable Frequency Drive), Blade Guides Carbide, Blade Wheel Diameter 16", Guide Arm : Automatic, Blade Motor 5 HP, Hydraulic Motor, 1 HP, Hydraulic Tank ...[more]
70	Hyd-Mech H-14A Fully Automatic 10" Dual Column Horizontal Band Saw Capacity 14" X 14", Blade 1 1/4" X 15'2" X .042, Blade Speed 49 - 380 SFM (Variable Frequency Drive), Blade Drive 7.5 HP, Round Capacity 14", Automatic Multi Indexing; 0-24", Remnant Length 4.7", Coolant Tank Capacity: 53 Gal ...[more]
71	2011 OKK HP500S CNC Horizontal Machining Center Pallet Size 19.68" X 19.68", Number of Pallets 2, Pallet Weight Capacity 881 Lbs., X-Axis Travel 24.8", Y-Axis Travel 24.4, Z-Axis Travel 27.9", B-Axis Travel 1 Degree, Rapid Traverse Rated X,Y,Z : 2362 IPM, Cutting Feed Rate 1575 IPM, Spindle Spee ...[more]
72	1998 Doosan HM-45H CNC Horizontal Machining Pallet Size 17.75" X 17.75", Number of Pallets 2, Pallet Weight Capacity 500 Lbs., X-Axis Travel 23.622", Y-Axis Travel 22.047", Z-Axis 22.047", Spindle Speed 12,000 RPM, Spindle Taper BT40, Power on Spindle 18.5 kW, Tool Changer 40 ATC, Number of Con ...[more]
73	1999 Kia Hi-Center-H40 CNC Horizontal Machining Center Pallet Size 15.75" X 15.75", Number of Pallets 2, X-Axis Travel 25.59", Y-Axis Travel 23.59, Z-Axis Travel 25.59", Spindle Speed 10,000 RPM, Spindle Drive 14.9 kW, Tool Changers 50 ATC, With Fanuc 15-M Series Controller, , Turbo Conveyor Chi ...[more]
74	{ Group of lots: 74, 74A } Mori Seiki MV-55 CNC Vertical Machining Center T-Slotted Table Size 55" X 21", X-Axis Travel 41.3", Y-Axis Travel 21.7", Z-Axis Travel 22", Spindle Speed 6,000 RPM, Spindle Power 15 HP, Spindle Nose to Table 7.9 - 29.9, Spindle Center to Column 23.6", Tool Changer 3 ...[more]
74A	{ Group of lots: 74, 74A } Nikken 4th Axis Rotary Table
75	Mori Seiki MV-40 CNC Vertical Machining Center T Slotted Table Size 43" X 18", Max Table Load 700 Lbs., Spindle Nose to Table Top 5.9" - 26", X-Axis Travel 31.5", Y-Axis Travel 16.1", Z-Axis Travel 20.1", Rapid Traverse Rate X & Y Axes 787 IPM, Rapid Traverse Rated Z Axis 590.6 IPM, Spind ...[more]
76	Mori Seiki F-M2 CNC Vertical Machining Center T Slotted Table Size 43" X 18", Spindle Nose to Table Top 26.37, X-Axis Travel 33.46, Y-Axis Travel 17.71, Z-Axis Travel 20.07, Rapid Traverse 787.40"/Min, Spindle Taper 40 , Spindle Speed 8,000 RPM, Spindle Motor 15.5 / 18 kVa, Tool Changer 220V 60HZ ...[more]
77	Mori Seiki MV-40 CNC Vertical Machining Center T Slotted Table Size 43" X 18", Max Table Load 700 Lbs., Spindle Nose to Table Top 5.9" - 26", X-Axis Travel 31.5", Y-Axis Travel 16.1", Z-Axis Travel 20.1", Rapid Traverse Rate X & Y Axes 787 IPM, Rapid Traverse Rated Z Axis 590.6 IPM, Spind ...[more]
78	1986 Leadwell MCV-610D CNC Vertical Machining Center Table Size 33" X 16", Fanuc 0M Controller, Tool Changer 20 ATC, ,220 Volts, 60 Hz, 3 Phase, 240 Control Voltage S/N R67004
79	2019 Doosan Puma GT3100 CNC Turning Center 3 Jaw Chuck 12" Chuck Diameter, 12 Station Turret X-Axis Travel 10.2", Z-Axis Travel 32.7", Rapid Traverse X-Axis 945"/Min, Rapid Z-Axis Travel 1181" / Per MinMax Capacity Turning Diameter 18.9", Max Turning Length 29.7", Through Hole Diameter 4.1", ...[more]
80	{ Choice of lots: 80, 81 } Samsung SL25B/500 CNC Turning Center 3 Jaw Chuck, 10" Chuck Diameter, 12 Turret Station, X-Axis Travel 8.66", Z-Axis Travel 23.23", Rapid Rate X-Axis 709 IPM, Rapid Rate Z Axis 945 IPM, Bar Capacity 3", Spindle Speed 3,500 RPM, Max Swing 20.47", Spindle Motor 30 HP, ...[more]
81	{ Choice of lots: 80, 81 } Samsung SL25 CNC Turning Center 3 Jaw Chuck, 10" Chuck Diameter, 12 Turret Station, X-Axis Travel 8.66", Z-Axis Travel 23.23", Rapid Rate X-Axis 709 IPM, Rapid Rate Z Axis 945 IPM, Bar Capacity 3", Spindle Speed 3,500 RPM, Max Swing 20.47", Spindle Motor 30 HP, Fanuc ...[more]

82	2004 Jinn Fa JCL-60TSM CNC Turning Center 3 Jaw Chuck, 8" Main / 7" Sub Spindle Chuck Diameters, 12 Tool Turret, Bar Capacity 2.36", 3 Axis, X-Axis Travel 5.31", Z-Axis Travel 11.02", X Axis Rapid Traverse.625 , Z Axis Rapid Traverse .787, Power 15 HP, Max Spindle Speed 3,500 RPM, Swing 23.228' ...[more]
83	Mori Seiki SL-25B CNC Turning Center 3 Jaw Chuck,12" Chuck Diameter, 10 Tool Turret, X-Axis Travel 6.3", Z-Axis Travel 23.2", Spindle Bore 3.1, Spindle Speed 3,500 RPM, Spindle Motor 20 HP, Max Turning Diameter 10.2", Max Turning Length 20.9", Max Bar Capacity 2.65", Swing Over Slide 13.8", S ...[more]
84	{ Choice of lots: 84 } Mori Seiki CL-25B CNC Turning Center 3 Jaw Chuck, 12" Chuck Diameter, 10 Tool Turret, Turning Diameter 17.71", Turning Length 17.71", Swing Over Bed 20.47", Turning Speed Range - Main Spindle 28 - 2.800 Min/-1, Power Capacity 15 / 11 kW, Spindle Bore 4.13", Bar Feed 3.5' ...[more]
85	LNS Quick-Load Bar Feed S/N 18615
86	{ Choice of lots: 86 } Mori Seiki SI-25 CNC Turning Center 3 Jaw Chuck, 10 Tool Turret, Max Turning Length 20.86", Max Turning Diameter 13.38" , Chuck Diameter 10" , Capacity 13.38 Dia. X 20.86, Swing 20.47", Distance Between Centers 24.60" , Chuck Capacity 7.87", Guildways Box, Fanuc 10T Con ...[more]
87	{ Choice of lots: 87, 87A } Mori Seiki SI-25 CNC Turning Center 3 Jaw Chuck, 10 Tool Turret, Max Turning Length 20.86", Max Turning Diameter 13.38" , Chuck Diameter 10" , Capacity 13.38 Dia. X 20.86, Swing 20.47", Distance Between Centers 24.60" , Chuck Capacity 7.87", Guildways Box, Fanuc 10 ...[more]
87A	{ Choice of lots: 87, 87A } Mori Seiki SI-25 CNC Turning Center 3 Jaw Chuck, 10 Tool Turret, Max Turning Length 20.86", Max Turning Diameter 13.38" , Chuck Diameter 10" , Capacity 13.38 Dia. X 20.86, Swing 20.47", Distance Between Centers 24.60" , Chuck Capacity 7.87", Guildways Box, Fanuc 10 ...[more]
88	{ Choice of lots: 88 } Mori Seiki SI-25 CNC Turning Center 3 Jaw Chuck, 10 Tool Turret, Max Turning Length 20.86", Max Turning Diameter 13.38" , Chuck Diameter 10" , Capacity 13.38 Dia. X 20.86, Swing 20.47", Distance Between Centers 24.60" , Chuck Capacity 7.87", Guildways Box, Fanuc 10T Con ...[more]
89	{ Choice of lots: 89, 90 } 1999 Doosan T-310 Twin Spindle CNC Turning Center Dual, Two 3 Jaw Chucks, 10" Chucks, Fanuc 18-T Controller, Jorgensen Chip Conveyor, 50/60hz 200/220v 32.8Kva
90	{ Choice of lots: 89, 90 } 1999 Doosan T210-LTA Twin Spindle CNC Turning Center Dual, Two 3 Jaw Chucks, 8" Chucks, Fanuc 18-T Controller, Jorgensen Chip Conveyor, 50/60Hz 200/220Volts, 3 Phase, 32.8Kva, Weight 5200 Lbs. S/N LTA1013
91	Daewoo Puma 8-2SP Twin Spindle CNC Turning Center Dual, Two 3 Jaw Chucks, 10" Chucks, Max Machining Diameter 11.8", Max Machining Length 7.9", Twin Spindle Collets on Each, Twin 8 Position Turrets, 20/15 HP, 40-4,000 RPM, Coolant, Fanuc O-TT Series Controller, Foot Pedal, Turbo Chip Conveyor, 220 ...[more]
92	Okuma ACT 2SP-2 Twin Spindle CNC Turning Center Dual, Two 3 Jaw Chucks, 8" Chucks, Max Cutting Diameter 8.27", Max Cutting Length 7.87", Distance Between Spindle s 14.12", Spindle Bores 1.72", Spindle Speeds 40 - 3,500 RPM, Spindle Drive Motor 7.5 / 10 HP, Rapid Traverse 590 IPM, Fanuc 0T Contr ...[more]
93	Fortune V Turn 26 Series UC-22 CNC Turning Center 3 Jaw Chuck, 12" Chuck, Bar Capacity 2.95", Max Turing Diameter 14.9", Swing 20.4", Machining Length 25.5", Tailstock, Fanuc Series 0-T Controller,220 Volts, 3 Phase,50/60Hz, 28KW
94	1995 Okuma LB-25 CNC Turning Center 3 Jaw Chuck, 10" Chuck, 12 Tool Turret, Turning Length 6.96", Turning Dia14.17, X-Axis Travel 7.28", Z-Axis Travel 26.37", Spindle Bore2.40", Spindle Speed 3,500 RPM, Tailstock, Foot Pedal, Hennig Chip Conveyor, 220 / 440 Volts, 3 Phase60HZ 48KVA S/N 1439

95	Doosan Dooturn-280 CNC Turning Center 3 Jaw Chuck, 8" Chuck, 8 Station Turret, Turning Length12.99, Turning Dia 11.02", X-Axis Travel 9.64, Z-Axis Travel 29.52", Spindle Taper A2-8, Spindle Bore 2.04", Spindle Speed 3,500 RPM, Spindle Motor Power 11 kW, Tailstock, Fanuc Korea Series 0-T Controll ...[more]
96	Hitachi Seiki CS-18 CNC Turning Center 3 Jaw, 8" Chuck, 12 Station Turret, 200/220 Volt, 50/60 Hz, 3 Phase S/N CS15008
97	Mori Seiki SL-00 CNC Turning Center 8 Station Turret, Bar Capacity1.65", Max Cutting Dia 7.48", Max Cutting Length 7.08", Spindle Motor Power 7.5 kW, Spindle Nose A2-5, Spindle Speed 6000 RPM, Barfeed Hydra Feed ML-1, X-Axis Travel 4.92", Z-Axis Travel 7.67", Turbo Chip Conveyor, 220 Volt, 60 H ...[more]
98	Kira VC-40S Vertical CNC Machining Center 15" X 24" T Slotted Table, 12 Position Tool Changer, Spindle Speed 120-8000 RPM, X-Axis Travel 22.40", Y-Axis Travel 15.74", Z-Axis Travel 15.74" , Fanuc Series 21-M Controller, 220Volts,60Hz, 9kVa S/N P0170
99	Wasino LG-71 CNC Turning Center 6 1/2" Slotted Table, Collet Chuck
100	1996 Amera-seiki GT-32 Slant Bed CNC Turning Center Swing Over Side Cover 10.8", Spindle Speed 60- 6,000 RPM, Gang Tool Slide Width X Length 12" X 20.8", Rapid Traverse X Axis 590 IPM, Rapid Traverse Z Axis 590 IPM, Spindle Drive Motor 10 HP, Collet Chuck 5C, Fanuc O-T Series Controller S/N 81269
101	Mori Seiki SL-25B5 CNC Turning Center 3 Jaw Chuck, 10" Chuck, 10 Tool Turret, Max Turning Length 20.86", Max Turning Diameter 13.38" , Chuck Diameter 10" , Capacity 13.38 Dia. X 20.86, Swing 20.47", Distance Between Centers 24.60" , Chuck Capacity 7.87", Guildways Box, Fanuc 10T Controller, M ...[more]
102	2000 Mazak Space gear-48 CNC Laser Cutter X Axis Stroke, 109.3", Y Axis Stroke 50", Z Axis Stroke 14.6", A Axis Stroke 345 Degrees, Baxis Stroke 135 Degrees, Max Workpiece Size, 98.4" X 49.2" X 0.63", Max Load Capacity 3.8 /860 Kn/lbf, 230/460 Volt, 3 Phase, Rated Laser Output 2000 W, Mazak Fa ...[more]
104	{ Group of lots: 104, 105, 107, 110, 111 } Kurt 6" Machine Vise
105	{ Group of lots: 104, 105, 107, 110, 111 } Kurt 6" Machine Vise
106	{ Choice of lots: 106, 108, 109 } Te-Co 6" Machine Vise
107	{ Group of lots: 104, 105, 107, 110, 111 } Parlec PWS-6900 6" Machine Vise
108	{ Choice of lots: 106, 108, 109 } Te-Co PWS-6900 6" Machine Vise
109	{ Choice of lots: 106, 108, 109 } Kurt 6" Machine Vise
110	{ Group of lots: 104, 105, 107, 110, 111 } Kurt 6" Machine Vise
111	{ Group of lots: 104, 105, 107, 110, 111 } Kurt 6" Machine Vise
112	{ Choice of lots: 112, 113, 114, 115, 116, 117, 118, 119, 120, 121 } 4" Machine Vise
113	{ Choice of lots: 112, 113, 114, 115, 116, 117, 118, 119, 120, 121 } 4" Machine Vise
114	{ Choice of lots: 112, 113, 114, 115, 116, 117, 118, 119, 120, 121 } 4" Machine Vise

115	{ Choice of lots: 112, 113, 114, 115, 116, 117, 118, 119, 120, 121 } 4" Machine Vise
116	{ Choice of lots: 112, 113, 114, 115, 116, 117, 118, 119, 120, 121 } 4" Machine Vise
117	{ Choice of lots: 112, 113, 114, 115, 116, 117, 118, 119, 120, 121 } 4" Machine Vise
118	{ Choice of lots: 112, 113, 114, 115, 116, 117, 118, 119, 120, 121 } 4" Machine Vise
119	{ Choice of lots: 112, 113, 114, 115, 116, 117, 118, 119, 120, 121 } 4" Machine Vise
120	{ Choice of lots: 112, 113, 114, 115, 116, 117, 118, 119, 120, 121 } Palmgren 4" Machine Vise
121	{ Choice of lots: 112, 113, 114, 115, 116, 117, 118, 119, 120, 121 } 4" Machine Vise
122	Lot of (3) Machine Vises
123	{ Group of lots: 123, 124, 125 } 10" 3 Jaw Chuck
124	{ Group of lots: 123, 124, 125 } 8" 3 Jaw Chuck
125	{ Group of lots: 123, 124, 125 } 7" 3 Jaw Chuck
126	{ Group of lots: 126, 127 (P) } 12" x 7" Magnetic Chuck
127	{ Group of lots: 126, 127 (P) } 12" x 7" Magnetic Chuck
128	5" Sine Plate, V Block
129	Walter RI 3200 12" Rotary Table S/N 2770
130	5" Bench Vise
131	(2) Grinding Whirly Jig Spin Fixtures
132	Collet Holder Clamps
133	Darex V-390 Drill Sharpener
134	Assorted Stamps, Allen Wrenches, Notch Cutters, Dies and Taps
134A	Assorted V-Blocks, and Angle Plates
135	{ Group of lots: 135, 136, 137, 138, 139, 140, 141 } Lot of (5) Cat 50 Tooling Holders

136 { Group of lots: 135, 136, 137, 138, 139, 140, 141 } Lot of (5) Cat 50 Tooling Holders

137 { Group of lots: 135, 136, 137, 138, 139, 140, 141 } Lot of (5) Cat 50 Tooling Holders

138 { Group of lots: 135, 136, 137, 138, 139, 140, 141 } Lot of (5) Cat 50 Tooling Holders

139 { Group of lots: 135, 136, 137, 138, 139, 140, 141 } Lot of (5) Cat 50 Tooling Holders

140 { Group of lots: 135, 136, 137, 138, 139, 140, 141 } Lot of (5) Cat 50 Tooling Holders

141 { Group of lots: 135, 136, 137, 138, 139, 140, 141 } Lot of (5) Cat 50 Tooling Holders

142 { Group of lots: 142, 143, 144, 145, 146, 147, 148, 149, 150, 151, 152, 153 } Lot of (14) 40 Tooling Holders

143 { Group of lots: 142, 143, 144, 145, 146, 147, 148, 149, 150, 151, 152, 153 } Lot of (14) 40 Tooling Holders

144 { Group of lots: 142, 143, 144, 145, 146, 147, 148, 149, 150, 151, 152, 153 } Lot of (16) 40 Tooling Holders

145 { Group of lots: 142, 143, 144, 145, 146, 147, 148, 149, 150, 151, 152, 153 } Lot of (14) 40 Tooling Holders

146 { Group of lots: 142, 143, 144, 145, 146, 147, 148, 149, 150, 151, 152, 153 } Lot of (16) 40 Tooling Holders

147 { Group of lots: 142, 143, 144, 145, 146, 147, 148, 149, 150, 151, 152, 153 } Lot of (10) 40 Tooling Holders

148 { Group of lots: 142, 143, 144, 145, 146, 147, 148, 149, 150, 151, 152, 153 } Lot of (15) 40 Tooling Holders

149 { Group of lots: 142, 143, 144, 145, 146, 147, 148, 149, 150, 151, 152, 153 } Lot of (12) 40 Tooling Holders

150 { Group of lots: 142, 143, 144, 145, 146, 147, 148, 149, 150, 151, 152, 153 } Lot of (7) 40 Tooling Holders

151 { Group of lots: 142, 143, 144, 145, 146, 147, 148, 149, 150, 151, 152, 153 } Lot of (11) 40 Tooling Holders

152 { Group of lots: 142, 143, 144, 145, 146, 147, 148, 149, 150, 151, 152, 153 } Lot of (11) 40 Tooling Holders

153 { Group of lots: 142, 143, 144, 145, 146, 147, 148, 149, 150, 151, 152, 153 } Lot of (24) 40 Tooling Holders

154 { Group of lots: 154, 155, 156, 157, 158 } Assorted Lathe Tooling Bars in (1) Tote

155 { Group of lots: 154, 155, 156, 157, 158 } Assorted Lathe Tooling Bars in (1) Tote

156 { Group of lots: 154, 155, 156, 157, 158 } Assorted Lathe Tooling Bars in (1) Tote

157 { Group of lots: 154, 155, 156, 157, 158 } Assorted Lathe Tooling Bars in (1) Tote

158	{ Group of lots: 154, 155, 156, 157, 158 } Assorted Lathe Tooling Assorted Lathe Tooling Sleeves in (1) Tote
-----	--

159	{ Group of lots: 159, 160, 161 } Assorted Size Collets in (1) Tote
-----	--

160	{ Group of lots: 159, 160, 161 } Assorted Size Collets in (1) Tote
-----	--

161	{ Group of lots: 159, 160, 161 } Assorted Size Collets in (1) Tote
-----	--

162	Assorted Tooling Boring Bars
-----	------------------------------

163	{ Group of lots: 163, 164, 165 } Assorted Tooling To Include Taps/Dies, Side Cutters, Drills, Reamers
-----	---

164	{ Group of lots: 163, 164, 165 } Assorted Tooling To Include Taps/Dies, Mills , Drills, Reamers
-----	---

165	{ Group of lots: 163, 164, 165 } (3) Boxes of Assorted Carbide Tooling Inserts
-----	--

166	{ Group of lots: 166, 167, 168, 169 } Assorted Lathe Tooling Blocks in (1) Tote
-----	---

167	{ Group of lots: 166, 167, 168, 169 } Assorted Lathe Tooling Blocks in (1) Tote
-----	---

168	{ Group of lots: 166, 167, 168, 169 } Assorted Lathe Tooling Blocks in (1) Tote
-----	---

169	{ Group of lots: 166, 167, 168, 169 } Assorted Lathe Tooling Blocks in (1) Tote
-----	---

170	{ Group of lots: 170, 171, 172 } Chuck Jaws in (1) Tote
-----	---

171	{ Group of lots: 170, 171, 172 } Chuck Jaws in (3) Totes
-----	--

172	{ Group of lots: 170, 171, 172 } Chuck Jaws in (2) Totes
-----	--

173	{ Group of lots: 173, 174, 175 } Chuck Jaws and Set Up Clamps in (2) Totes
-----	--

174	{ Group of lots: 173, 174, 175 } Chuck Jaws and Set Up Clamps in (2) Totes
-----	--

175	{ Group of lots: 173, 174, 175 } Chuck Jaws and Set Up Clamps in (2) Totes
-----	--

176	Lathe Tooling in (3) Totes
-----	----------------------------

177	(7) Totes of Assorted Belts, Fasteners, and Tie Down Clamps
-----	---

178	10 Drawer Lista Cabinet
-----	-------------------------

179	Contents of Rooms Cabinets , Shelving, 2 Door Cabinets, Contents of Shelving
-----	--

179A	Minster P2-45 Piece Maker 45 Ton Stamping Press 80-400 SPM, 2.5" Stroke Length,15" Shut Height on Bed Stroke Down, Clutch Air Pressure for Rated Tons in Pounds 60 S/N 20590 [Loc: Wixom, MI]
179B	Bliss HP2-100-48-30 100 Ton Stamping Press [Loc: Wixom, MI]
179C	Niagara 100 Stamping Press Stroke 4, Shut Height 17, Adjustment 3, Bed - Area L-R F-B 48-30, Ram Area L-R F-B 48 - 18, Stroke / Min 70 [Loc: Wixom, MI]
179D	Niagara M-110 110 Ton OBI Press Stroke 8, Shut Height 24, Adjustment 5, Bed Area 42 X 27", Ram Area 28 x 21", Stroke / Min 40 S/N 39832 [Loc: Wixom, MI]
179E	1994 Fadal 904-1 Vertical Machining Center 230/440 VAC, 3 Phase, 60 Hz, Full Load Current 40/20 Amp, Short Circuit Interrupting Capacity 200 KA S/N 9411440 [Loc: Wixom, MI]
179F	Fadal 914-15 Vertical Machining Center 230/440 VAC, 3 Phase, 60 Hz, Full Load Current 25/12.5 Amp, Short Circuit Interrupting Capacity 200 KA S/N 9407652 [Loc: Wixom, MI]
179G	Bridgeport Torq Cut 22 Vertical Machining Center 240 Volts, 3 Phase, 60 Hz, Full Load Current 50 Amps, Protective Device is 200000 Amps [Loc: Wixom, MI]
179H	Torin 4 Slide Machine [Loc: Wixom, MI]
180	CAT 5,500 Lbs. Capacity Forklift 5500 Capacity, 4' Forks, Solid Tires, Side Shift, LP Gas, 2 Stage Mast, Hours 1694
181	{ Group of lots: 181, 182 } Roura Dump Hopper
182	{ Group of lots: 181, 182 } Roura Dump Hopper
183	1991 International 4000 24 Ft Box Truck 24 Ft x 8 Ft Box, Diesel, Vin 1HTSCNMM3NH413181, 4 X 2
184	11 Sections of Pallet Racking 11 SECTION 16 UPRIGHT 22 CROSSBEAM
185	(10) Metal Work Tables
186	(2) Rolling Conveyors 5 FOOT 6 FOOT
187	Assorted Collapsible Bins and Plastic Totes
188	{ Group of lots: 188, 189, 190, 191 } (4) Work Benches
189	{ Group of lots: 188, 189, 190, 191 } (4) Work Benches
190	{ Group of lots: 188, 189, 190, 191 } (8) Work Benches
191	{ Group of lots: 188, 189, 190, 191 } (5) Work Benches

192 (4) Rolling Carts

193 Assorted Tables, Shelving and Contents of on (1) Wall Refrigerator, Microwave

194 Brunswick 3 Sections of Lockers 12 Per Section

195 5" Pipe Stock

196 Safe with combination available
