



Meadoworks

Surplus Assets to the Ongoing Operations of POP Displays USA

555 Tuckahoe Rd
Yonkers
New York
10701
United States

Ended May 01, 2019 3:29pm CDT (9:29pm BST)

| Lot | Description |
|-----|--|
| 2 | Cincinnati Fan 100-S Blower, Serial: 9411164 |
| 3 | AL-20 Disc Grinder, 20" Disc, 220v, Serial: AL10185 |
| 4 | Sullair VS-16 Vacuum System |
| 5 | Onsrud Vertical Pin Router |
| 6 | SCMI R9 Vertical Pin Router, Serial: 6376 |
| 7 | Delta Tablesaw |
| 8 | Sawstop CB 53230 10" Cabinet Saw, Serial: 74210089 |
| 9 | Kalamazoo Horizontal Bandsaw |
| 10 | Delta Vertical Bandsaw |
| 10A | Royal Vertical Bandsaw (Victor), Model: DCM-5A, Serial: V50575A, 220V (#06-0053) |
| 11 | Northwood NW255 CNC Woodworking Machining Center, Serial: 1410-098 |
| 12 | Northwood NW255-S4 CNC Woodworking Machining Center, Serial: S1196-102-S1 |
| 14 | Milford Riveters - Bank of (3) |
| 15 | Bridgeport Vertical Knee Mill, 9" x 42" Table, Power Feed, Digital Readouts |
| 16 | Bridgeport Vertical Knee Mill, 9" x 42" Table, Power Feed, 2 HP, Serial: 7491S (#06-0072) |
| 17 | Bridgeport Series 2 Special Vertical Knee Mill, 9" x 42" Table, Power Feed, Accurite DRO's, 2 HP, Serial: 7491S (Machine #6) |
| 18 | Kao Ming KMR-1100H Radial Arm Drill, Serial: 1554 |
| 19 | Kao Ming KMR-700 DS Radial Arm Drill |

| | |
|----|---|
| 20 | Leblonde Lathe, Tool Post, 3-Jaw Chuck, 230v, Serial: 11C-1125X-2383 |
| 21 | Fadal VMC 4525 Vertical Machining Center, Serial: 12000050714 (Machine #5), Kurt Vise NOT Included |
| 22 | Hurco BMC 4020HT Vertical Machining Center, 48" x 20" Table, x=40", y=20", z=24", 7,000 Max. RPM, 230v, Ultimax DUal Screen Controls, Serial: B42M910041289DB |
| 23 | Fadal VMC 4020 Vertical Machining Center, Serial: 9711730 (Machine #7) |
| 24 | Linde Heliarc 250HF Tig Welder |
| 25 | PPE Mobile Surge Bin |
| 26 | PPE BT1600FPVB Gaylord Tilter, Serial: BT1600FPVB23790312 |
| 27 | PPE BT1600FPVB Gaylord Tilter, Serial: BT1600FPVB24300714 |
| 28 | PPE BT1600FPVB Gaylord Tilter |
| 31 | Athena MFLD2NOPO 2-Zone Hot Runner Controller, Serial: 807000142 |
| 32 | Athena 2-Zone Hot Runner Controller (1 Card) |
| 33 | PPE PRM-1CM, 1 Zone Hot Runner Controller, New is 2015, Serial: 1408-1M |
| 34 | Bishamon LV50 Mold Cart, 1100 Lb. Capacity |
| 35 | Dayton 800 Lb. Capacity Mold Cart |
| 36 | Branson 900 Series Ultrasonic Welder (Machine #14) |
| 37 | Branson 900 Series Ultrasonic Welder (Machine #16) |
| 38 | Branson 900 Series Ultrasonic Welder (Machine #30) |
| 39 | Branson 900 Series Ultrasonic Welder (Machine #22) |
| 40 | Branson 900 Series Ultrasonic Welder (Machine #34) |
| 41 | Branson 900 Series Ultrasonic Welder (Machine #13) |
| 42 | Branson 900 Series Ultrasonic Welder (Machine #19) |
| 43 | Branson 900 Series Ultrasonic Welder (Machine #12) |

| | |
|-----|---|
| 44 | Branson 900 Series Ultrasonic Welder (Machine #40) |
| 45 | Branson 900 Series Ultrasonic Welder (Machine #20) |
| 46 | Branson 900 Series Ultrasonic Welder (Machine #21) |
| 47 | Branson 900 Series Ultrasonic Welder (Machine #11) |
| 48 | Branson 900 Series Ultrasonic Welder on Pallet (Machine 29) |
| 49 | Branson 2000 Series Ultrasonic Welder on Pallet (Machine #4) |
| 50 | Piovan THN120 Thermolator, Serial: OTH4768 |
| 51 | PPE DTS-5502 Drum Mixer, Serial: DTS55022490201 |
| 52 | Nelmor G1012P1 Granulator, 10" x 12" Capacity, Serial: 920131492 |
| 53 | Nelmor G1012P1 Granulator, 10" x 12" Capacity, Serial: 930232675 |
| 53A | Conair 7.5 Hp Granulator, Model: CBW1018, 10" x 18", 3-Blade Open Rotor, 6mm Screen Size, 460V, Serial: RA-620.98073.1, New in 2008 - **Located in Itasca, IL - If awarded lot, \$150 will be added to invoice for loading*** |
| 54 | Temptek CF-1.5A Air Cooled Chiller, 1.5 Ton Capacity, Serial: 142121, New in 2015 |
| 55 | Temptek CF-5A Air Cooled Chiller, 5 Ton Capacity, Serial: 105178, New in 2007 |
| 55A | Dyna Con Tumbler Separator, New in 2013, Model: STV1223-M, S/N: 516856 **Located in Itasca, IL - If awarded lot, \$150 will be added to invoice for skidding and loading*** |
| 55B | Dyna Con Tumbler Separator, New in 2013, Model: STV1223-M, S/N: 516856-1 **Located in Itasca, IL - If awarded lot, \$150 will be added to invoice for skidding and loading*** |
| 55C | Dyna Con Tumbler Separator, New in 2013, Model: STV1223-M, S/N: 516856-2 **Located in Itasca, IL - If awarded lot, \$150 will be added to invoice for skidding and loading*** |
| 55D | Dyna Con Tumbler Separator, New in 2013, Model: STV1223-M, S/N: 516856 **Located in Itasca, IL - If awarded lot, \$150 will be added to invoice for skidding and loading*** |
| 55E | Dyna Con Tumbler Separator, New in 2015, Model: TSXXM, S/N: 301931 **Located in Itasca, IL - If awarded lot, \$150 will be added to invoice for skidding and loading*** |
| 55F | Dyna Con Tumbler Separator, New in 2015, Model: TSXXM, S/N: 301932 **Located in Itasca, IL - If awarded lot, \$150 will be added to invoice for skidding and loading*** |
| 55G | Dyna Con Tumbler Separator, New in 2015, Model: TSXXM, S/N: 301928 **Located in Itasca, IL - If awarded lot, \$150 will be added to invoice for skidding and loading*** |

| | |
|----|---|
| 58 | Wittmann Conveyor, #A8U0001293 **Located in Torrington, CT** |
| 59 | Wittmann Conveyor, #A8U0001502 **Located in Torrington, CT** |
| 60 | Wittmann Conveyor, #A8U0001503 **Located in Torrington, CT** |
| 61 | Wittmann Material Feeder, #IGU0000174 **Located in Torrington, CT** |
| 62 | Wittmann Material Feeder, S/N: 0000102596 **Located in Torrington, CT** |
| 63 | Wittmann Feedmax S3 Material Loader, New in 2012, Serial: 262798 **Located in Torrington, CT** |
| 64 | Wittmann Material Loader, New in 2015, Serial: W400000228 **Located in Torrington, CT** |
| 65 | Wittmann Material Loader, New in 2014, Serial: W500001322 **Located in Torrington, CT** |
| 66 | Wittmann Feedmax S3-NET Material Loader, New in 2017, Serial: 412428 **Located in Torrington, CT** |
| 67 | Wittmann Control Unit, New in 2016, Serial: A001060413 **Located in Torrington, CT** |
| 68 | Wittmann Material Loader, New in 2008, Serial: 136244 **Located in Torrington, CT** |
| 69 | Wittmann Feedmax S3 Primus-40 Material Loader, New in 2011, Serial: 224452 **Located in Torrington, CT** |
| 70 | Wittmann NPDV-150 Material Vacuum Pump, 15 HP, 460v, 3" Line Size, No Starter, New in 2016, Serial: W100001591 **Located in Torrington, CT** |
| 71 | Wittmann Material Loader, New in 2011, Serial: 224446 **Located in Torrington, CT** |
| 72 | Wittmann Material Loader, Serial: W300005459 **Located in Torrington, CT** |
| 73 | Wittmann Material Loader, New in 2010, Serial: W300002365 **Located in Torrington, CT** |
| 74 | Wittmann Dual Thermolator, 1.3 HP, 24 kw Heater, 320° F Max. Temp, 480v, New in 2016, Serial: 375886 **Located in Torrington, CT** |
| 75 | Wittmann Thermolator, 1.3 HP, 18 kw Heater, 285° F Max. Temp, 480v, New in 2016, Serial: 355350 **Located in Torrington, CT** |
| 76 | Wittmann Thermolator, 1.3 HP, 9 kw Heater, 285° F Max. Temp, 480v, with Cooling Water Bypass, Enhanced Cooling Coil, Flow Measurement, Remote Control, Serial: 346980 **Located in Torrington, CT** |
| 77 | Wittmann Thermolator, 1 HP, 12 kw Heater, 250° F Max. Temp, 480v, New in 2016, Serial: 268596 **Located in Torrington, CT** |
| 78 | Wittmann Coolmax 4 Ton Chiller, New in 2017, Water Cooled, Touch Screen Display, 460v, Serial: 17E01664 **Located in Torrington, CT** |

| | |
|-----|--|
| 79 | Wittmann Coolmax Chiller, 2.5 Ton, New in 2014, Air Cooled, 460v, Touch Screen Display, Serial: 14E01143 **Located in Torrington, CT** |
| 80 | Wittmann 3.37 HP Granulator, New in 2008, 460v, 32 Rotor RPM, Serial: W2898 **Located in Torrington, CT** |
| 81 | Wittmann 4 HP Granulator, New in 2011, 480v, 32 Rotor RPM, Serial: W4619 **Located in Torrington, CT** |
| 82 | Wittmann 3.37 HP Granulator, New in 2011, 480v, 32 Rotor RPM, Serial: W2897 **Located in Torrington, CT** |
| 83 | Wittmann 3.37 HP Granulator, New in 2013, 480v, 32 Rotor RPM, Serial: W5807 **Located in Torrington, CT** |
| 84 | Wittmann 3 HP Granulator, New in 2016, 460v, 32 Rotor RPM, 5mm Cutter, Serial: W4618 **Located in Torrington, CT** |
| 85 | Wittmann 1.68 HP Granulator, New in 2016, 460v, 32 Rotor RPM, 5mm Cutter, Serial: W6563 **Located in Torrington, CT** |
| 86 | Wittmann 6.1 HP Granulator, New in 2017, 460v, 240 Rotor RPM, 6mm Screen, Serial: WTM8196 **Located in Torrington, CT** |
| 89 | Wittmann Granulator, New in 2016, Serial: WTM8354 **Located in Torrington, CT** |
| 90 | Wittmann 3.4 HP Granulator, New in 2016, 480v, 32 Rotor RPM, 5mm Cutter, Serial: WTM8059 **Located in Torrington, CT** |
| 93 | Wittmann Minor 2 Granulator, New in 2014, 460v, Serial: W6132 **Located in Torrington, CT** |
| 94 | Wittmann MAS1, 2.95 HP Granulator, New in 2012, 240 Rotor RPM, Serial: WTM4750 **Located in Torrington, CT** |
| 95 | Wittmann MAS4 HD Granulator, New in 2016, 460v, Serial: WTM6633 **Located in Torrington, CT** |
| 96 | Wittmann 2.3 HP Granulator, New in 2017, 1730 Rotor RPM, Serial: WTM8714, **Located in Torrington, CT** |
| 97 | Wittmann 4 HP Granulator, New in 2018, 480v, 6mm Screen, 32 Rotor RPM, Serial: WTM8750 **Located in Torrington, CT** |
| 98 | Wittmann G-Max 33, 4 HP Granulator, New in 2018, 5mm Screen, 240 Rotor RPM, 480v, Serial: WTM8808 **Located in Torrington, CT** |
| 99 | Wittmann 4.6 HP Granulator, New in 2014, 480v, Serial: W6173 **Located in Torrington, CT** |
| 100 | Wittmann Gravimax G14 Material Blender, New in 2016, Serial: 398114 **Located in Torrington, CT** |
| 101 | Wittmann Gravimax 14V Material Blender, New in 2012, Serial: W8-147 **Located in Torrington, CT** |
| 102 | Wittmann Gravimax 14V Material Blender, New in 2010, Serial: W8-173 **Located in Torrington, CT** |
| 103 | Wittmann Gravimax 14V Material Blender, New in 2010, Serial: W800000154 **Located in Torrington, CT** |
| 104 | Wittmann Aton Plus H70-150-M Material Dryer & Hopper, New in 2017, 480v, Serial: 390901 **Located in Torrington, CT** |

| | |
|------|---|
| 105 | Wittmann Aton Basic G120-400-M Material Dryer & Hopper, New in 2018, Serial: 443232 **Located in Torrington, CT** |
| 108 | Wittmann Silmax E300 Material Hopper, New in 2017, 480v, Serial: 405814 **Located in Torrington, CT** |
| 109 | Wittmann Aton F120-70/100/150-M Material Dryer & Hopper, New in 2016, 480v, Serial: 322777 **Located in Torrington, CT** |
| 110 | Wittmann Aton Plus G120-150/100/70-M Material Dryer & Hopper, New in 2017 Serial: 407064 **Located in Torrington, CT** |
| 111 | Maguire WSB-240 Material Blender on Stand, Serial: 105228-14 (Machine #06-0152) |
| 112 | Maguire WSB-240 Material Blender on Stand, Serial: 105287-14 (Machine #06-0152) |
| 113 | Rapid 1424 Granulator, 14" x 24" Capacity Serial: 410.53 (Machine #06-0203) |
| 114 | PPE MD-300230 Material Dryer with Novatec Hopper, Serial: MD3002301000 (Machine #3-Pink) |
| 115 | Novatec MPC-200 Material Dryer with Hopper, Serial: 10A1394-0254 (Machine #2-Pink) |
| 116 | PPE MD-300230 Material Dryer with Novatec Hopper, Serial: MD3002301001 (Machine #1-Pink) |
| 116A | Advantage TTK-3200-4P Pump Tank, 208v, New in 2004, Serial: 87697 |
| 121 | 2010 UBE UZ100, 1000 Ton Injection Molding Press, 185.4 oz Shot Size, 60" x 50" Tie Bar Spacing, 76.92" x 66.92" Platen Size, 107.87" Daylight, 55.11" Clamp Stroke, 19.69" - 52.76" Mold Height, 460v **Located in Mishawaka, IN** |
| 122 | LG Goldstar IDE720EN, 720 Injection Molding Press, 162 oz. Shot Size, 38.6" x 38.6" Tie Bar Spacing, 70.9" Daylight, Serial: N99720E6628, New in 1999 (Machine #1) |
| 123 | Milacron NT 550, 550 Ton All Electric Injection Molding Press, 48 oz., 36.22" x 36.22" Tie Bar Spacing, 50.8" x 50.8" Platen, 34.64" Clamp Stroke, 67.72" Daylight, 9.84"-33.07" Mold Height, 7.87" Ejectro Stroke, Serial: W26A0100002, New in 1999 (Machine #2) |
| 124 | Yushin Netliner VNII-EA-550S Robot (Installed on IMM Machine #2) |
| 125 | Milacron NT 550, 550 Ton All Electric Injection Molding Press, 48 oz., 36.22" x 36.22" Tie Bar Spacing, 50.8" x 50.8" Platen, 34.64" Clamp Stroke, 67.72" Daylight, 9.84"-33.07" Mold Height, 7.87" Ejectro Stroke, Serial: W26A0100001, New in 1999 (Machine #3) |
| 126 | Yushin Netliner VNII-EA-550S Robot (Installed on IMM Machine #3) |
| 127 | Advantage SK-10451 E-2101, 1 HP, 10 kw Thermolator, Serial: 77757, 208v (Machine #38) |
| 128 | Milacron NT 440, 440 Ton All Electric Injection Molding Press, 33.07" x 33.07" Tie Bar Spacing, 46.26" x 45.31" Platen, 56.1" Daylight, 26.57" Clamp Stroke, 9.84"-29.53" Mold Height, 7.87" Ejectro Stroke, Serial: W23A0100009, New in 1999 (Machine #4) |
| 129 | Yushin Netliner VNII-EA-350S Robot (Installed on IMM Machine #4) |

- 130 Milacron NT 440, 440 Ton All Electric Injection Molding Press, 33.07" x 33.07" Tie Bar Spacing, 46.26" x 45.31" Platen, 56.1" Daylight, 26.57" Clamp Stroke, 9.84"-29.53" Mold Height, 7.87" Ejector Stroke, Serial: W23A0100008, New in 1999 (Machine #5)
-
- 131 Yushin Netliner VNII-EA-350S Robot (Installed on IMM Machine #5)
-
- 132 Advantage SK-1075LEP-21D1 Thermolator, Serial: 116889, New in 2010, 208v (Machine #28)
-
- 133 LG 500H, 500 Ton Injection Molding Press, 76 oz. Shot Size, 32.6" x 32.6" Tie Bar Spacing, 57.1" Daylight, New in 2004, Serial: NP1500H11156 (Machine #6)
-
- 134 Yushin Netliner VNII-EA-350S Robot (Installed on IMM Machine #6)
-
- 135 Advantage SK-1045PE-21D1 Thermolator, 208v, Serial: 91040 (Machine #41)
-
- 136 LG 500H, 500 Ton Injection Molding Press, 76 oz. Shot Size, 32.6" x 32.6" Te Bar Spacing, 57.1" Daylight, New in 2004, Serial: NP1500H11155, New in 2004 (Machine #7)
-
- 137 Advantage SK-1045LE-21D1, 1HP, 10kw Thermolator, Serial: 78859, 208v (Machine #10)
-
- 138 LG 390H, 390 Ton Injection Molding Press, 48 oz. Shot Size, 27.9" x 27.9" Te Bar Spacing, 49.2" Daylight, Serial: NP1500H11154, New in 2004 (Machine #23)
-
- 139 LG Goldstar IDE500EN, 500 Ton Injection Molding Press, 75 oz. Shot Size, 32.6" x 32.6" Tie Bar Spacing, 57.1" Daylight, Serial: N98500E6188, New in 1998 (Machine #13)
-
- 140 Advantage SK-1075ZLE-21D1 Thermolator, Serial: 85445 (Machine #4)
-
- 141 Advantage SK-1035LEP-21D1 Thermolator, Serial: 114713, New in 2010
-
- 142 LG Goldstar IDE500EN, 500 Ton Injection Molding Press, 75 oz. Shot Size, 32.6" x 32.6" Tie Bar Spacing, 57.1" Daylight, Serial: N98500E6173, New in 1998 (Machine #10)
-
- 143 Milacron MFCH-75 Thermolator, Serial: 75674 (Machine #6)
-
- 144 LG Goldstar IDE500EN, 500 Ton Injection Molding Press, 75 oz. Shot Size, 32.6" x 32.6" Tie Bar Spacing, 57.1" Daylight, Serial: N97500E5951, New in 1997 (Machine #11)
-
- 145 Advantage SK-1045PE-21D1 Thermolator (Machine #36)
-
- 146 Advantage SK-1075ZLE-21D1 Thermolator, Serial: 80476 (Machine #33)
-
- 147 LG Goldstar IDE500EN, 500 Ton Injection Molding Press, 76 oz. Shot Size, 32.6" x 32.6" Tie Bar Spacing, 57.1" Daylight, Serial: N96500E4922, New in 1996 (Machine #8)
-
- 148 Advantage SK-1035LEP-21D1 Thermolator, Serial: 114714, New in 2010 (Machine #25)
-
- 149 Milacron MFCH-75 Thermolator, Serial: 75676 (Machine #9)

| | |
|-----|---|
| 150 | LG Goldstar IDE500EN, 500 Ton Injection Molding Press, 76 oz. Shot Size, 32.6" x 32.6" Tie Bar Spacing, 57.1" Daylight, Serial: N98500E6187, New in 1998 (Machine #19) |
| 151 | Advantage SK-1045LE-21D1 Thermolator, Serial: 91034 (Machine #47) |
| 152 | Advantage SK-1045LE-21D1 Thermolator, Serial: 91037 (Machine #39) |
| 153 | LG Goldstar IDE500EN, 500 Ton Injection Molding Press, 62 oz. Shot Size, 32.6" x 32.6" Tie Bar Spacing, 57.1" Daylight, Serial: N94500E3703, New in 1994 (Machine #12) |
| 154 | LG Goldstar IDE500EN, 500 Ton Injection Molding Press, 62 oz. Shot Size, 32.6" x 32.6" Tie Bar Spacing, 57.1" DaylightSerial: N94500E3618, New in 1994 (Machine #9) |
| 155 | Temptek VT-2200-LS Thermolator, Serial: 127349, New in 2012 |
| 156 | LG Goldstar IDE350EN, 350 Ton Injection Molding Press, 35 oz. Shot Size, 26.3" x 26.3" Tie Bar Spacing, 49.2" Daylight, Serial: N92350E3044, New in 1992 (Machine #17) |
| 157 | LG Goldstar IDE350EN, 350 Ton Injection Molding Press, 35 oz. Shot Size, 26.3" x 26.3" Tie Bar Spacing, 49.2" Daylight, Serial: N92350E3120, New in 1992 (Machine #20) |
| 158 | Temptek VT-2200-LS Thermolator, Serial: 120669 |
| 159 | LG Goldstar IDE390EN, 390 Ton Injection Molding Press, 41.1 oz. Shot Size, 27.9" x 27.9" Tie Bar Spacing, 49.2" Daylight, New in 1998 (Machine #21) |
| 160 | Advantage SK-1045LE-21D1 Thermolator, Serial: 91038 (Machine #24) |
| 161 | Milacron MH300, 300 Ton Injection Molding Press, 29 oz. Shot Size, 27.17" x 27.17" Tie Bar Spacing, 39.37" x 39.37" Platen, 29.9" Clamp Stroke, 42.13" Daylight, 5.80" Ejectro Stroke, 12.2" Min. Mold Height, Serial: H03A0496005, New in 1996 (Machine #24) |
| 162 | Yushin Netliner VNII-EA-350S Robot, NO Pendant Control (Installed on IMM Machine #24) |
| 163 | Milacron MH300, 300 Ton Injection Molding Press, 29 oz. Shot Size, 27.17" x 27.17" Tie Bar Spacing, 39.37" x 39.37" Platen, 29.9" Clamp Stroke, 42.13" Daylight, 5.80" Ejector Stroke, 12.2" Min. Mold Height, Serial: H03A0195023, New in 1995 (Machine #25) |
| 164 | Yushin Netliner VNII-EA-350S Robot (Installed on IMM Machine #25) |
| 165 | Milacron MH300, 300 Ton Injection Molding Press, 29 oz. Shot Size, 27.17" x 27.17" Tie Bar Spacing, 39.37" x 39.37" Platen, 29.9" Clamp Stroke, 42.13" Daylight, 5.80" Ejectro Stroke, 12.2" Min. Mold Height, Serial: H03A0497015, 1997 (Machine #26) |
| 166 | Yushin Netliner VNII-EA-250S Robot (Installed on IMM Machine #26) |
| 167 | Advantage SK-1045LE-21D1 Thermolator, Serial: 91036 (Machine #42) |
| 168 | Advantage SK-1075LEP-21D1 Thermolator, Serial: 115943 New in 2010 (Machine #16) |

- 169 Milacron Roboshot 165R-300G, 165 Ton All Electric Injection Press, 10.58 oz Shot Size, 20" x 20" Tie Bar Spacing, 29.5" x 29.5" Platen, 36.61" Daylight, 17.32" Clamp Stroke, 7.8"-19.3" Mold Height, 5.12" Ejector Stroke, Serial: 4067A02/97-6, New in 1997 (Machine #27)
-
- 170 Advantage SK-1035LEP-21D1 Thermolator, Serial: 112095 New in 2009 (Machine #18)
-
- 171 Advantage SK-1045LE-21D1 Thermolator, Serial: 91041 (Machine #11)
-
- 172 Yushin Airliner AN-M-150S Robot, NO Pendant Controls (Installed on IMM Machine #27)
-
- 173 Milacron Roboshot 165R-300G, 165 Ton All Electric Injection Press, 10.58 oz Shot Size, 20" x 20" Tie Bar Spacing, 29.5" x 29.5" Platen, 36.61" Daylight, 17.32" Clamp Stroke, 7.8"-19.3" Mold Height, 5.12" Ejector Stroke, Serial: 4067A02/97-?, New in 1997 (Machine #28)
-
- 174 Advantage SK-1045LE-21D1 Thermolator, Serial: 31861 (Machine #12)
-
- 175 Yushin Airliner AN-M-150S Robot (Installed on IMM Machine #28)
-
- 176 Milacron Roboshot 165R-300G, 165 Ton All Electric Injection Press, 10.58 oz Shot Size, 20" x 20" Tie Bar Spacing, 29.5" x 29.5" Platen, 36.61" Daylight, 17.32" Clamp Stroke, 7.8"-19.3" Mold Height, 5.12" Ejector Stroke, Serial: 4067A03/98-9, New in 1998 (Machine #29)
-
- 177 Yushin Airliner AN-M-150S Robot (Installed on IMM Machine #29)
-
- 178 Milacron Roboshot 165R-300G, 165 Ton All Electric Injection Press, 10.58 oz Shot Size, 20" x 20" Tie Bar Spacing, 29.5" x 29.5" Platen, 36.61" Daylight, 17.32" Clamp Stroke, 7.8"-19.3" Mold Height, 5.12" Ejector Stroke, Serial: 4067A03/98-8, New in 1998 (Machine #30)
-
- 179 Yushin Airliner AN-M-150S Robot (Installed on IMM Machine #30)
-
- 180 Advantage SK-1035LEP-21D1 Thermolator, Serial: 112097 New in 2009 (Machine #23)
-
- 181 Advantage SK-1035LEP-21C1 Thermolator, Serial: 82965 (Machine #23)
-
- 182 LG Goldstar IDE350EN, 350 Ton Injection Molding Press, 48 oz. Shot Size, 26.3" x 26.3" Tie Bar Spacing, 49.2" Daylight, Serial: N92350E3045, New in 1992 (Machine #18)
-
- 183 Advantage SK-1045LE-21D1 Thermolator, Serial: 78851 (Machine #48)
-
- 184 Advantage SK-1035LEP-21D1 Thermolator, Serial: 115941, New in 2010 (Machine #19)
-
- 185 LG Goldstar IDE350EN, 350 Ton Injection Molding Press, 30 oz Shot Size, 26.3" x 26.3" Tie Bar Spacing, Serial: N92330E2973, New in 1992 (Machine #16)
-
- 186 Advantage SK-1045LE-21D1 Thermolator, Serial: 78860 (Machine #35)
-
- 187 Advantage SK-1035LEP-21D1 Thermolator, Serial: 112096 New in 2009 (Machine #3)
-

188 LG Goldstar IDE220EN, 220 Ton, Injection Molding Press, 19 oz Shot Size, 21.3" x 21.3" Tie bar Spacing, 39.3" Daylight, Serial: N9002CE200, New in 1990 (Machine #14)

189 Advantage TR-400 Thermolator, Serial: 106005, New in 2008 (Machine #10)

190 IMM Parts, Qty. 5 Shelving Units with Contents of IMM Parts

191 Wittmann (CDS) Belt Haul Off/Fly Cutter, 2-50 F.P.M., New in 2014, 460v, Serial: 21778 **Located in Torrington, CT**
