

Proxio Group



Plastic Extruders & Downstream Equipment * Granulators
*Dies * Material Handling * Mixing and Blending Assets

Large Quantity of Plastic Extrusion Equipment * Unused Valves *
Transformers * Hoppers * Pelletizers and much much more

ONLINE ONLY
Assets located in:
Cleveland
Ohio
44101
United States

Ended Aug 27, 2019 1:26pm ET (6:26pm BST)

Lot	Description
1	EDI 8" Flex Lip Die, Model H40, with auto flex mechanism, 40 MM die gap, removable lower lip, on stand, serial# 94-16233.
2	Air Wipe, 480V, 1.5 hp, 6" wide
3	Air Wipe, 480V, 1.5 hp, 6" wide
4	Brabender Lab blown film tower / nip roll assembly, with 10" roll face width x 3" diameter rubber top roll x 10.5" roll face width x 3" diameter bottom roll pull roll stand with winder station with 2.25" cone, 1/8 HP DC motor with SCR controller on high stand. **Rigging Fee \$50.00**
5	6" Cumberland Pelletizer, power roll feed, 3 H.P. 575 volt variable speed drive, on base, Serial# 226425-772.
6	(1) Lot of various extruder parts
7	Lot of Extruder Screws
8	Baker-Perkins Double Arm Mixer, 10 gallon working capacity, carbon steel construction, tangential dispersion blades, jacketed bowl, screw tilt with 1 H.P. 230/460 volt drive, 10 H.P. 220/440 volt main drive, bowl dimensions: 12" L-R x 21" F-B x 20" deep, serial# 30877. See video #1 Se ...[more]
9	Lot of various Parts
10	2 hp Hydraulic Power Pack, 460V
11	.75 hp Hydraulic Power Pack, 460 V
12	Hevi-Duty Transformer, 440 KVA, 460 delta high volt, 460Y/266, 552 amps.
13	ACME 330 KVA Drive Isolation Transformer, Primary Volts 460 Delta W/FC Taps, Secondary Volts 460Y/266 330KVA 60 HZ 3 Phase
14	Hevi-Duty 118 kVA General Purpose Power Transformer, 3phase, 60HZ H.V. Line 460 Delta L.V. 460/266
15	Challenger 63 kVA Drive Isolation Transformer 460 delta-460y/266 y

16	Hevi-Duty 118 kVA General Purpose PowerTransformer
17	Challenger 63 kVA Transformer
18	Federal Pacific 75 kVA Transformer HV 460 LV 460/266
19	(1) Lot of Transformers, (5) 11 kVA units, (4) assorted
20	(1) Lot of Small Transformers, including, but not limited to: 1X Hevi--Duty General Purpose Power Transformer, 30 KVA HV 415 Delta LV 240y/139 2X Acme General Purpose Transformer Primary volts 240X480 Secondary Volts 120/240 1X Heavy Duty General Purpose Transformer P.V 240/480 Sec. Volts 1 ...[more]
21	Lot of (7) transformers, Lot includes but not limited to: 1X Hevi-Duty General Purpose Power Transformer 112KVA 415/240 1X Acme Constant Voltage Regulator 3 KVA 1X Hevi-Duty General Purpose Power Transformer 415 - 460/266 11KVA 1X
22	330 kVA Acme Drive Isolation Transformer Primary Voltage 460 delta Secondary Volts 460y/266
23	Hydracolor Volumetric Blender/Feeder, Model MM-300-3, carbon steel construction, 3 material design, with drives and controls, 10'6" overall height. **Rigging Fee \$50.00**
24	Model FW-340 Formost Horizontal Form/Fill/Seal Wrapper, rated 50-250 per minute, 3" to 12.5" long x 2" to 4.75" wide x .375" to 2.5" high package size with Formost Conveyor and Cup Stacker, serial# 82003. **Rigging Fee \$100.00**
25	Conair Dehumidifying Hopper Dryer, Model CD200 H4000302, rated approx. 130 CFM, 480 Volt with 36" diameter X 58" straight side cone bottom hopper with loader, Serial# 8D2037 **Rigging Fee \$50.00**
28	92 mm Maris pelletizing line consisting of the following, One (1) 92 mm Maris twin screw co rotating extruder, type TM92M, 30:1 l/d, electrically heated, water cooled barrel, with closed water circulation system with pump, heat exchanger and reservoir, (9) total barrel sections consisting of (1) fe ...[more]
29	3.5" Davis-Standard Extruder, Model 35IU35-30DSPW, 30:1 L/D, electrically heated, water cooled, jacketed feed section, 17.4:1 gear box ratio, belt driven, with 150 H.P. DC Motor with SCR Controller, control panel with 6 barrel zones, 3 die zones and melt temp., serial# J-4534. **Rigging Fee \$100 ...[more]
31	102" Embossing stand, 16" diameter x 102" wide chormed embossing roll, cored with rotary unit, 16" diameter x 102" long rubber bottom roll with stainless steel bottom pan, hydraulically operated top roll gap adjustment with 2 hp power pack, 12.6 kw dc bottom roll drive, misc spare embossing rolls. ...[more]
32	Battenfeld caterpillar dual belt puller saw combination, model DESC 125R, 5" wide x 70" long contact dual belt puller section, with saw attachment, serial# 9365-6722. **Rigging Fee \$200.00**
33	Thyssen Krupp Nothelfer automatic solvent weld socketing machine, model KK 160 A/2, left side movement discharge, with PCS 095 Topline mini controls, serial# 115, built 2000. **Rigging Fee \$200.00**
34	Model S45 Foremost Granulator, 16" x 45" feed opening, 3 knife closed rotor, 2 bed knives, feed hopper with dual 50 H.P. 230/460 volt motors, No blower **Rigging Fee \$200.00**
35	2 hp Hydraulic Power Pack, 460V

- 36 Davis-Standard Gemini conical twin screw extruder, model GC8HD, 130/61 mm conical screws, counter rotating, electrically heated, air cooled barrel, jacketed feed section, 48" long vented barrel with vacuum pump, 17.4:1 gearbox ratio with 40 HP 460 volt AC motor with AC variable speed controller, o ...[more]
-
- 37 Lycro Products semi automatic pipe socket forming machine, designed to handle 8" - 15" diameter pipe, hydraulically actuated tooling, 480 volt. **Rigging Fee \$200.00**
-
- 38 Thyssen Krupp Nothelfer automatic solvent weld socketing machine, model KK 160 A/2, left side movement discharge, with PCS 095 Topline mini controls, serial# 114, built 2000. **Rigging Fee \$100.00**
-
- 39 100 MM Baker Perkins twin screw compounding extruder, Model MP-100MM-DE-XLT, 100MM/68.5MM tapered screws, co-rotating, electrically heated, water cooled barrel with (6) 360 MM barrel sections, approximately 72" long 100 MM section tapered to approximately 18.65" long 68.5 MM section, approximately ...[more]
-
- 40 10" EDI flex lip sheet die, bottom center feed, flexible upper lip, job# JO 07105 01, serial# 449512 02
-
- 41 Battenfeld planetary saw, model STU 250 E, range from 40 mm to 250 mm diameter pipe, approximately 8" diameter blade, pipe clamps, with Battenfeld BMC controls with Lenz drives, 480 volt, serial# 9130-6730, built 2001. **Rigging Fee \$200.00**
-
- 42 Una Dyn Hopper Dryer with Heat and Blower, 200# Hopper with receiver. **Rigging Fee \$50.00**
-
- 43 Una Dyn Hopper Dryer with Heater and Blower, 200# Hopper with receiver. **Rigging Fee \$50.00**
-
- 44 Una Dyn Hopper Dryer with Heater and Blower, 200# Hopper with receiver.
-
- 45 2.5" Davis Sterling extruder, 30:1 L/D, electrically heated, air cooled, 5 barrel zones, 50 HP DC motor with SCR, with Una-Dyn hopper dryer/ loader system model 200#, extruder serial# R2550, built 1995. **Rigging Fee \$200.00**
-
- 48 54" EDI flex lip sheet die, Type Ultraflex 40, flexible upper lip, 5 zone, back center feed, serial# 82-7448.
-
- 49 75 MM Munchy Reprocessing Extruder, Model Munchy 75MM, 75 MM conical screw, 12:1 L/D electrically heated, air cooled, 25" long tapered barrel, .55 KW Munchy grinder power feeder, 2 barrel zones, 3" manual slide plate screen changer, 4 zone control panel, 22 KW motor with ac VFD, Serial No. 2182304 ...[more]
-
- 50 Gatto puller, model 203 3/26, 24" long x 2.75" wide smooth belts, manual gap adjustment, 2 hp dc motor, 440 volt, serial# 8711179.
-
- 51 16" Pipe saw mounted on a pneumatically operated clamp table, 18" of table travel.
-
- 52 Unused Moldow Fan, 40 hp, rated 7000 cu meters/hour
-
- 53 Lot of (2) 40 hp Baldor motors, 460 volt, 3 phase, 3530 rpm
-
- 55 Conair stand pelletizer, model 3508, 8" wide helical rotor, pull roll assembly with rubber pull roll, 15 hp, 230 volt motor, serial# 12-080283. **Rigging Fee \$50.00**
-
- 56 Novtec dual desiccant hopper dryer, model MPC-1500 with dual desiccant beds, capacity up to 1500 CFM, electrically heated, with dual fines collectors, 10 hp circulation blower, with control panel, 575 volt, serial# 3-6196-0661 with model NPH-Hopper, 6000# capacity, approximately 5' inside diameter ...[more]

-
- 57 Gatto vacuum tank, model DPC105.6.1, stainless steel construction, approximately 12" x 12" x 72" long chamber, unit converted to vacuum table with top mounted vacuum manifold, single compartment. **Rigging Fee \$100.00**
-
- 58 Gatto vacuum tank, model DPC105.6.1, stainless steel construction, approximately 12" x 12" x 72" long chamber, single compartment with liquid ring vacuum pump and circulation pump, serial# 787709. **Rigging Fee \$50.00**
-
- 59 Lorik puller, 3" wide x 12" long belts, smooth belts on base with 1.1 KW Servo motor.
-
- 60 Gatto Model UC-7-24 saw, 480 volt, serial# 9214195
-
- 61 Cutting Mill, 1.5 kW
-
- 62 9 KW Sterlco temperature controller, type Sterltronic model M29412-AC, single zone, 230 volts, 3 phase with controls, serial# 95M5266.
-
- 63 Novatech hopper dryer system, model POD-250-B, rated 250 CFM, with blower, controls, 230 volt, with ten (10) Novatech hopper receivers model PEE-WEE with blowers, dryer serial# 3-1299-0131. **Rigging Fee \$50.00**
-
- 64 Bobor travelling saw, model MDHD 15-8, 3 hp, 575 volt, serial# S2M9, new 1996.
-
- 65 Bobor travelling saw, model MDHD 15-8, 3 hp, 575 volt, serial# S2M10, new 1996.
-
- 66 RDN cross cut travelling saw, model C-430A, up to 6" high x 20" wide tubing size, up to 4" high x 30" wide profile size, approximately 18" table travel, speeds up to 10 cuts/minute, line speed up to 20 ft/minute with 14" diameter blade drive by 3 hp motor, 460 volt, serial# 33867, built 1994. * ...[more]
-
- 67 Gatto vacuum tank, model DPC105.6.1, stainless steel construction, approximately 12" x 12" x 72" long chamber, single compartment with circulation pump. **Rigging Fee \$100.00**
-
- 68 Gatto vacuum tank, model DPC105.6.1, stainless steel construction, approximately 12" x 12" x 72" long chamber, single compartment with circulation pump. **Rigging Fee \$50.00**
-
- 69 Matthews Belt Puller, Model CL-650-VT, 4.5" wide x 42" long contact, flat belt, 4 speed transmission, 5 H.P. DC Motor, Serial No. 1584.
-
- 70 Plastex Belt Puller, Type Cat 3, 4" wide x 44" long contact surface, flat belt, range 0" to 5.5" opening, adjustable height, on base with DC Motor and SCR Controller, Serial No. 2253. **Rigging Fee \$50.00**
-
- 71 Boston Matthews belt puller, model C110, approximately 24" long x 4" wide smooth belts with 1.5 kw, 220/440 volt motor drive with controller on stand. **Rigging Fee \$50.00**
-
- 72 11" Gloucester Mini secondary nip, 480V, 3 phase
-
- 73 11" Gloucester Mini secondary nip, 480V, 3 phase
-
- 74 11" Gloucester Mini secondary nip, 480V, 3 phase
-
- 75 12" Gloucester Mini Separator, model 406, 480V, 3 phase, serial# 24108 03, built 8/1979
-

76	12" Gloucester Mini Separator, model 406, 480V, 3 phase, serial# 24108 03, built 8/1979
77	Kayeness melt point rheometer, model 2052, with printer, programmable, no computer
78	Lot of (2) Transformers, 14 kVa
79	Lot of (2) Transformers, 7.5 kVA
80	Set of (2) Sola Electric Mini/Micro computer regulators
81	TSM loader, type EXTENDED BATCH, 3 material with provision 4th, (3) Hamilton loaders, fall thru magnet, less controls, 575 volt, serial# 265-BTBLN-1. **Rigging Fee \$50.00**
82	Stainless Steel Spin Dryer, 7.5 hp
83	LAB 30 kN press, model VAL-30kN, 80mm x 80mm plates
84	Dynisco gear pump, model MJER155, 19.58:1 gear box ratio, less motor and jack shaft, approximately 1.5" inlet and outlet, on stand, serial# MJ1515009
85	2.5" Sterling extruder, 24:1 L/D, electrically heated, air cooled, with 40 HP DC motor with SCR controller, 3.95:1 gearbox ratio, 100 RPM output speed, (4) barrel zones, (2) die zones, with control panel, serial no. 26206. **Rigging Fee \$200.00**
86	3.5" Beringer screen changer, no power pack
87	40" flex lip sheet die, flexible lower lip, removable upper lip, with approx. .040" to .060" thickness range, serial # 440
88	25" EDI sheet die, model UltraFlex 40, flexible upper lip, fixed lower lip, back center feed, job# 75-1831-1.
89	32" Johnson sheet die, flexible upper lip, fixed lower lip, back center feed, reworked by EDI job# RW76-5610.
90	Entrex gear pump, model 70-4 ST, order# 50042135-10-2, built 2001.
92	Included both on Pallet
93	4.5" Berlyn hydraulic screen changer, model SC4500, 4.5" dual breaker plate, serial# 0620817.
94	4.5" Beringer hydraulic screen changer with breaker plates
95	Gala cutting head with dies
96	Box of Barrel Heaters
97	39" Johnson sheet die, flexible upper lip, fixed lower lip, deckling, back center feed, reworked by EDI job# 78-5977-02.

99	6" Beringer hydraulic screen changer, model RSL-60, dual breaker plate with 5 hp, 230/460 volt power pack.
100	Werner & Pfleiderer twin screw extruder, type ZSK-30, 30mm diameter screws, co-rotating, 24:1 l/d, (8) total barrel segments with (1) feed section and two vented and plugged sections, 26.2:1 gearbox ratio, electrically heated, water cooled, with controls , (5) barrel zones, 2179 hours, with wat ...[more]
101	1" Actual extruder, 22:1 L/D, type AE-30, electrically heated, air cooled, 5 barrel zones, with approximately 5.5 hp (4.2 kW) DC motor, 480V, 3 phase, serial # M-15-7009, built 1996 **Rigging Fee \$50.00**
102	2" Royal Extruder, 35:1 L/D, model 268, electrically heated, water cooled, 4 barrel zones, 6 die zones, with 30 hp motor with VFD controller, 460 volt, 3 phase, job # 8001, serial # 800001, built 10/2002. **Rigging Fee \$100.00**
103	Lot of Barrel Heaters
104	Steel Cabinet with Contents
105	TA Instruments Carri-Med Laboratory rheometer, model CSL2500K AUTOGAP, benchtop design, serial# 401820A.
108	winder with 1/4 hp DC motor, variable speed, with Bronco II SECO controls, with approximately 6" spindle.
109	1/4" Randcastle Microtruder, 7" barrel, 28:1 l/d, electrically heated, (3) zone with (1) die zone, driven by 1/2 hp DC motor, with controls.
110	Tenny Engineering vacuum oven, model TVO-1, 9" wide x 9" high x 11" deep chamber, stainless steel product contact surfaces, with controls, 120 volt, serial# TV10010.
111	Brabender Plasti-Corder Extruder, no barrel, Type DR-2051, with thermal and extruder controls, 2500 rpm motor through 25:1 gearbox, serial# 0173/PE.
112	Unused Strahman 4" pipe mounted piston valve, 4" inlet and outlet with 12" flange, 304 stainless steel construction. (200-Strmn-001-27)
113	Unused Strahman 4" pipe mounted piston valve, 4" inlet and outlet with 12" flange, 304 stainless steel construction, serial# F216-58 (200-Strmn-001-23)
114	Unused Strahman 4" pipe mounted piston valve, 4" inlet and outlet with 12" flange, 304 stainless steel construction, serial# F216-51 (200-Strmn-001-24)
115	Unused Strahman 4" pipe mounted piston valve, 4" inlet and outlet with 12" flange, 304 stainless steel construction, serial# F216-49 (200-Strmn-001-25)
116	Unused Guichon Multi-Way Assembly Valve, consisting of (8) conjoined valves, all motorized actuation, 1.5" inputs x 3" central outlet. (245-AV-001-03) **Rigging Fee \$50.00**
117	Unused 4.5" Strahman valve, 304 stainless steel construction, manual actuation (200-Strmn-001-04)
118	Unused Lot of (2) 5" Strahman valves, 304 stainless steel construction, manual actuation. (200-Strmn-001-10)
119	Unused Lot of (2) 4" Strahman valve, 316 stainless steel construction, manual actuation, serial# F216-42 & F216-41 (200-Strmn-001-12)

120	Lot of (6) Unused 2" x 1" Strahman valve, 304L stainless steel construction, manual actuation. (200-Strmn-001-02)
121	Lot of (16) Unused 1.5" x .5" Strahman valve, 304L stainless steel construction, manual actuation. (200-Strmn-001-05)
122	Unused Inlet Silencer for Twin Cities fan, model PO9RK-10.5X13.88-TC6016, serial# 130324. (451-TC-002-02)
123	(2) unused 5 hp Aurora Centrifugal pumps, 208 volt
124	Unused APRO lifting hook, carbon steel construction, 24" between hooks, 700 kg max load, serial# 2363-122, built 2013. (195-T-001-01
125	Unused 4" Strahman Valve system, consisting of (4) valves, 316L stainless steel construction, motorized actuation (200-Strmn-001-03) **Rigging Fee \$50.00**
126	11" Wide GEC Model 403 Folder, 3 fold in web direction, with stacking bin and stack drop, 460 volt, 3 phase
127	11" Wide GEC Model 403 Folder, 3 fold in web direction, with stacking bin and stack drop, 460 volt, 3 phase
128	11" Wide GEC Model 403 Folder, 3 fold in web direction, with stacking bin and stack drop, 460 volt, 3 phase
130	11" Gloucester Mini secondary nip, 480V, 3 phase
131	16" Gloucester Mini secondary nip, 480V, 3 phase
132	11" Gloucester Mini secondary nip, 480V, 3 phase
133	11" Gloucester Mini secondary nip, 480V, 3 phase
134	Motan Diagnostic dryer, model MDD400, 21.6 KW total heater load, 8 hp total motor, 480 volt, wit (3) insulated hoppers with top mounted receivers, (2) auxiliary receivers with top mounted loaders, (1) filter, serial# 9002834.
135	Gatto flood cooling tank, model WT-101B-6-2, stainless steel construction, 6' overall length, with 1' and 5' compartments, 8" x 8" cross sectionM, serial# 8510556. **Rigging Fee \$100.00**
136	Gatto flood cooling tank, model WT-101B-6-2, stainless steel construction, 6' overall length, with 1' and 5' compartments, 8" x 8" cross sectionM, serial# 8510500. **Rigging Fee \$100.00**
137	Beringer 2 hp hydraulic Power Pack
138	Portable die lifter, manual operation
139	Crossover staircase, carbon steel
140	Blue M Oven, model POM-206B-1HPX, 208 volt, single phase, 343 C max tem.
141	Vacuum Loader with pump

142	Vacuum Loader with pump
144	Cooling and drying tank, no pump, stainless steel
145	Water Circulation pump, 3 hp, 230/460 volts, 3460 RPM
146	Cross Head die, with hoppers
147	Berlyn Air Wipe, model HV1, 460 volts
148	Brabender Feeder
149	120 MM Francis Shaw Crosshead Die Single Material Design.
150	Novatec hopper dryer, model MDM-50A, 460 volt with 200# hopper with loader, 1.5" Killion extruder, model KN-150, 24:1 l/d, electrically heated, air cooled barrel, jacketed feed section, 15 hp, 1750 rpm dc motor, 11.2:1 gearbox ratio, Cross head coating die, 115" Killion vacuum tank, model PVT2-6-1- ...[more]
152	Feed Hopper with pneumatic gate
153	55" EDI sheet die, flexible upper lip with autoflex, back center feed with 1" opening mounted on die cart, 5 zones, serial# 81-487-3. **Rigging Fee \$50.00**
154	55" EDI sheet die, flexible upper lip with autoflex, back center feed with 1" opening mounted on die cart, 5 zones. **Rigging Fee \$50.00**
155	55" EDI sheet die, flexible upper lip with autoflex, back center feed with 1" opening mounted on die cart, 5 zones. **Rigging Fee \$50.00**
156	55" EDI sheet die, flexible upper lip with autoflex, back center feed with 1" opening mounted on die cart, 5 zones. **Rigging Fee \$50.00**
157	Gatto cooling tank, Model WT101B-S-2
158	cooling tank, stainless steel construction, 4" x 4" x 11' long.
159	model HC-18 Carr solid bowl centrifuge system, 18" titanium/316 stainless steel, hi-concentration model, unit has a vertical 18" ID bowl, 12" pool surface, rated 28 liters, with 3 baffles, bowl is 90Ti-6AL, 4V titanium allow with a 316 stainless steel case, bowl wall is rated 15,000 G's @ 7660 RPM, ...[more]
160	41" Contech Compusheeter, model CS-40. 40" wide, down acting scissor cut design with hydraulically driven rubber pull rolls, 2.5" diameter top roll, 4" diameter bottom roll with pump, belt driven discharge on stand with controls. **Rigging Fee \$100.00**
161	36" Davis-Standard pull roll stand, 8" diameter x 36" wide rubber pull rolls, pneumatically adjusted top roll, driven by 5 hp, 230/460 volt motor, 42" center line height, on stand with air tank and idler rolls, so# 68840, serial# Z8281, built 2000. **Rigging Fee \$50.00**

162	Automatik strand pelletizer, model ASG 200, 200 mm wide helical rotor, power roll feed, driven by 20 hp, 460 volt motor with vfd controller.
163	Gala underwater pelletizing cutter head, model 5 MUP, driven by 2 hp, 230/460 volt motor, (1) die plate on stand. **Rigging Fee \$50.00**
164	660 kVA Transformer
165	Sakas Traveling Saw, 24" diameter blade, up cut design, approximately 17" travel, with approximately 7.5 HP motor, Serial No. S8-3741-6. **Rigging Fee \$50.00**
166	payoff stand, 1.25" shaft, 24" wide, capable of up to 30" diameter reel with brake, 120V
167	Gem Marker, model AM, on stand, serial # 6.551
168	.25 hp Winder, 220/440 volts
169	Pallet of Feeder parts, with gravity feed and Auger feed
170	AEC Whitlock Blender, Model OS-067, currently 2 material can handle up to 4 material, with Model SHR-08 and SHR-16 vacuum hoppers, rated up to 350#/hr., Serial No. 30F0394C0P16910F.
171	AEC Hydroclaim Gravametric Loader Single Material with Model 100 Weight Loss Controls. **Rigging Fee \$100.00**
172	Unused Strahman 4" pipe mounted piston valve, 4" inlet and outlet with 12" flange, 304 stainless steel construction, serial# F216-52 (200-Strmn-001-34)
173	Unused Strahman 4" pipe mounted piston valve, 4" inlet and outlet with 12" flange, 304 stainless steel construction, serial# F216-52 (200-Strmn-001-33)
174	Technoplast puller/traveling saw combination, 7" wide x 72" long belt puller, chain driven, with dual pneumatic gap adjustment, with 14" diameter chain driven travelling saw and chain driven travelling table, system complete with drives and controls on unitized base. **Rigging Fee \$100.00**
175	Leistritz twin screw extruder, model LSM 30.34, 34 mm screws, counter rotating, electrically heated, air cooled, jacketed feed section, 38" long barrel, 7.5 KW motor on unitized base with control panel with 8 barrel zones and 1 die zone, serial# 330.0948.01, built 1981. **Rigging Fee \$200.00**
176	RDN Flood Vacuum Sizer, Model 4D-3V-2T-15, 15' overall length, stainless steel construction, 5.5" diameter max. opening, 12" x 12" chamber, (1) 3', (2) 6' long chambers with covers, (2) on board 3 H.P. 230/460 volt liquid ring vacuum pumps, set up for left-to-right process, serial# 39578-1, built 1 ...[more]
177	75 MM Davis-Standard Extruder, electrically heated, water cooled, 30:1 L/D, vented barrel, 17.26:1 gearbox ratio, 100 H.P. DC Motor, skid mounted with controls and SCR, Serial No. L2025, SO #03201, New 1990. **Rigging Fee \$200.00**
178	2" Killion single screw extruder, 24:1 L/D, electrically heated, air cooled barrel, jacketed feed throat, 25 hp dc motor with SCR, thru Koellmann gear box with 9.457:1 ratio, control panel with (3) barrel zones and (4) die zones, on stand with transformer and control panel, 480 volt, 3 phase, Killi ...[more]

179	Gatto vacuum calibration tank, model DPC-104C-12-2, stainless steel construction, 12' overall length, 1' and 11' compartments, 8" x 8" cross section with covers, reservoir with pumps, serial# 8510439. **Rigging Fee \$50.00**
180	Gatto vacuum calibration tank, model DPC-104C-12-2, stainless steel construction, 12' overall length, 1' and 11' compartments, 8" x 8" cross section with covers, reservoir with pumps. **Rigging Fee \$50.00**
182	60mm Plastex Single Screw Extruder, Type EX60, 24:1 L/D, electrically heated, air cooled, jacketed feed section, 29 KW DC motor, 13.6:1 gear box ratio, integrally mounted 7 zone control panel with West Temp Controllers and SCR Controller, Serial #3018, New 1998. **Rigging Fee \$50.00**
183	2.5" Killion extruder, 24:1 L/D, electrically heated, air cooled, 40 HP DC motor with SCR controller, 9.3:1 gearbox ratio, (6) zone control panel, 240 volt, serial no. 6080F. **Rigging Fee \$100.00**
184	Werner & Pfleiderer Coperion twin screw extruder, type ZSK-30, 30 mm diameter screws, co-rotating, electrically heated, water cooled barrel, 30:1 l/d, (9) total barrel segments with (1) feed, (3) vented, (1) side feeder, (4) non-vented, (1) Spacer, 10.4:1 gearbox ratio, driven by 15 hp, ac moto ...[more]
185	12' long Stainless Steel Flood Cooling Tank, 12" x 12" chamber, 8" diameter max. opening, 2 compartment, adjustable height. **Rigging Fee \$100.00**
186	Vacuum Sizer Tank **Rigging Fee \$50.00**
187	PMC vacuum sizer, model 1-6V, stainless steel construction, 12" x 12" x 117" overall length, 3 compartment with 5 HP vacuum pump, 3 HP circulation pump and water box on base, serial# 200118A. **Rigging Fee \$100.00**
188	Gatto vacuum calibration tank, model DPC-104C-12-2, stainless steel construction, 12' overall length, 1' and 11' compartments, 8" x 8" cross section with covers, reservoir with pumps, serial# 8510683. **Rigging Fee \$100.00**
189	Welding Engineers model HT 0.8 counter rotating twin screw extruder, model HT 0.8, 500 rpm, 10 HP motor with control panel, serial# 2741, built 1993. **Rigging Fee \$150.00**
190	Prism pelletizing line consisting of the following, One (1) Prism parallel twin screw extruder, model TSE 24TC, 24 mm co rotating screws, 25:1 l/d, electrically heated, water cooled barrel, (3) top vents with (2) plugged, 6 barrel zones with on board control panel, 3.7 kw, 230 volt ac motor drive w ...[more]
191	Ultraflex 32" Sheet Die, Model H-75
192	Leistritz twin screw extruder, model LSM 30.34, 34 mm screws, 25:1 L/D, counter rotating, electrically heated, air cooled barrel, jacketed feed section, 850 mm long vented barrel, with 19 KW 460 volt motor, on unitized base with control panel with 6 barrel and 1 die zones, serial# 330.1083.01, buil ...[more]
193	2.5" Davis-Standard Mark V Extruder, Model DS2.5MS, 24:1 L/D, electrically heated, air cooled, jacketed feed section, 17.4:1 gearbox ratio, 40 HP DC motor, 4 barrel, 1 die zones, unit is skid mounted with control panel and SCR controller, Serial No. J-8532, SO# 98675, New 1985. **Rigging Fee \$20 ...[more]
194	Werner & Pfleiderer Twin Screw Side Feeder / Extruder, Type ZDS-K28, 28 mm screws, 24:1 L/D parallel screw, electrically heated, liquid cooled, 5 barrel sections dual vented and plugged, 1 feed section, 5 H.P. DC drive with SCR Controller Werner & Pfleiderer Control Panel with 5 zones, Barb ...[more]
195	6" Ermafa hydraulic slide plate screen changer, dual breaker plate with 7.5" hydraulic power pack on stand.

