



Proxio Group

Plant Equipment Surplus Assets

Cleveland
Ohio
United States

Ended Sep 19, 2019 11:43am EDT (4:43pm BST)

Lot	Description
1	Sahara drum warming oven, model C10E16-CSA, carbon steel construction, large capacity, 16 drum capacity, approximately 131.5" wide x 67.5" deep x 126" high chamber, dual door front, back door blow out panel, serial number J10810-A ***Loading Fee \$100.00***
2	Nordson Bell Atomizer RA-20 and Flow Meter DM-3000. Tag 1153 and 1154. ***Loading Fee \$25.00***
3	Enpro Deaerator Deoxygenator, type VT with storage, carbon steel construction, rated 40,000#/hour capacity, vessel rated 75 psi and full vacuum at 450 f internal, 10", 6", (2)2" top nozzles, 18" side bottom manway, 3" center bottom outlet, 2" bottom outlet, on 4 legs, vessel certified by Allied St ...[more]
4	239 sq ft Thermotran shell and tube heat exchanger, stainless steel tubes with (122) .75" diameter x 120" long tubes rated 150 psi at 450 f, carbon steel shell rated 150 psi and full vacuum at 450 f, carbon steel tube sheets, 16", 6", 3" and 1" shell inlet/outlets, carbon steel bonnet with (2)3" tu ...[more]
5	Despatch Paint Sample Testing Oven with electric/natural gas heat. Maximum operating temperature 260C / 500F, serial number 174933. ***Loading Fee \$100.00***
6	30 hp Sullair air compressor, model 10B-30, air-cooled, 115 psig output, mounted on air tank, serial# 003-58201. ***Loading Fee \$100.00***
8	Carrier Ampli-Flow vibrating feeder, model FC-36100S, approximately 36" wide x 100" overall length, with 72" long screening area, single deck design, 2 hp, 230/460 vibrating motor drive, on stand, serial# 27766, built 2012. ***Loading Fee \$100.00***
9	Franklin Miller inline pipeline delumper, model PD6, hastelloy C276 construction, 6" diameter inlet/outlet, driven by 10 hp, 230/460 volt xp motor.
10	15' Ardeth Engineering column, model D-321, stainless steel construction, approximately 12" diameter x 15' straight side, dish top and bottom, rated 1 bar(14.5 psi) at 40 c internal, 2" top nozzle, 10" side access, (2)2", (2)1", 1" center bottom outlet, skirt mounted, approximately 235" overall he ...[more]
11	Durco centrifugal pump, stainless steel construction, 2" x 1" x 10" impeller, on base with 10 hp, 230/460 volt xp motor. ***Loading Fee \$25.00***
12	Duriron pressure leaf filter, model 24HC21, 316L stainless steel construction on product contact surfaces, 21 sq ft surface area, 24" diameter shell rated 85 psi at 150 f internal, (7) approximately 18" wide x 14" high plates with single oscillating jet sluice, 2" slurry inlet, 2" filtrate outlet, ...[more]
13	Lakos separator, model AX-0409-B, 90 degree vertical design, rated up to 550 GPM, 4" inlet/outlet, 150 psi, serial# 12472-003. ***Loading Fee \$50.00***
14	86.5 sq. ft. ITT heat exchanger, carbon steel construction, rated 150 psi / full vacuum @ 375 degrees F shell side, jacketed for 150 psi @ 375 degrees F, serial# 327009-1, national board # 61285, built 1997. ***Loading Fee \$50.00***

-
- 15 1000 gallon Enerfab glass lined receiver, 66" diameter x 72" straight side, semi elliptical top and bottom, rated 75 psi and full vacuum at 450 f, 18" maway, 6", 4", (4)2" top nozzles, 2" center bottom outlet, 2001 glass, serial# 750430-1, national board# 2190, built 2003. ***Loading Fee \$200.00 ...[more]
-
- 16 350 gal stainless steel hopper, 5' diameter x 8.5' tall, 8' x 6" transition and expansion joint, 8" discharge with valve. ***Loading Fee \$100.00***
-
- 18 12,000 gallon tank, 304 stainless steel construction, 12' diameter x 16' straight side, 4' carbon steel skirt, dished ends, 24" side bottom manway, with top entering 2 tier 3 blade turbine style Chemineer agitator. 13' x 25' long overall dimensions. ***Loading Fee \$300.00***
-
- 19 16' Whiting Metals stripping column, 304L stainless steel construction, approximately 14" diameter x 16' straight side, dish top and bottom, with 78.75" packing section, rated full vacuum at 113 degrees f internal, rated 1,320 GPH liquid feed rate, 8" side access, 4", 2", (4)1" side nozzle ...[more]
-
- 20 5914 sq. ft. Manning & Lewis shell and tube heat exchanger, 304ELC stainless steel shell, tubes, tube sheets and bonnets, with (575) 1.5" diameter x 24' long tubes rated 75 psi at 800 f, 304ELC stainless steel shell rated 75 psi at 800 f, single pass, 24", 18" shell inlet/outlet, 30", 24" tubes ...[more]
-
- 21 heat-pro hot box, model HPSC-4, carbon steel internals, steam heated rated 200 psi max steam pressure, approximately 59" L-R x 59" F-B x 47" high internal chamber, serial# 930411. ***Loading Fee \$50.00***
-
- 22 74 Cu Ft Tote Systems tote bin, aluminum construction, approximately 48" x 42" x 60" straight side. ***Loading Fee \$50.00***
-
- 23 42 Cu Ft Tote Systems tote bin, stainless steel construction, approximately 48" x 42" x 36" straight side. ***Loading Fee \$50.00***
-
- 24 Rotex Screener, model 402A, 30" x 60", two deck design with cover, approximately 2 hp motor drive, serial# R441179. ***Loading Fee \$50.00***
-
- 25 Pulva Hammer Mil, Model 50, stainless steel construction, twin screw feeder driven by .75 hp motor, approximately 50 hp main drive, with feed hopper. ***Loading Fee \$50.00***
-
- 26 FSI multi basket filter, model FSP-1000, 304 stainless steel construction, rated 150 psi at 250 f internal, serial# 21771, national board# 324, built 1990. ***Loading Fee \$50.00***
-
- 27 artisan Jet-O-Vac barometric condenser, rated 300 GPM, 30" diameter, rated 15 psi and full vacuum at 250 f, serial# JV-8976KO, built 1995 ***Loading Fee \$200.00***
-
- 28 74 Cu Ft Tote Systems tote bin, aluminum construction, approximately 48" x 42" x 60" straight side. ***Loading Fee \$50.00***
-
- 29 100 gallon Tolan reactor body, 304 stainless steel construction, approximately 24" diameter x 48" straight side, dish top and bottom, rated 140 psi full vacuum at 600 f internal, jacketed for 100 psi at 340 f, 10", (2)4", 3", (3)2", 1" top nozzles, baffles, 2" center bottom outlet, (3)1.5" bottom ...[more]
-
- 30 120 mm Davis Standard extruder, model 120-M-60TPIH, 30:1 l/d, electrical heated, air cooled barrel, jacketed feed section, driven by 200 hp dc motor, 1750/2000 rpm, 500 volt, gearbox rated 525 hp, 1.5 service factor, die clamp with Gneub model SF60 screen changer, SO# 01496, serial# K-6952, built ...[more]
-
- 31 56 sq. ft. ITT heat exchanger, carbon steel construction, rated 150 psi / full vacuum @ 375 degrees F shell side, jacketed for 150 psi @ 375 degrees F, serial# 327009-02-1, national board # 61287, built 1997. ***Loading Fee \$200.00***
-

- 32 74 Cu Ft Tote Systems tote bin, aluminum construction, approximately 48" x 42" x 60" straight side. ***Loading Fee \$50.00***
-
- 33 5000 gallon jacketed tank, 304 stainless steel construction, 9' diameter x 128" straight side, dished ends, dimple jacketed on straight side and bottom, 20" top manway, with (3) 3.5", (2) 2.5", (1) 4", (1) 1.5" and (1) 2" top inlets, 4" center bottom outlet, with provisions for 6 legs. ***Loa ...[more]
-
- 34 FSI multi basket filter, model FSP-1000, 304 stainless steel construction, rated 150 psi at 250 f internal, provisions for (5) basket strainers, serial# 38606, national board# 1601, built 1995. ***Loading Fee \$50.00***
-
- 35 966 sq ft Pemco shell and tube heat exchanger, hastelloy c 276 tubes and tube sheets with (246) 1.5" diameter x 120" long tubes, as is. ***Loading Fee \$100.00***
-
- 36 74 Cu Ft Tote Systems tote bin, aluminum construction, approximately 48" x 42" x 60" straight side. ***Loading Fee \$50.00***
-
- 37 artisan Jet-O-Vac barometric condenser, rated 160 GPM, 22" diameter, rated 15 psi and full vacuum at 250 f, serial# JV-8976PY, built 1995 ***Loading Fee \$200.00***
-
- 38 FSI basket filter, model FSPN40-1, 304 stainless steel construction, rated 150 psi at 250 f internal, serial# 46189, 1999. ***Loading Fee \$50.00***
-
- 39 4" FSI basket filter, model FSPN35, 304 stainless steel construction, approximately 4" diameter x 12" deep basket. ***Loading Fee \$25.00***
-
- 40 Unused 300 ton Trane chiller, model CVHE400, type CVHE040KA4XWRSNLS5568B6MCA0000000RD1OOGOLSW0003C100B, water cooled, 3 stage compressor, R123 refrigerant, 244 kw, 2300 volt, serial# L09L02312, built 11/2009. ***Loading Fee \$500.00***
-
- 41 48" Sweco screen, model US48S88, stainless steel contact surfaces, single deck, on base with 2.5 hp, 230/460 volt motor, serial# CU388LLC. ***Loading Fee \$50.00***
-
- 42 Unused Dalmec Industrial Manipulators, model PMS, trolley mounted, used for lift assisting bags, 65LB/30KG capacity, 80 - 1620 light range, 2500 mm max reach, serial#'s 1038120 & 1038121, Built in 2010. Unused and never installed (in original crates). Price is quoted for each unit. ***Loa ...[more]
-
- 43 Triple/S Dynamic Slipstick conveyor, model HDC-8M-2.5/1H, stainless steel contact surfaces, 1.5 hp motor, serial# HDC-2004-38, built 2004. ***Loading Fee \$25.00***
-
- 44 180 gallon Tolan reactor body, 304 stainless steel construction, approximately 30" diameter x 57" straight side, dish top and bottom, rated 140 psi at 600 f internal, jacketed for 100 psi at 340 f, 2.5" sight glass, 10", (2)4", (4)2", 1" top nozzles, 6" hand hole, baffles, 2" center bottom outlet ...[more]
-
- 45 KR Komarek briquetter, model B220, approximately 12" diameter x 4" roll face rolls, hastelloy C276 rolls, 30 ton roll separation force, 15 hp main roll motor drive, agitated hopper driven by 1 hp motor drive, horizontal feed screw driven by 5 hp motor drive, all motors 230/460 volt xp design, 1/3 ...[more]
-
- 46 FSI multi basket filter, model FSPN-1000, 304 stainless steel construction, rated 150 psi at 250 f internal, provisions for (5) basket strainers, serial# 76686, national board# 14637, built 2013. ***Loading Fee \$50.00***
-
- 47 74 Cu Ft Tote Systems tote bin, aluminum construction, approximately 48" x 42" x 60" straight side. ***Loading Fee \$50.00***

48	75' Constructiebedrijf Verkouille column, 304L stainless steel construction, 31" diameter x 75" straight side, dish top and bottom, rated 1 bar(14 psi) at 50 c, rated 10.3 cubic meters capacity, (4) 13' packed sections, (2)1" liquid inlets, 2" liquid outlet, 8" air inlet/outlet, (8) 20" side manw ...[more]
49	4" FSI basket filter, model FSPN35, 304 stainless steel construction, approximately 4" diameter x 12" deep basket. ***Loading Fee \$50.00***
50	2000 gallon Pfaudler glass lined reactor, with 5RW agitator drive, driven by 15 hp, 460 volt xp motor with mechanical seal, three blade retreat curve agitator, beavertail baffle, serial# R183-0066, built 1983. AS IS. ***Loading Fee \$300.00***
51	56 sq. ft. ITT heat exchanger, carbon steel construction, rated 150 psi and full vacuum @ 375 degrees F shell side, jacketed for 150 psi @ 375 degrees F, serial# 327009-02-1, national board # 61286, built 1997. ***Loading Fee \$50.00***
52	30 hp Sullair air compressor, model 10B-30, air-cooled, 115 psig output, mounted on air tank, serial# 003-58202. ***Loading Fee \$50.00***
53	90 Cu Ft Tote Systems tote bin, stainless steel construction, approximately 48" x 42" x 72" straight side, side discharge. ***Loading Fee \$50.00***
54	513 sq. ft. ITT shell and tube heat exchanger, carbon steel shell, stainless steel tubes, rated 150 psi @ 250 degrees F shell and tube sides, National Board # 61330, serial# 321509-02, built 1997. ***Loading Fee \$200.00***
55	Portable Stair Case
56	Plenty Filtration cartridge filter, model OFW.12.150.2.SS6, 316 stainless steel construction, rated 150 psi at 200 f, serial# 4181, national board# 2978, build 1997. ***Loading Fee \$50.00***
57	heavy duty Mobile Steel Yard Ramp. Approx. 45' long x 10' wide. Built by Industrial Handling, Inc. Capacity approx. 20,000 lbs. ***Lot located in Elyria, Ohio***
58	90 Cu Ft Tote Systems tote bin, stainless steel construction, approximately 48" x 42" x 72" straight side, side discharge. ***Loading Fee \$25.00***
59	Yamato oven, model DH610, rated up to 360 c, 7.6 cu ft capacity, electrically heated, 220 volt, serial# 40700043R. ***Loading Fee \$25.00***
60	225 kw Detroit Diesel generator, model F-7085-7300, diesel fired with day tank, nominally rated 225 kw, 281.25 kva, 781-667/390-335 amps, 208-240/416-480 volt, 3 phase, 60 hertz, serial# E-77-254. ***Loading Fee \$200.00***
61	4" FSI basket filter, model FSPN35, 304 stainless steel construction, approximately 4" diameter x 12" deep basket. ***Loading Fee \$25.00***
62	74 Cu Ft Tote Systems tote bin, aluminum construction, approximately 48" x 42" x 60" straight side. ***Loading Fee \$50.00***
63	ATS box furnace, series 3450R, stainless steel exterior, rated up to 2600 f, electrically heated, 20 KW, 208 volt, serial# 95-1067-11/05-0687, built 2005. ***Loading Fee \$25.00***
64	4" FSI basket filter, model FSPN35, 304 stainless steel construction, approximately 4" diameter x 12" deep basket. ***Loading Fee \$25.00***

- 65 United Air Specialists Dust Hog, model SC600, 70 sq ft surface area, rated 400-700 cfm, 1.5 hp blower, 460 volt, serial# 60043734, built 2000. ***Loading Fee \$50.00***
-
- 67 Welding Engineers pug mill extruder, model 2010, jacketed feed throat and chamber rated 15 psi at 550 f, 10 hp motor drive, 100 rpm screw speed, serial# 2345, built 1960. ***Loading Fee \$50.00***
-
- 68 4" FSI basket filter, model FSPN35, 304 stainless steel construction, approximately 4" diameter x 12" deep basket. ***Loading Fee \$50.00***
-
- 69 Angstorm briquet press, Model 4451, designed for xray sample equipment prep, 40 ton compression pressure, 208 volt, serial# 4451-0454. ***Loading Fee \$50.00***
-
- 70 4" FSI basket filter, model FSPN35, 304 stainless steel construction, approximately 4" diameter x 12" deep basket. ***Loading Fee \$25.00***
-
- 71 TPS Ultra Temp standard convection oven, model CW 9980-E-MP550, 24 cu ft interior capacity, 48" wide x 24" deep x 36" high chamber size, rated up to 1300 F operating range, electrically heated with 23 kw, 208 volt heater, serial# 0710000104. ***Loading Fee \$100.00***
-
- 72 WAB Dyno-Mill, model KDL, stainless steel jacketed chamber, explosion proof design. ***Loading Fee 25.00***
-
- 73 25 sq ft Pfaudler wiped film evaporator, model 25-36V-058, 316 stainless steel product contact surfaces, 36" diameter body rated full vacuum at 650 f internal, jacketed for 160 psi at 650 f, approximately 58 sq ft, model 16042 B-U6 internal condenser with tubes rated 75 psi at 650 f, 3 DTW Pfaudle ...[more]
-
- 74 90 Cu Ft Tote Systems tote bin, stainless steel construction, approximately 48" x 42" x 72" straight side, side discharge. ***Loading Fee \$50.00***
-
- 75 FSI basket filter, model FSPN42, 316 stainless steel construction, rated 150 psi at 250 f internal, serial# 51709, 2001. ***Loading Fee \$25.00***
-
- 76 cartridge filter, capacity 118 liters, 316 stainless steel construction, serial# 100700101001, national board# 897, built 2012. Four new pall cartridge filters included in crate. Removed from installation location.
-
- 77 4 cu ft Marion ribbon blender, 304 stainless steel construction, 18" wide x 30" long trough, double ribbon, outboard roller bearings, air purge seals, 3 hp, 230/460 volt motor drive, serial 00047, built 2000. , 18" wide x 30" long trough, double ribbon, outboard roller bearings, air purge sea ...[more]
-
- 78 70 ton Trane Chiller, model RTAA070CYH01A300BR, air cooled, r22 refrigerant, (2) compressors, 230 volt, serial# U97A09293, built 1997 ***Loading Fee \$300.00***
-
- 79 Xaloy melt pump, model DSDP 275/275, approximately 3" inlet/outlet on stand with 15 hp, 460 volt motor drive, serial# MS2727285. ***Loading Fee \$25.00***
-
- 81 30 ton Colortronic chiller, model CPC-30A, air cooled, r22 refrigerant, 460 volt, serial# 38B0688. ***Loading Fee \$200.00***
-
- 82 48" x 108" Witte classifier, model M-5, stainless steel contact surfaces, 2 deck, on base with 1.5 hp motor, serial# 6317. ***Loading Fee \$200.00***
-

- 83 16" Reduction Engineering Scheer stand pelletizer, model WD, 16" wide helical rotor driven by 15 hp motor drive, pull roll assembly driven by 3 hp motor drive, control panel with vfd motor controllers. ***Loading Fee \$200.00***
-
- 84 Conair blender loader, model TB250, 4 material design, with controller and Bunting magnet, serial# TBC-205641. ***Loading Fee \$50.00***
-
- 85 New York Blower series 30 GI Fan, built 2007, 30 H.P. 286T frame, 460 volt, 1775 RPM. ***Loading Fee \$50.00***
-
- 86 Copperloy heavy duty mobile steel yard ramp #2. Approx. 45' long x 10' wide. Built by Industrial Handling, Inc. Metal grating and deck. Capacity approximately 20,000 lbs. Model AS20-70/84/36PL, Serial Number 66372 ***Lot is located in Elyria, Ohio***
-
- 87 Saylor Beall 30HP Air Compressor, Model RSD-30. Great Lakes Air Dryer, model GRF-125A-116
-
- 88 800 Lbs. (1/2Ton) Dayton Electric Chain Hoist. Model 4ZY98. Lift: 10', Volt 115, HZ: 60, HP: 1/5
-
- 89 Richter pump, 3 phase, model SCK-X/F 80-50-250
-
- 90 Brawn mixer, model BBD-40-600. Serial 981132., 40 HP 230/460V - 3Phase 1775 RPM
-
- 91 assorted mixers. One mixer is Model BGMF 500, Serial 07046801.
-
- 92 Four used Brawn Mixers, including Model BGMF 500, serial 070343 and Model BGM 200, serial 941794067.
-
- 93 two Brawn and two SPX (Lightnin/Plenty). Brawn mixers are model BGMF 500, Serial 01069301 and model BGMF 500, Serial 01069302. Other two mixers were both serviced by SPX.
-
- 94 KFG Level built in 2013. Richter pump, model SCK-X/F 80-50-250.
-