

Proxio Group



Pharmaceutical Process Equipment - On-Line Only Auction for Major Manufacturer

Ohio
United States

Ended Apr 08, 2020 12:27pm ET (5:27pm BST)

Lot	Description
1	CI Electronics tablet/capsule checkweigher, 115 volt, serial# TP-389.
2	CI Electronics tablet/capsule checkweigher, model 265/6, serial# TP-647.
3	Dane Quickart 2000 power-assist shopping cart collectors, battery operated.
4	West seal force tester, model WG005, serial# 088.
5	MGS outserter, model RPP-2210, 230 volt, 2 head rotary feeder, 60" powered feeder, serial# 5888, built 1997 with Nordson gluer, model 3400. **AUCTIONEERS NOTE** Load-Out Fee for this item is: \$150.00
6	Therm Electron visible spectrophotometer, model Evolution 300 BB, 110 volt, part# 10300201, serial# EV3141601.
7	IPR tablet press tooling inspection unit, type TIAS, model APF-0602 with computer, serial# 00TIA62-WAPR. As Is. **AUCTIONEERS NOTE** Load-Out Fee for this item is: \$100.00
8	Used 84" long x 4.5" wide Leister drying conveyor, stainless steel construction with carbon steel belt, (2) 2.3 kW Leister heater/blowers, cooling blower mounted to conveyor side. **AUCTIONEERS NOTE** Load-Out Fee for this item is: \$100.00
9	Airo Clean HEPA filter, model HFM-2000, 2' x 4', rated approximately 800 cfm with .25 hp, 115 volt blower.
10	96 gallon A&B reactor, stainless steel construction, approximately 28" diameter x 36" straight side, hinged dish top, dish bottom, rated 45 psi and full vacuum at 392 F internal, jacket rated 210 psi at 392 F, 3" sight glass, (1) 4", (1) 2", and (3) 1.5" top nozzles, provision for bottom mounte ...[more]
11	Servolift Mixing Bin, s/s construction, 22" diameter x 24" straight side
12	Servolift Mixing Bin, s/s construction, 22" diameter x 24" straight side
13	9 gallon plastic tank, approx. 12" diameter x 16" straight side, removable flat top, dish bottom, (2) 2", (1) 5.5" top nozzles, 1" center bottom outlet, on portable stand.
14	65 gallon Walker tank, 304 stainless steel construction, approximately 28" diameter x 28" straight side, open top with lid, slant bottom, 1" bottom side outlet, with XJ-33VM top mount agitator, on wheels, serial# NL9000, built 1996.
15	Dober Group CIP system, chematic design, stainless steel construction with (2) 1/2 HP circulation pumps, flow data control sensor, PLC controller and printer. **AUCTIONEERS NOTE** Load-Out Fee for this item is: \$100.00

- 16 30 liter QVF agitated glass receiver, Duran 6076-11 glass, 300 mm diameter x 650 mm deep bowl, removable clamp on dish top, dish bottom, indication marks, top entering .37 kw 230/460 volt variable speed agitator drive, 30 blade teflon agitator, (2) 40 mm top nozzles, 40 mm center bottom outlet with ...[more]
-
- 17 Weber print and apply labeler, model 5300, type LEGI-Air with Weber printer on stand, serial# 11110053.
-
- 18 Used Virtis freeze dryer, model RS-SRC-3MS, stainless steel construction, 4 sq ft shelf area, (3) 12" x 18" shelves, with stoppering, 25# ice capacity, with compressor, vacuum pump, and controls, serial# 25.10.79.3 **AUCTIONEERS NOTE** Load-Out Fee for this item is: \$100.00
-
- 19 Sepha Deblistering Machine, (5) lane, 220 volt, with spare rollers and clinical trial change parts. **AUCTIONEERS NOTE** Load-Out Fee for this item is: \$100.00
-
- 20 Carr Powerfuge centrifuge, model P6, 316L Ti-GAL-4V construction, 60 liter/hour max flow rate, 1.1 liter bowl volume, 1 liter (nominal) solids capacity @ 1.5 max solids S.G., 15,432 RPM max bowl speed, EPDM & TEF gaskets, rated 15 PSI @ 60 C inter pressure, on base with 1 HP 230/460 volt, 3150 ...[more]
-
- 21 PIAB portable vacuum loading station, stainless steel construction with receiver and vacuum pump mounted on portable cart with 4' x 4' Mettler scale with controls, serial # 9038. **AUCTIONEERS NOTE** Load-Out Fee for this item is: \$200.00
-
- 22 Collette planetary mixer, model MP 20, stainless steel bowl, beater and dust shroud, xp design, class 1, div 2, group g on portable base, serial# 83M2235. **AUCTIONEERS NOTE** Load-Out Fee for this item is: \$100.00
-
- 23 Fluid air high shear granulating mixer, model PX1, stainless steel construction, (2) 13.8 liter total capacity, 12 liter working capacity, jacketed bowls, 1 hp impeller motor drive, Allen Bradley plc controls, mounted on stainless steel enclosure rated class 2, division 2 air purge, 1 phase, 60 hert ...[more]
-
- 24 Koruma high shear colloid mill, model V 100/25, stainless steel construction, approximately 25 liter capacity feed hopper, stainless steel construction with anchor agitator with side wall scrap driven by .25 kw variable speed motor drive, bottom homogenizer driven by 5.5 dc motor with scr controlle ...[more]
-
- 25 200 liter (52.84 gallon) Sartorius fermenter system, model 200 LDP, stainless steel construction, approximately 24" diameter x 36" straight side, hinged dish top, dish bottom, rated 40 psi and full vacuum at 300 f internal, jacketed for 60 psi and full vacuum at 325 f, bottom entering agitator drive ...[more]
-
- 26 Zanchetta high shear granulating mixer, model Rotolab, stainless steel construction, 1.8 liter jacketed swivel bowl, top mounted chopper, 1.5 Mpa design pressure, .6 MPa working pressure, 220 volt, 1 phase, 60 herts ac motor with VFD controller, 220 V, serial # V0205.03. **AUCTIONEERS NOTE** Lo ...[more]
-
- 27 Perkin Elmer Optima 2100 DV ICP - OES Spectrometer Inductively Coupled Plasma - Optical Emission Spectrometry unit, Part # NO800541 Serial Number 080N7062201 200-240VAC 50/60HZ
-
- 28 Binder oven, model IP-20, stainless steel product contacts surfaces, .8 kw, 115 volt, serial# 9010-0106.
-
- 29 Unused Binder incubator, model BF 115-UL, 4.1 cu ft capacity, .4 kw, 115 volt heater, rated to 212 f, approximately 15.5" deep x 23.75" wide x 8" high stainless steel chamber with glass internal door, stainless steel lined external door with controls, serial# 11-20029, built 2011.
-
- 30 18" Kason Screen, model K-18-2-SS, stainless steel construction, two deck with cover, on base with 1/3 hp, 225 volt motor, serial# KCN1123. **AUCTIONEERS NOTE** Load-Out Fee for this item is: \$50.00
-

- 31 Girton PM4A Parts Washer. Stainless Steel Parts Washer with Cole Palmer Gear pump Digital wash down, Endress Houser Flow meters, SS Cabinet & Barrel Recovery Skid, Serial# 03040901 **AUCTIONEERS NOTE** Load-Out Fee for this item is: \$150.00
-
- 32 Dott. Bonapace capsule filler, model IN CAP, stainless steel construction, with capsule orientation station with hopper, liquid filling station with heated hopper, pellet filling station with hopper, powder filling station with hopper, includes change parts for size 0-0L, 1, 2, 3 and 4 capsules, ra ...[more]
-
- 33 Niro Fielder NICA spheronizer, model S-450, stainless steel construction, 450mm diameter bowl, nominally rated .4-2 kg batch size, approximately 1.5 kw variable speed motor, 380/415 volt, 3 phase, 50 hertz on base with controls. **AUCTIONEERS NOTE** Load-Out Fee for this item is: \$100.00
-
- 34 Swiftpack lane counter, model SPC12P, stainless steel product contact surfaces, 12 lane, 2 step, with feed hopper, on board control panel, 240 volt, serial# M297. **AUCTIONEERS NOTE** Load-Out Fee for this item is: \$100.00
-
- 35 Buchi lab spray dryer, glass chamber, cyclone and dust collector, with nozzle spray atomizer and blower, 220 volt, 50 hertz, serial# 770956. **AUCTIONEERS NOTE** Load-Out Fee for this item is: \$100.00
-
- 36 LabelStar pressure sensitive labeler, model LS130DX, 6" max web, with Norwood 53XL40 hot stamp encoder, Allen-Bradley PLC with touchscreen HMI, serial# LS03111132. **AUCTIONEERS NOTE** Load-Out Fee for this item is: \$150.00
-
- 37 Lantech single sided case sealer, model CS-1000, 25 5/8" long x 20 1/8" wide x 19 5/8" high maximum case size, capable of up to 30 cases per minute, 230 volts, serial# CS000002. **AUCTIONEERS NOTE** Load-Out Fee for this item is: \$100.00
-
- 38 Heat shrink wrap tunnel, 60" long x 6" wide heated area, manual height adjustment, with controls, 1 hp 220/380 volt blower. **AUCTIONEERS NOTE** Load-Out Fee for this item is: \$50.00
-
- 39 Used New Jersey print and apply labeler, model 251VL, with smart date coder, with controls on adjustable height base, 115 volts, serial# 251VL-153A-M08A002, built 2008. **AUCTIONEERS NOTE** Load-Out Fee for this item is: \$100.00
-
- 40 0.75 cu ft blender, stainless steel construction, approximately 19" x 17" x 4" straight side x 12" cone bottom, " diameter feed with cover, with cover, on stand with motor. **AUCTIONEERS NOTE** Load-Out Fee for this item is: \$100.00
-
- 41 Mimi bundler wrapper, model UNIBLOCK, type 510/FF, 500 mm max seal width, 280 mm max product height, 480 mm max product width, with tangential infeed conveyor, pusher arm, 39" long heat tunnel with chain conveyor, Siemens Sematic S7-200 plc, stainless steel enclosure, 220 volt, serial# 0913/00, bui ...[more]
-
- 42 Superior Machine Systems pressure sensitive wrap-around labeler, model Genesis 9500, has a 10" wide X 76" long conveyor, 120 volt, serial# 91195299. **AUCTIONEERS NOTE** Load-Out Fee for this item is: \$100.00
-
- 43 IMA top loading case packer, model CPV20, with Mettler Toledo case checkweigher, Domino print and apply case labeler, 480 volt, serial# 6903, built 2015. **AUCTIONEERS NOTE** Load-Out Fee for this item is: \$750.00
-
- 44 Ferrups Powerware, UPS system, model FE12.5 kva, 60 hertz, 208/240 volt, 58/50 amps, 10 kw with bypass switch.
-
- 45 Ross Dual Stage Inline Homogenizer, Model ME400DLS, sanitary stainless steel construction, rotor/stator design with jacketed housing, 3/4" inlet, 1/2" outlet, recirculation system with approx. 2 gallon stainless steel jacketed tank, on stainless steel enclosed base, with 1 HP 208-230 volt XP motor ...[more]
-
- 46 IKA Dispax Reactor, stainless steel construction, with 10 hp motor, base, reactor chamber, with controls on base. Parts or rebuild machine.

-
- 47 Isolation Technologies glove box, model ISO System 1.5-1, stainless steel construction, approximately 54" long x 20" deep x 30" high chamber, single sided, (3) glove ports with 1 hp, 115/230 volt blower, 15" end access, on stand, XP design, serial# 5008-A, built 1993. ****AUCTIONEERS NOTE**** Load- ...[more]
-
- 48 Fryma Coball mill, model MS-18, 1.4034 stainless steel contact surfaces, 1.1 liter product zone, rated 2.5 bar at 110 c internal, jacketed for 2 bar at 110 c, nominally rated 10-80 liter/hour throughput, 12.5 kw, 480 volt motor, 1" rotary lobe feed pump driven by .68 kw, 480 volt motor, with contro ...[more]
-
- 49 Filamatic Cubitainer bag in a box liquid filling system, rated up to 10 containers/minute, stainless steel product contact surfaces, with twin head filler with MicroMotion flow meters, neck positioning clamps, chain conveyor, twin head single chuck capper station with bowl cap feeder, Farason Cubit ...[more]
-
- 50 LB Bohle VMA 70 high shear mixer, model VMA70V M EX, 70 liter jacketed bowl, vacuum design, 7.5 kw main drive, 1.1/1.8 kw chopper drive, vacuum make up system with Busch vacuum pump, model RA0250 on stand, water circulatin system with Mefus & Frisch chiller system with pump, 18 kw Single temper ...[more]
-
- 51 Revco refrigerator, model UFP430A18, R134a refrigerant, 115 volt, serial# U18N-100240-UN.
-
- 52 Nuaire IR Autoflow Incubator, model NU-2500, Series 24, water jacketed, serial# 71532.
-
- 53 Used Revco/Lindberg incubator, model RCO3000TABA, 28" high x 19" wide x 18" deep chamber, 120 volts, serial# N05H363994-NH
-
- 54 Revco refrigerator/freezer, S/S interior, with 2 shelves, model REL504A14
-
- 55 Palmatic gantry vacuum lift assist unit, model PalPharma Vac, stainless steel frame, 120 kg lift capacity with vacuum head and vacuum pump, serial# PH5738/C/2015, built 2015. ****AUCTIONEERS NOTE**** Load-Out Fee for this item is \$100.00
-
- 56 Steris Finn Aqua sterilizer autoclave, model 9912-B-GMP, stainless steel contact surfaces, 950 mm wide x 950 mm high x 1250 mm deep approximate chamber dimensions, rated 45 psi and full vacuum at 292 f internal, jacketed for 45 psi and full vacuum at 292 f, GMP design with Allen Bradley controls, ...[more]
-
- 57 Nelmor granulator, model F211, 8" wide feed opening, screw feed, 2 knife rotor, 5 hp, 230/460 volt motor, 1 hp blower discharge with controls, serial# 00E03908.
-
- 58 Sotax FS7 automated filter cleaner/changer system, with sample station and circulation pump.
-
- 59 Metolift colum lifter/blender, model CBS-200-S, stainless steel construction, 154" max. lift height, 156" max. discharge height with (6) 200 liter stainless steel bins, 22" x 26" x 15" straight side x 17" cone bottom, stackable, 1000# capacity including bin weight, with swivel, inversion and carri ...[more]
-
- 60 Nilfisk Euroclean WD200 series portable vacuum cleaner
-
- 61 Nilfisk Euroclean WD200 series portable vacuum cleaner
-
- 62 Dena System bead mill, model DM-100, bench top design, with (2) poly grinding chambers with grinding rotors.
-
- 63 Korsch Pharma Check 1 monitoring and control device, type WK1, with belt feeder, Mettler Toledo scale, 16 station rotary sample table, 220 volt, serial# 1.0036.96, new 1996.
-

64	GMP System Pneumatic pump, with compressed air tank on stainless steel cart.
65	Lot of (2) stainless steel pressure vessels, Alloy products Portable stainless steel pressure vessel, 50 psi at 150F, and Apache portable 316L stainless steel pressure vessel, 100 psi at 100F.
66	24" x 28" Fairbanks floor scale, model H90, stainless steel base, serial# 7601.
67	Forma Scientific model 2568 heated water bath.
68	Sartorius digital scale, model QC35EDE-S 16"x 12" (192" sq), 1-35 kg capacity, on stainless steel portable cart, serial # 8119T29
69	Sartorius digital scale, model QC35EDE-S 16"x 12" (192" sq), 1-35 kg capacity, on stainless steel portable cart, serial # P121T29
70	20 cu ft Precision low temp BOD incubator, type 815, Cat# 5122-1106, approximately 26.5" wide x 20" deep x 57" high internal chamber, rated -10 c - +50 c, R134A refrigerant, 120 volt, Serial# 605011520.
71	12" wide x 7' long inclined belt conveyor.with variable speed controller **AUCTIONEERS NOTE** Load-Out Fee for this item is \$100.00
72	12" wide x 7' long inclined belt conveyor.with variable speed controller **AUCTIONEERS NOTE** Load-Out Fee for this item is \$100.00
73	GSE Roughdeck BPS floor scale, model 450, 42" x 30" platform with built in ramps, 110 volt, serial# 408338.
74	GSE floor scale, model 460, 30" x 30" platform with built in ramps, 110 volt, serial# 116851.
75	Lift-o-Flex lifter, model 1700 HB, 100 lbs max load, portable, approx. 24" x 20" platform.
76	Hallins platform lift, type 1-4928, 70 kg max capacity, 30 w, 240 volt, serial# 2966.
77	Qiagen BioRobot, model M48, no controls, serial# 0211H0082.
78	Foster freezer, modle HR-18-U(L), stainless steel construction, 48" high x 26"wide x 17" deep, R134 refrigerant, 115 volts, serial# 68-99224, built 4/1997.
79	(2) Conveyors, 4" x 12' and 4" x 15' approximately, both with variable speed controllers, with guards and indexer. **AUCTIONEERS NOTE** Load-Out Fee for this item is \$100.00
80	10 liter New Brunswick fermentor, model BioFlo 3000, 316 stainless steel construction, 8.5" diameter x 14" straight side, flat bolt on top, dish bottom, 14 liter total capacity, 10 liter max working capacity, 3 liter min working capacity, temperature range from 5 C above coolant temp to 80 C, +/- ...[more]
81	Pharmafill tablet counter, model TCA1R Automatic, stainless steel construction, on stand with controls, 115 volts, serial# M1057. **AUCTIONEERS NOTE** Load-Out Fee for this item is \$50.00
82	Perry Industries powder filler, model FC, 115 volt serial #1238.
83	Erweka oscillating granulator, model AR400, stainless steel construction, bench top design, 110 volt, serial# 34548.

- 84 DT Kalish desiccant feeder, model 8331, designed for barrel canisters, with rotary bowl feeder and controls, stainless steel enclosure, 110 volt, order# 36219, serial# 0003, built 1998. ****AUCTIONEERS NOTE**** Load-Out Fee for this item is \$50.00
-
- 85 Kalish inline bottle cleaner, model B-CL, cleans by dry air blast and vacuum assist, set up for 4 nozzles with provisions for up to 6 nozzles, rated up to 120/minute, serial# 108 ****AUCTIONEERS NOTE**** Load-Out Fee for this item is \$50.00
-
- 86 Laminar Flow Inc overhead HEPA filter, model LF3000C-24, stainless steel enclosure, 46" x 78" area, serial# 9229, new 2001. ****AUCTIONEERS NOTE**** Load-Out Fee for this item is \$50.00
-
- 87 All-Fill auger filler, model BS600, stainless steel construction, with auger, driven by 1.5 hp motor, 480 volt, 3 phase, serial# 24422. Complete with Base control panel and foot pedal. ****AUCTIONEERS NOTE**** Load-Out Fee for this item is \$100.00
-
- 88 McKenzie Surge slat conveyor, 2x 6"W x 96"L, mounted on a s/s tabletop, 110 volts ****AUCTIONEERS NOTE**** Load-Out Fee for this item is \$100.00
-
- 89 Bochang softgel encapsulation machine, model 4" Wide, serial# BCM-003, built 1996, with model Sincludes the following: - (1) Bochang S4 softgel encapsulation machine - (1) Bochang 2 stage forced air Tumble Dryer and vac system - (1) Remote Chiller - (1) Chatsworth 3 stage, 4m forced air Tumble Drye ...[more]
-
- 90 Gruenberg Pass-Thru Depyrogenation Oven, 20"W x 33"H x 26"L cart in chamber, (6) shelf, with controls and air circulation/heating system ****AUCTIONEERS NOTE**** Load-Out Fee for this item is \$200.00
-
- 91 MG2 G60 capsule filler capable of production up to 60,000 capsules per hour with vacuum unit and controls. Unit can fill capsule sizes 00 to 5. ****AUCTIONEERS NOTE**** Load-Out Fee for this item is \$300.00 *****Auctioneers Note***** "Tablet press and capsule filler sales are regulated by the DEA ...[more]
-
- 92 Aeromatic fluid bed dryer, model STREA1, with (2) plastic shells, top spray gun, 1 kw heater, 110 volt, serial# 96900690.
-
- 93 FMC Syntron magnetic feeder, model CSCR-1B-1, 115 volt, 50/60 hz, serial# P30596.
-
- 94 Lock metal detector, type MET 30+, belt thru design, 2" wide x 1" high opening with 2" wide x 60" long belt conveyor, 115 vot, part#6050, serial# 6050/1, new 2001. ****AUCTIONEERS NOTE**** Load-Out Fee for this item is \$50.00
-
- 95 Zanchetta bin blender, model CANGURO TUMBLER, model 500 FS, Series 2000, all stainless steel construction including bin arm, base plate, pedestal, drive covers and operator panels, designed to handle bins from 300- 600 ilter capacity, 48" x 48" platform, 480 volt, 48" X 48" X 61" high bin platform, ...[more]
-
- 96 Vector High Shear Granulating Mixer, Model GMX-600, stainless steel construction, 600 liter bowl, approximately 50 hp chopper, with controls, through wall mounted, 460 volt, serial# GMX-130 45575, built 2005. Professionaly rigged out from location and ready for shipment. ****AUCTIONEERS NOTE**** ...[more]
-
- 97 24" Thomas Engineering Accela Cota coating pan, model 24-MIII, stainless steel construction, 24" diameter perforated pan, spray guns, on base with variable speed pan drive, window brokenserial# 24-392. ****AUCTIONEERS NOTE**** Load-Out Fee for this item is \$100.00
-
- 98 60" Thomas Eng. Accela-Cota Coating Pan Systems Model 60 III, all stainless steel construction, including air handling, blower, spray system, load and unload hoppers, Compu Cota II Controls, Serial No. 554. ****AUCTIONEERS NOTE**** Load-Out Fee for this item is \$500.00
-

- 99 Sartorius Stedim modular freeze thaw system, model CELSIUS FT100, stainless steel construction, with (6) cored shelves, dual doors, 460 volt, with operator interface, serial# 's FT100-12-0128, 0129, built Q2-2012. **AUCTIONEERS NOTE** Load-Out Fee for this item is \$1000.00
-
- 100 Carlisle glove box, model AMP-1000, stainless steel construction, approximately 27" wide x 31" high x 58" long chamber, single sided with (2) gloves, 18" x 21" side access, 14" side drum mount, with top mounted light, (2) top mounted filter housings and (1) blower, 120 volt, serial# 32435-1 **AUC ...[more]
-
- 101 Fitzpatrick Fitzmill, model L1A, stainless steel construction, mirror internal finish, .5 hp, 3600 rpm, 230/460 volt motor with VFD controller, product containment with Cole Palmer vacuum pump with filter, gravity feed, Provision for Fitzsieve model FS-75 with beater and screens, unit is mounted in ...[more]
-
- 102 Sartorius Scale, model QC5CE-S, max capacity = 5.1 kg, d=0.1g, stainless steel platen 12.5" x 9.5"
-
- 103 Enercon SuperSeal 100 induction sealer, model LM5022-272, 208 volts, with adjustable 50 cm long sealing rail, for 20-120mm widths, serial# 2720015, built 2013.
-
- 104 Lot of Vankel printers, consisting of (4) units, untested
-
- 105 Dorner 200 series belt conveyor, model 32MV1122, 10" wide x 48" long woven belt, adjustable height, with Lenze VFD, 120/240 volt, serial# 696236-6-1-1, built 2017.
-
- 106 Sotax AT 70smart fully automated dissolution tester, designed to be an unattended system for multiple dissolution tests, prepares mediums for next run simultaneously, comes with autosampler and self cleaning, (7) sample chambers, 115 volts, serial# 2124.008.
-
- 107 Gemel Mr. Deblister machine, rated for up to 4800 cards per hour, 30 mm x 50 mm min. card size, 120 mm x 145 mm max. card size, on portable base, serial# 03141.
-
- 108 .33 hp Lightnin agitator drive, model 123856 KIT, side mount, 110 volts, clockwise rotation, serial# W0701193385.
-
- 109 20 LITER EAGLE STAINLESS TANK
-
- 110 65 gallon Walker tank, 304 stainless steel construction, approximately 28" diameter x 28" straight side, open top with lid, slant bottom, with agitator shaft (no drive) 1" bottom side outlet, on wheels, serial# 7423, built 1992.
-
- 111 65 gallon Walker tank, 304 stainless steel construction, approximately 28" diameter x 28" straight side, open top with lid, slant bottom, with agitator shaft (no drive) 1" bottom side outlet, on wheels, serial# 6630, built 1991.
-
- 112 65 gallon Walker tank, 316 stainless steel construction, approximately 28" diameter x 28" straight side, open top with lid, slant bottom, with agitator shaft (no drive) 1" bottom side outlet, on wheels, serial# WEP-72435-1, built 2008.
-
- 113 20 gallon Walker tank, 316L stainless steel construction, approximately 18" diameter x 25" straight side, open top with lid, slant bottom, 1" bottom side outlet, on wheels, serial# SPG-57919-2, built 2006.
-
- 114 20 gallon Walker tank, 316L stainless steel construction, approximtely 18" diameter x 25" straight side, open top with lid, slant bottom, 1" bottom side outlet, on wheels, serial# WEP-63887-2, built 2007.
-
- 115 20 gallon Walker tank, 304 stainless steel construction, approximately 18" diameter x 25" straight side, open top with lid, slant bottom, 1" bottom side outlet, on wheels, serial# NL8997, built 1996.

- 116 10 gallon Feldmeier tank, stainless steel construction, approximately 13" diameter x 25" straight side, open top with lid, slant bottom, 1" bottom side outlet, on wheels, serial# E-246-02.
-
- 117 10 gallon Walker tank, 316L stainless steel construction, approximately 13" diameter x 25" straight side, open top with lid, slant bottom, 1" bottom side outlet, on wheels, serial# SPG-55517-1, built 2006.
-
- 118 Kaichi single head manual piston filler, model A50, 5-50ml fill dose range, stainless steel product hopper, bench top design.
-
- 119 LCS Syringe Pump System Model SP-4-100. Consists of Precision machined single axis linear motion system, syringes and syringe motion controller.
-
- 120 50 gallon Walker tank, 304 stainless steel construction, approximately 24" diameter x 28" straight side, open top with lid, slant bottom, 1" bottom side outlet, with XJ-30VM top mount agitator, on wheels, serial# 7592, built 1993.
-
- 121 42 Cu Ft Tote Systems tote bin, stainless steel construction, approximately 48" x 42" x 36" straight side.
-
- 122 90 Cu Ft Tote Systems tote bin, stainless steel construction, approximately 48" x 42" x 72" straight side, side discharge.
-
- 123 90 Cu Ft Tote Systems tote bin, stainless steel construction, approximately 48" x 42" x 72" straight side, side discharge.
-
- 124 90 Cu Ft Tote Systems tote bin, stainless steel construction, approximately 48" x 42" x 72" straight side, side discharge.
-