

Proxio Group

Laboratory and Test Equipment from a Leading Global Bio-Pharmaceutical Company - NEW LOTS ADDED



Multiple Locations: Assets from Major Global Pharmaceutical Manufacturer - Please Note Auction End Time Changed to 1:00PM ET.

Online Only
Cleveland
Ohio
United States

Ended Sep 24, 2020 4:19pm ET (9:19pm BST)

Lot	Description
1	Terra Universal Pass-Thru Chamber, wall mount, stainless steel frame with plexiglass windows, chamber measures approximately 24" long x 24" wide x 48"high.
2	Valley Craft Drum Carrier, model 8576-B, 800 lb capacity, manual hydraulic operation, serial# 1202. For general reference purposes only. View manufacturers webpage on similar model
3	VWR/Polyscience Temperature Control Unit with shell and tube heat exchanger, model 1177, unit rated from -10 to 40 C, 230 volts, with manual, serial# 911518.
4	Agilent Mass Selective Detector, model 5973, type G1088A, with network upgrade, serial# US10490162. Link to Hardware Manual
5	Lot includes an Accusizer 780 Optical Particle Sizer, and a model 780 APS on 24V DC, serial number 086751A. Manufactured in June of 2008. Includes flow pump, and manuals. Product abstract (For general reference only - may not reflect actual product for sale) The AccuSizer APS offers a two ...[more]
6	Bradley stainless steel tank, 12" diameter x 17" straight side, 130 psi MAWP
7	VWR Symphony Vaccum Oven, part# 414004-578, external vacuum, 10"wide x 11" deep x 10" high chamber, (3) stainless steel shelves, with controls, 120 volts, serial# 0411086119D005. Link to operations manual
8	5 hp Ross Emulsifier, model HSM 105 SLIM, 3500 RPM, 208-230/460 volts, 26" shaft, with 36" addition tube, serial# 102731.
9	Plastic Mix Tank, 22" diameter x 35" straight side, on cart, with agitator and controls.
10	42" x 42" Mettler Toledo roll-on scale, with spare platform, portable, with PUMA readout/controls.
11	Alloy Products 316L stainless steel tank, 12" diameter x 29" straight side, rated 170 psi, serial# S501291-1-004, built 2006.
12	Flow Sciences HEPA Flow Hood/Glovebox, enclosure model FS5000-108, chamber measures 50" wide x 23" deep x 32" high, serial# 07-P-25-03, blower model 4720, 280.6 cfm flow, serial# 06-26-06-01. Product Abstract (for general reference only) A Vented Enclosure With A Face Opening That Provides Neg ...[more]
13	VWR/GS Laboratory Equipment Refrigerator, model R429GA14, R404-A refrigerant, 33" wide x 23" deep x 66" high interior, 115 volts, serial# W08K-497151-WR.

- 14 Malvern Mastersizer 2000 Particle Size Analyzer, with manuals, documents and software, with Hydro 2000S unit, serial# MAL 1038144, built 2009. Product Abstract (For general reference purposes only. May differ from actual product for sale) The Mastersizer 2000/2000E can be used with a variety o ...[more]
-
- 15 Agilent Gas Chromatograph, 6890 series, serial# US00073314. Link to Users Manual
-
- 16 Horiba Laser Scattering Particle Size Distribution Analyzer, model LA-950, serial# 436313900502, built 2005. Product Overview from Manufacturers Website (For general reference only, may differ from actual equipment offered for sale) Overview The Partica LA-950 Laser Diffraction Particle Si ...[more]
-
- 17 Buchi Dehumidifier, model B-296, Type:ML-290 R134A refrigerant, 230 volts, 700 watt, with controls, serial# 242606. Abstract from the Buchi Website (For general reference purposes) Functional principle of the Dehumidifier B-296 The Dehumidifier B-296 can be used for various purposes. First ...[more]
-
- 18 Mettler Toledo Microbalance, serial# 1128030223.
-
- 19 Agilent Headspace Sampler, model G1888, 115/230 volt, with controls, serial# IT00703003. Abstract of the G1888 from Agilent Webpage (For general reference purpose only. Product may differ) G1888 Headspace Sampler The Agilent G1888 Network Headspace Sampler features an inert sample pathway ...[more]
-
- 20 Fisher Scientific Isotemp Plus Freezer, catalog# 13-986-146, R404A refrigerant, 48" wide x 25" deep x 60" high chamber, with controls, serial# 403N0004.
-
- 21 Environmental Specialties Stability Chamber, model ES2000AM, 0-70 C range, 36" wide x 25" deep x 24" high chamber, with controls (missing humidity controller), R134a refrigerant, 208 volts, serial# 0011171615. Link to User Manual
-
- 22 36" Labconco Multi-Hazard Glove Box with antechamber, catalog# 5065000, 36" wide x 28" deep x 28" high diameter, 115 volts, with 20" long x 11" wide x 13" high antechamber, glovebox serial# 050131321. General Description from the User Manual : Link to Users Manual The Multi-Hazard Glove Box ...[more]
-
- 23 Environmental Specialties Stability Chamber, model ES2000 CDM/BT, 0-70 C and 10-96% humidity range, 36" wide x 25" deep x 24" high chamber, with temperature and humidity controls, R134a refrigerant, 208 volts, serial# 9911231491. Link to ES2000 Manual.
-
- 24 Thar Super Critical CO2 pump, 0-345 bar, 0-20 kg/min, with controls, on wheels.
-
- 25 (2) Mettler Toldeo Floor Scales, 36" x 36" and 38" x 30" platforms, no readouts.
-
- 26 Revco/Thermo Electron Freezer, model REL5004A21, 53" wide x 25" deep x 53" high chamber, R134a refrigerant, with controls, 115 volts, serial# S08R-123139-SR.
-
- 27 Thermo Scientific Environmental Chamber, model 3961, approx. 31" wide x 28" deep x 60" high, with controls, serial# 323740-137, built 2011, unit uncrated but appears unused. Link to Operating and Manintenance Manual 7003960 Rev 21
-
- 28 Agilent Gas Chromatograph System, model 6890N, with controls and network capability, with model MN-5973 Mass Selective Detector. Link to user manual
-
- 29 Pressure Product Industires Autoclave, 316L stainless steel construction, 7" diameter x 11" straight side, internal rated 6000 psi at 350 F, jacket rated 150 psi at 350 F, with manual raise/lower, with .5 hp DC agitator with anchor blade, with controls, serial# U278, national board# 589, built 2003 ...[more]
-

- 30 Revco/GS Laboratory Equipment Freezer, model ULT1740-3-A34, 24" wide x 24" deep x 40" high chamber, (4) shelves with segmented doors, R134a and R404a refrigerant, 115 volts, serial# W25K-498874-XK. Revco Operators manual
-
- 31 HTF System (3) Loop Temperature Control Unit, model H54318-Y3, consisting of (3) Mokon oil heater units, 18 kW each, 54 kW total, 500 F max temp, 460 volts, 3 phase, serial# 63474.
-
- 32 ReynoldsTech HEPA filter unit, 75" x 47" filter area, (3) zones with blowers, independently controlled.
-
- 33 70" Germfree Horizontal Laminar Flow Hood, model BZ 6SS, 70" wide x 27" deep x 48" high laminar flow area, with blower and light, 115 volts, serial# 6S-15-C-BH 11195.
-
- 34 72" Labconco Purifier Class II Biosafety Cabinet, catalog# 36213043726D, 72" wide x 20" deep x 26" high chamber, with blower and light, 115 volts, serial# 020622719H.
-
- 35 Environmental Specialties Stability Chamber, model ES2000 CDM/BT, 0-70 C and 10-96% humidity range, 36" wide x 25" deep x 24" high chamber, with temperature and humidity controls, R134a refrigerant, 208 volts, serial# 9911231493. Link to ES2000 Manual
-
- 36 Parker Hydrogen Generator, model H2-800, serial# 087C. Link to Product Sheet Abstract from product sheet The Parker Balston® Hydrogen Generator is designed as a hazard-free alternative to high pressure gas cylinders. The generator can be used with any instrumentation requiring high purity h ...[more]
-
- 37 Sonic Systems Sonic Bath, model T136-8H-40, stainless steel construction, 10" x 23" x 6" deep basket, with model 4006 sonic generator, 120 volts, serial# 15462.
-
- 38 VWR/Shel Lab Oven, model 2300, stainless steel interior, 18" x 18" x 24" high chamber, with controls, 120 volts, serial# 1100200.
-
- 39 Imaje Printer, type Jaime 1000S4plus, with printer head, 110 volts, serial# 7451R7, built 1997.
-
- 40 Beckman Coulter Laser Diffraction Particle Size Analyzer, model LS230, serial# AD27165, with associated equipment. Basic Info from data sheet (for general reference only-actual product may differ) Dimensions(WxDxH) 100.7 x 22.2 x 41.9 cm (39.6 x 8.7 x 16.5 inches) Particle Size 0.04 - 2000 ...[more]
-
- 41 Titertek Multiskan MicroPlate Reader , MMC/340 typ 347, 115 volts, serial# 347006-010.
-
- 42 Advanced Instruments Micro Osmometer, model 3300, 115 volts, serial# 99030283J. Link to User's Guide (For general reference only - Actual product may differ)
-
- 43 Polymer Laboratories ELSD Evaporating Light Scattering Detector, model PL-ELS1000, 125 volts, serial# 003-1285. Abstract (For general reference only - Actual product may differ) New Generation Evaporative Light Scattering Detector for HPLC, GPC and HTGPCNew Generation Evaporative Light Scatteri ...[more]
-
- 44 Barnstead International Electrothermal MEL-TEMP 3.0, model 1401 Melting Point Apparatus, 200 W, serial# 1878070209434.
-
- 45 Thermo Electron pH Meter, model Orion 420A+, serial# 078979
-
- 46 Burrell Wrist Action Shaker, model 75, 115 volts.
-
- 47 Lab Line Vacuum Oven, 1500 W, model 3618, 14" wide x 14" deep x 20" deep chamber, 120 volts, external vacuum, serial# 1090-1514.
-

- 48 Leica Modular Polarization Microscope, model DM2500P, complete with parts, 115 volt, serial# 284107-122C. Information from product webpage (For general reference only - Actual product may differ) Because of its flexibility, the Leica DM2500 P meets the needs of both basic to advanced examinati ...[more]
-
- 49 Rolling platform, stainless steel, polished surface, flat portion measures approximately 56" long x 26" wide.
-
- 50 Kaye CTR-40 refrigerated calibration bath, model 4022, 1100 W, 115 volts, serial# A52110. Product Information from manufacturers Webpage: (For reference purposes only - Actual product may differ) Link to Users Guide CTR-40 Portable Liquid Bath for all kind of Temperature Sensor Calibrat ...[more]
-
- 51 Kaye Dry Block Calibrator for extended high temperature range, model HTR-400, serial# 45286H. Link to users manual Info from company webpage: (For reference purposes only - Acutal product may differ) Kaye HTR-400 The HTR-400 temperature reference is a dry well specifically designed to fu ...[more]
-
- 52 Kaye Validator, model X2005U, for up to (3) Kaye X2025 Sensor Input Modules, 120 volts, serial# 0404045. Link to Kaye Series 2000 Validator (For general reference only-actual product may differ)
-
- 52A (2) Kaye Validator Sensor Input Modules (SIM), model X2025, with copper color wires, serial#s 1206025, 0405092.
-
- 53 Kaye Validator, model X2005U, for up to (3) Kaye X2025 Sensor Input Modules, 120 volts, serial# 0404051. Link to Kaye Series 2000 Validator (For general reference only-actual product may differ)
-
- 53A (2) Kaye Validator Sensor Input Modules (SIM), model X2025, with red and blue wires, serial#s 04048117, 04048057.
-
- 54 Kaye Validator, model X2005U, for up to (3) Kaye X2025 Sensor Input Modules, 120 volts, serial# 0404048. Link to Kaye Series 2000 Validator (For general reference only-actual product may differ)
-
- 54A (2) Kaye Validator Sensor Input Modules (SIM), model X2025, with red and blue wires, serial#s 04048058, 0305026.
-
- 55 Kaye Validator, model X2000, for up to (3) Kaye X2025 Sensor Input Modules, 120 volts, serial# 0107041. Link to Kaye Series 2000 Validator (For general reference only-actual product may differ)
-
- 55A (2) Kaye Validator Sensor Input Modules (SIM), model X2025, with red and blue wires, serial#s 04048115, 1206027.
-
- 56 GE/Kaye Thermowell, model LTR-40/140, 115 volt, serial# A54171H. Info on this equipment from the Kaye Website (For general reference only-actual product may vary) Link to Brochure Link to User's Manual Kaye LTR-40/140 The LTR-40/140 temperature reference is specifically designed t ...[more]
-
- 57 GE/Kaye Thermowell, model LTR-140, 115 volt, serial# 57266H. Info on this equipment from the Kaye Website (For general reference only-actual product may vary) Link to Brochure Link to User's Manual Kaye LTR-40/140 The LTR-40/140 temperature reference is specifically designed to fu ...[more]
-
- 58 Kaye Validator, model X2000, for up to (3) Kaye X2025 Sensor Input Modules, 120 volts, serial# 9908158. Link to Kaye Series 2000 Validator (For general reference only-actual product may differ)
-
- 58A (2) Kaye Validator Sensor Input Modules (SIM), model X2025, with red and blue wires, serial#s 0406061, 04048056.
-
- 59 Kaye Validator, model X2000, for up to (3) Kaye X2025 Sensor Input Modules, 120 volts, serial# 0312005. Link to Kaye Series 2000 Validator (For general reference only-actual product may differ)
-

- 59A (2) Kaye Validator Sensor Input Modules (SIM), model X2025, (1) set of copper and (1) set of red and blue wires, copper serial# 11049040, red&blue serial# 1206024.
-
- 60 Kaye Validator, model X2005U, for up to (3) Kaye X2025 Sensor Input Modules, 120 volts, serial# 0507033. Link to Kaye Series 2000 Validator (For general reference only-actual product may differ)
-
- 61 Lot of (8) Kaye Validator Sensor Input Modules, all model X2025.
-
- 62 Lot of Kaye Validator wires and thermocouples, unused, both copper and red and blue wires.
-
- 63 Lot of (2) Titronic Universal Titrators Product Specs (For general reference purposes only - actual product may vary) he TITRONIC universal titrator allows you to perform dosing operations as well as manual titrations. Dosing volume and speed are adjusted by the touch of a button. The integra ...[more]
-
- 64 Holland Tablet Hardness Tester, model C50, with controls and integrated printer, manual included, with (3) 5kg weights, 115 volts.
-
- 65 Lot of (2) Titronic Universal Titrators Product Specs (For general reference purposes only - actual product may vary) he TITRONIC universal titrator allows you to perform dosing operations as well as manual titrations. Dosing volume and speed are adjusted by the touch of a button. The integra ...[more]
-
- 66 Holland Tablet Hardness Tester, model C50, with controls and integrated printer, manual included, with (3) 5kg weights, 115 volts.
-
- 67 Lot of (2) Titronic Universal Titrators Product Specs (For general reference purposes only - actual product may vary) he TITRONIC universal titrator allows you to perform dosing operations as well as manual titrations. Dosing volume and speed are adjusted by the touch of a button. The integra ...[more]
-
- 69 Polymer Laboratories ELSD, model PL-ELS1000, 120 volts, serial# 003 737. Abstract (For general reference only - Actual product may differ) New Generation Evaporative Light Scattering Detector for HPLC, GPC and HTGPCNew Generation Evaporative Light Scattering Detector for HPLC, GPC and HTGPC ...[more]
-
- 70 Supercritical Fluid Technologies CO2 pump, model SFT-052, with controls, 120 volt, serial# 084M007.
-
- 71 8" Vibratory Screener, single deck, with controls, 115 volts.
-
- 72 CPS Disc Centrifuge, Model DC 24000, 120 volts, serial# DC558. Link to webpage (For reference purposes only-actual product may vary)
-
- 73 Moetrohm Oven Sample Processor, typ 774, (35) sample stations, with typ 756KF Coulometer System, with software and manuals. Instructions for use (For reference purposes only- actual product may differ)
-
- 74 (1) Box of Random Components, including valves and electronic items.
-
- 75 HP Gas Chromatograph, 5890 Series II, with components. serial number 3033A33204 Abstract (For general reference only - actual product may vary) Link to documents The Hewlett Packard HP 5890 Series II Gas Chromatograph is a chemical analysis instrument used for separating chemicals ...[more]
-
- 76 Mettler Toledo Karl Fisher Titrator, model DL38, 110 volts, with manuals and components, serial# 5125509095. Abstract (For general reference only - actual product may vary) Link to brochure The all-round Karl Fischer titrator is the flexible and powerful instrument for fast and precise wat ...[more]
-

77	TA Instruments Differential Scanning Calorimeter, model DSC2010, 120 volts, with TA Instruments Refrigerated cooling system, PN 991100.901.
78	TA Instruments Refrigerated cooling system, PN 991100.901, serial# RCS-1402.
79	CPS Autosampler, model AS200, with CPS AG300 dual pump, 120 volts, autosampler serial# AS535.
80	Particle Measuring Systems Liquid Sampler, model LS-200, with CPU and software manual, serial# 57854
81	Viscotek Triple Detector Array, model TDA302, 110 volts, serial# 302-1207-377.
82	Johnson Flow Rate Indicizer, serial# FLW1002, built 2006.
83	Polymer Laboratories ELSD, model PL-ELS1000, 120 volts, serial# 003 458. Abstract (For general reference only - Actual product may differ) New Generation Evaporative Light Scattering Detector for HPLC, GPC and HTGPCNew Generation Evaporative Light Scattering Detector for HPLC, GPC and HTGPC ...[more]
84	Electro-Tech System Environmental Controlled Chamber, modle 518, with temperature and humidity controls, chamber measures approx. 39"long x 25"wide x 21"H.
85	Environmental Specialties Stability Chamber, model ES2000 CDMD/BT, 0-70 C and 10-96% humidity range, 36" wide x 25" deep x 24" high chamber, with temperature and humidity controls, R134a refrigerant, 208 volts, serial# 9911231492.
86	Horiba Laser Scattering Particle Size Distribution Analyzer, model LA-950, with components, serial# 432000700103, built 2005.
87	Watson Marlow Peristaltic pump, model 704S/R, 360 RPM, 115 volts, with manuals, serial# 8081721, on stainless steel cart.
88	Binder Oven, model BF 53-UL, nominal 100C/212F, 16" wide x 12" deep x 15" high chamber, 115 volts, with chart recorder and monitor, 115 volts, oven serial# 07-11581.
89	Flexmixer, part# FLEXMIXER20, 110 volts, with parts and manuals, serial# 0016.0605.FM20.
90	AirClean Systems Powdersafe 700 series Ductless Balance Enclosure, model AC710C, 300W, 31" wide x 24" deep x 19" high balance area, with documents and controls, 110 volts, serial# 712BE.
91	Haskris Portable Chiller, model LX2-W2, R407c refrigerant, with manuals, 208-230 volts, serial# HB29531.
92	3 HP Watson Marlow Peristaltic pump, 840 Series, 2" inlet and outlet, 230/460 volts, 3 phase, serial# B051670.
93	VWR/Shel Lab Vacuum Oven, model 1415M, 9" wide x 11" deep x 9" high chamber, 115 volts, external vacuum, with controls, serial# DS0500702.
94	Gallenkamp Oven, catalog# INC.100.330A, 560 watts, 115 volts, serial# SG91/10/762.
95	Bausch & Strobel Filling Maching, type CN EDM 3295, semi-automatic operation with foot pedal, single station, serial# 60301, built 2006.

96	VWR/Shel Lab Oven, model 1400t, 9" wide x 11" deep x 9" high chamber, 120 volts, serial# 1001301.
97	Agilent Gas Chromatograph, model 6890N (needs to be uncrated)
98	30" x 24" Mettler Toledo Platform Scale, with PUMA readout module.
99	Malvern Mastersizer 2000 Particle Size Analyzer, with manuals, documents and software, with Hydro 2000S unit, serial# 34315/130, built 2000.
100	Agilent Gas Chromatograph, 6890 series, serial# US00043923.
101	Ultra Analytics/Pacific Scientific Liquid Particle Counting System, model 9703CE, with components and documents, 100-230 volts, serial# J10511.
102	Screener Base, portable, with (2) .36 HP 230/460 volt shaker motors.
103	Lot of (2) Titronic pH Stat instruments
104	Servolift Drum Lifter/Tipper, type HF, stainless steel construction, 70kg/155 lb max, 92" rise, hydraulic operation, for 12" drums/canisters, serial# 10719, built 2003.
105	(3) door Lab Line Freezer, model T-72F 75" wide x 24" deep x 52" high chamber, R404A refrigerant, 115 volts, on wheels, serial# 1-2962685.
106	John Boos and Company Stainless Steel Table, 72" long x 30" wide x 33" high, stainless steel table top with carbon steel legs and lower shelf.
107	Lot of random stainless steel parts, with mirrors.
108	Fritsch Analysette 3 PRO, 115 volts, serial# 03.0720/03373, built 2006.
109	Invent Flow Marker Flow Control System, in case with air intake, charger, battery and other components, with manual, unit serial# B 7004723, built 2006.
110	Perkin Elmer Victor III Multilable Counter, with filter wheel, test plate and other components, 115 volts, serial# 4205843.
111	Agilent Bioanalyzer, Model 2100, using the LabChip system, with Bayonet cartridge, chip priming station, test chip and IKA Minishaker, 115 volts, Agilent serial# DE54704657.
112	Agilent Bioanalyzer, Model 2100, using the LabChip system, with Bayonet cartridge, 115 volts, Agilent serial# DE13701128.
113	Bio-Tek Auto Platemasher, model ELx405, with pump, valve module and containers, 115 volts, serial# 212314.
114	Bio-Tek Auto Platemasher, model ELx405, with pump and containers, 115 volts, serial# 186223.
115	Molecular Devices Plate Reader, model Spectramax Plus, with Spectratest Validation plate, manuals, documents and software included, 120 volts, serial# MNR 05544.

-
- 116 50 liter Precision reactor, 316L stainless steel construction, 13" diameter x 18" straight side, dish top and bottom, internal rated 50 psi and full vacuum at 302 F, jacket rated 50 psi at 302F, (6) 1.5" nozzles on top, with (2) agitators, .25 hp top entering (2) tier Nettco and Lighthnin single bla ...[more]
-
- 117 19 liter Precision reactor, 316L stainless steel construction, 8" diameter x 18" straight side, dish lid top and bottom, internal rated 45 psi at 302 F, jacket rated 60psi at 350 F, 3" sight glass with (2) 1.5" nozzles on top, .33 hp DC top entering agitator, with controls, .75" center bottom outle ...[more]
-
- 118 19 liter Precision reactor, 316L stainless steel construction, 8" diameter x 18" straight side, dish lid top and bottom, internal rated 45 psi at 302 F, jacket rated 60psi at 350 F, 3" sight glass with (2) 1.5" nozzles on top, .75" center bottom outlet, on wheels, serial# 202289-4, National Board# ...[more]
-
- 119 2.5 sq ft Chemineer heat exchanger static inline mixer with pump, stainless steel constrction, with (14).5" diameter x 18" long tubes rated 100 psig at 300 F, stainless steel shell rated 100 psi at 300 f with Alfa-Laval pump model 9634078307, stainless steel construction, exchanger serial# 7678, n ...[more]
-
- 120 60" Walker Transfer Isolator, 316L stainless steel construction, 48" long x 24" wide x 30" high chamber, (2) glove ports, setup for vaporus hydrogen peroxide sterilization, with HEPA filtration and light, 120 volts, serial# BS-30013-1, built 1998.
-
- 121 Mettler Toledo Titrator, type T50, with interface and components, no power cord, serial# 5130295020.
-
- 122 ESA Corona Plus CAD Detector, part # 70-6967, with components, tubing, and manuals, 115 volts, serial# CP-0272, built 2007.
-
- 123 Viscotek/Knauer UV Spectro-Photometer, model K-2501, with manual, 115 volts, serial# 94162
-
- 124 (2) Glass dewars, 16" diameter x 12" straight side, 4" top nozzle, (1) unit with (5) side bottom nozzles.
-
- 125 (2) Stainless Steel Cylinders, 6" diameter x 24" straight side, with (8) small nozzles on side, sight glass on end.
-
- 126 Stainless steel table, 48" long x 24" wide x 33" high.
-
- 127 Crown TSP 6000 series Turret Stockpicker, type E, 3000 lb (1360 kg) capacity, max lift of 243" (6170 mm), max 24" extension, seated operation, 42" forks, 144" mast height, serial# 1A318540. Sold As-Is. At this time this equipment does not start, propel or lift. **Please note height of mast ...[more]
-
- 128 Crown Lift Truck, 3500 Series, type E, 3000 lb (1360 kg) capacity, max lift of 240" (6095 mm), max 24" extension, standing operation, 42" forks, 108" mast height, with charger, serial# 18328601. Sold As-Is. At this time this equipment does not start, propel or lift. **Please note mast height ...[more]
-
- 129 Crown Lift Truck, 3400 Series, type E, 3000 lb (1360 kg) capacity, max lift of 276" (7010 mm), max 24" extension, standing operation, 42" forks, 120" mast height, with charger, serial# 1A318468. Sold As-Is. At this time this equipment does not start, propel or lift.
-
- 130 Eltra CS580A Helios Elemental Carbon/Sulfur Analyzer. Model CS-580A Helios, serial number 102214118, produced in 2018, 230Volts AC, 20 amps 2000Watts. Lot includes computer system, and Sartorius Lab Balance. The following information is for reference purposes only From the manufacturers spe ...[more]
-
- 202 Biotage Model SF52150150 Stainless Steel 18" Diameter Chromatography Column w/ Pressure Controls, (2) Column Bodies (1) 32" Tall, (1) 19" Tall, Material Packing Weight, 4" Diaphragm Pump, Pressure Vessel, Hoist, and Lid sn F4002583"
-

205	2014 Steer Engineering 14 Chill Roll Unit sn EA CR008 480v, 3ph, 60Hz"
207	Biotage Flash Series Chromatography Columns w/ (2) Flash 150 Series Radial Compression Modules, (1) Chromatography Air Module and Associated Cart, (2) Biotage KP-Sil 40-63um, 60A 400 Liter Columns Part Number FK0-1107-25155, (2) Biotage KP-Sil 32-63um, 60A 400 Liter Columns, Part Number FK0-11 ...[more]
208	2019 LEWA Ecoflow Series 3-HEAD Modular Process Pump, Pump Type LDB3, Pump Head Type M910S, sn 640959-010.001. Unused In Crate
209	Julabo Model 26 Benchtop Recirculating Water Bath w/ Heating and Cooling
210	Laboratory Outside Ice Cooler Dimensions 28 x 19" x 23"/25" w/Lid"
211	VWR Model 1320 Single Door Benchtop Lab Oven p/n9071182
212	Zebra Model Z4M Plus Thermal Label Printer
214	HP 7673 Auto Sampler w/ 2 Sampling Heads - HP 7673 Injector, HP 7674A Injector, HP 7673A Auto Sampler, (3) Sampling Trays, Associated Mounting Kits
215	Module, Flash Collector, Pump, Flash Compression Module, and Zif-SIM Module
216	HACH Model 2100AN Turbidimeter pn 47001-60, 100-230v, 50/60hz, 28w, sn 0402000006405
217	Metrics Model 768 KF Oven Type 1.768.0010 sn 02125
218	Waters 432 Conductivity Detector sn 00225
219	Laura E200 Digital Heated Water Bath Z91060, 115v, 60hz, 1,35kw
220	Lot of Misc Electronics Including But Not Limited To: (6) Acadian Model W12MT29 250v, 10a, Power Supplies, (3) Murr Elektronik Model 85054 24VDC Power Supplies, (8) Measurement Technology LTD Model 9122-IS FISCO Power Supply - IIB Bus Style Power Supplies, (15) Measurement Technology LTD Mode ...[more]
221	Lot Of Misc Glass Including: But Not Limited To: (2) Buchi 10 Liter Reactor Vessels, (1) Chemglass Model BN02G 20 Liter Reactor Vessel, (5) Chemglass Glass Condensers, (5) Condensers, Chemglass Vented Ware, Buchi Output Couplings And Various Other Glassware
222	Glassware Lot Including: Ace Glassware 5,000 ml 3-Neck Round Bottom Flask, (4) Chemglass 1,000ml Bottles Glass Bottles with Evaporative Filters 34/38 Necks, (1) 500ml Round Bottom Flask with Vented Top, Buchi Bottom Side Valve, (1) Chemglass 1,000ml Inline Valved Expansion Vents, (1) Buchi Pla ...[more]
223	Lot of Misc Biotage Cartridges
224	Ace Glass #50 50 Chromatography Column w/ Fill Input Cap And Lower Cap with SS Valve, Chemglass 45/50 Fritted Filter Column with Valved Output, (2) Chemglass quick Separation Chromatography Funnels"

225	Filter Lot (5) BHA Altair PulsePleat w/ Iplas Pleat Alignment System Process Cartridge Filters, (37) Flanders Model 0-007-C-03-03-SE-32-00-BB-D, 8 x 8" x 5.875" Filters"
226	Pope Scientific 2" Wiped-Film Still w/ Glas-Col Bands and Heatstop Insulation, Digital Temperature Controller, Glass Condenser and Various Glassware, KB Penta Power 40448 Motor Drive Controller, various spares and Associated Manuals"
227	VWR Model 3500Standard Analog Orbital Shaker Catalog # 89032-092
229	(2) 5 Outside Diameter Stainless Steel Braided Hoses 4" Inside Diameter with 10" Flanges"
230	(1) 5" Diameter Stainless Steel Braided Hose, 4" Inside Diameter w/ 10" Flange
231	Dayton Model 12A070 Centrifugal Pump w/ 5HP Motor, (1) Rietschle VSB-120 Twister Dry Type Pump, (3) Crane Flex Fittings, Various Plastic Funnels
232	Skid of Various Mechanical Items Including But Not Limited To Various Valves, Actuators, Couplings, Vibratory Aggitators, Flanges, End Caps, Spacers and Assorted Other Supplies
233	(2) 5" Diameter Stainless Steel Braided Hoses, 4" Inside Diameter w/ 10" Flanges
234	(2) 5" Diameter Stainless Steel Braided Hoses, 4" Inside Diameter w/ 10" Flanges
235	Skid Lot of 5 Diameter Stainless Steel Braided Hoses, 4" Inside Diameter w/ 10" Flanges"
236	Skid Lot of Various Spools of Electric Wire
237	8 Diameter Teflon Coated Valve with Flowserve B200S10 Actuator, (1) End Cap / Reducer, (1) J.F.D. Tube and Coil SS Inline Additive Feeding Joint"
238	Skid of (6) Dixon Eagle Model 4-300 4 Industrial Valves Type J3"
239	Kruger Model LMHS 1770 CFM Inline Duct Heater 480V, 3ph,
240	Lot of Misc Building Support Including Lithonia Lighting Titan Series Emergency Back-Up Lighting, Various Carpet Tile Squares, Floodlights, Lighting, Door Hardware, Gorham Architectural Lights, Ceiling Tiles and More
241	Vestil Model SL-118-AA 2,000LBS Capacity Walk Behind Electric Fork Lift, Max Lift Height 118 Inches sn 093189
242	Leybold Type B 1 HP Vacuum Pump
243	Allen Bradley Model 2163WB-6P0KB-14DFCC-14HBA3-38TGM-Z PowerFlex 525 AC Drive w/ CB Rating 3HP, 6.0A, 480V, 3ph, 60Hz
244	Baldor Model VECP3665T 5HP 1750RPM Electric Motor w/ 184TC Frame, 208-230/460V, 3ph, 60Hz
245	30 x 24" x 24" 70 Gallon Capacity Polypropylene Tank with Lower Drain"

246	45 Gallon Capacity 40 x 22" x 20" Storage Tote with Piping Insulation"
247	Dock Lot Including; (1) Half Sphere Ceiling Mountable Safety Mirror, (2) Phoenix Docklite Articulating Dock/Trailer Lights
248	VirTis Advantage ES Model 404570 Benchtop Freeze Dryer Serial Number 215004 ***Note Digital Display Cracked, Metal Backing Detached****
249	QVF Duran 24 Diameter x 12" Tall Glass Spacer"
250	(7) Orbit 43 x 50" x 32" 4-Way Stacking Totes w/ Lids and Contents Including Various Bottles, Buckets, Hoses, Tarp, and Various Job Specific Supplies"
251	Haulotte BilJax Pro-Jax 2-Tier 6' Utility Scaffolding with (2) Uprights, (4) Crossmembers, (3) Platforms
252	(2) Biotage Chromatography Columns
253	Skid Lot of Misc Supplies Including EziDock and EziFlow Charge Bags, Misc Plastic, Filmtec Membranes, Filter Cartridges
254	Haver & Boecker Porostar 5-Layer 1170mm Diameter Wire Cloth Laminate Pore Size 10 Micron, Full Specs In Photos Full Specs Here
260	Justrite 10-20 - Vertical Storage Locker Model 23007
261	(10) Spools of Various Sized Wire
262	Lot of miscellaneous pallet racking include but not limited to 510' operates 284 uprights Various cross rights and associated Deccan
263	Lot Of Misc Remaining Items In Yard Including but not limited to (1) 2-story outside safety ladder, (1) 6 by 6" square beam support column, (1) Uline Model 1043 pallet Jack, (1) 2-Bay stainless steel sink, various motors, valves stainless steel" actuators, (1) vacuum pump head missing motor And ...[more]