

Proxio Group



Food Processing Equipment | Packaging Equipment |
Miscellaneous Plant Equipment - PHASE III Youcare
Pharma

Timed Online Only
Cleveland
Ohio
United States

Phase III Youcare Pharma Assets - Swiftpack Tablet Counter-
Labeler-Foiler-checkweighers-Lab Assets and More

Ended Dec 14, 2021 12:58pm ET (5:58pm GMT)

Lot Description

- | Lot | Description |
|-----|--|
| 1 | Pneumatic Scale filler, type Velocitron DK, 12 head, capable of speeds up to 300/minute, stainless steel product contact surfaces, approximately 9.75" pitch, 6" wide x 1.75" deep x 6.375" high minimum container size, 9" wide x 3.25" deep x 9.375" high maximum container size with Allen Bradley PLC co ...[more] |
| 3 | 40 Gallon Dover dual motion kettle, model NEM-40, 316 stainless steel construction, jacket rated 100 psi at 338 F, on wheels, serial# 101298, National Board# 101298, built 1980....Control #3878-3....(Loading Fee \$40) |
| 4 | MEPSCO Mini ULTRACAT meat injector, 304 stainless steel construction, 210 needle configuration, up to 12,000 lbs/hr for bone-in or bonless meats, on wheels, with drum filter, 480 volt, 3 phase, serial# 6017....Control #3878-4....(Loading Fee \$40) |
| 5 | 30 gallon Groen kettle, model DN/TA-30, 316 stainless steel construction, tilt back lid with dual motion agitator, jacket rated 100 psi at 338 F, disperser and anchor sweep agitators, on frame, serial# 126230, altered National Board# R-4621, originally built 1985....Control #3878-5....(Loading Fee \$40) |
| 6 | 100 gallon Hamilton single motion kettle, stainless steel construction, combination agitator, jacket rated 40 psi at 267 F, with load cells, on legs, serial# C-4612, national board# 5062, built 1982....Control #3878-6....(Loading Fee \$40) |
| 7 | 5 hp Urschel Machinery thin slicer, model CC, with capability for interchangeable heads, on portable workstation, 208-220/440 volt, serial# 759....Control #3878-7....(Loading Fee \$40) |
| 8 | 7.5 hp twin screw continuous mixer, stainless steel construction, 36" long mixing area, 230/460 volt....Control #3878-8....(Loading Fee \$40) |
| 9 | 174.8 sq ft Alfa Laval plate pasturizer, model M6-MBASE, stainless steel construction, rated 145 psi at 230 F, on stainless steel cart, serial# 30110-67945....Control #3878-9....(Loading Fee \$40) |
| 10 | stainless steel parts washer skid, with 50" long x 20" wide x 17" deep wash tub, with circulation pumps and heat exchanger, Allen-Bradley HMI controls and PLC, all on stainless steel frame....Control #3878-10....(Loading Fee \$40) |
| 11 | (4) pump skid, 1 hp gear pumps delivering to (8) rotating nozzles, with VFDs....Control #3878-11....(Loading Fee \$40) |
| 12 | 60 gallon Hamilton Kettle, stainless steel construction, jacket rated 90 psi at 320 F, on stand, serial# A-975-4....Control #3878-12....(Loading Fee \$40) |
| 13 | 20 hp Sutorbilt blower, model 6 H L, 230/460 volt, 3 phase, serial# 309849....Control #3878-13....(Loading Fee \$40) |

- 14 Meyer vibratory feeder, model VFC 4 120 12 C4XFRSP, stainless steel construction, on portable stand, 120 volts, serial# 7001....Control #3878-14....(Loading Fee \$40)
-
- 15 Blentech blending cooker, model BT-24030-DV, stainless steel construction, 8.1 cu ft capacity, steam jacket rated 120 psi at 350F, driven by 2 hp motor, with Allen-Bradley HMI, 460 volts, serial# 2080284, National Board# 433, built 2008....Control #3878-15....(Loading Fee \$40)
-
- 16 2 cu ft stainless steel ribbon blender, approximately 12" x 24" trough, ribbon driven by 1.5 hp motor, with 3 hp chopper, portable, 208-220/440 volt....Control #3878-16....(Loading Fee \$40)
-
- 17 80 liter diosna mixer, model SP 80 D, stainless steel mixing bowl and agitator, 208/240 volt, serial# 9614-2711....Control #3878-17....(Loading Fee \$40)
-
- 18 3 hp Urschel Machinery dicer, stainless steel construction, gravity fed into dicing mechanism, 208-220/440 volt, serial# 19080....Control #3878-18....(Loading Fee \$40)
-
- 19 10 gallon Groen Kettle, Model D-10, stainless steel construction, jacket rated 25 psi at 300 F, on legs, National Board# 59200, built 1971....Control #3878-19....(Loading Fee \$40)
-
- 20 15 hp Fuller blower, model 7 L-B, on stand with silencer, 230/460 volt, serial# 157189....Control #3878-20....(Loading Fee \$40)
-
- 21 Middleby Marshall continuous oven, model PS570G, stainless steel construction, with 32" wide belt, center access door, on wheels, 208-240 volt, serial# 1232850907....Control #3878-21....(Loading Fee \$40)
-
- 22 Amos Industries Demotteur, stainless steel construction, for use with breaking up blocks of frozen or thawed items, with vibratory feed into low-speed chopper drum, serial# 92420, built 2018....Control #3878-22....(Loading Fee \$40)
-
- 23 5 Hp Oakes Continous Mixer, model 8MB5, stainless steel pump head, on portable cart, with controls, 230/460 volt, serial# 315....Control #3878-23....(Loading Fee \$40)
-
- 24 Semco rotary air lock, carbon steel construction, 11" x 13" opening....Control #3878-24....(Loading Fee \$40)
-
- 25 Semco rotary air lock, carbon steel construction, 13" x 15" opening....Control #3878-25....(Loading Fee \$40)
-
- 26 Semco rotary air lock, carbon steel construction, 12" x 1" opening, with stainless steel chute....Control #3878-26....(Loading Fee \$40)
-
- 27 Semco rotary air lock, carbon steel construction, 12" x 1" opening....Control #3878-27....(Loading Fee \$40)
-
- 28 Geelen Counterflow Mash Cooler, stainless steel construction, with feeder, adjustable vanes and agitator, Allen-Bradley HMI....Control #3878-28....(Loading Fee \$40)
-
- 29 Bepex Solidaire Dryer, model SJS10-6, stainless steel construction, approximately 6" inner diameter x 120" long barrel, jacketed for 150 psi at 365 F, on stand with 40 hp motor and scrubber, serial# SJS-90002603, national board# 701, built 1990 and rebuilt in 2001....Control #3878-29....(Loading Fee \$40 ...[more])
-
- 30 Groen dual motion kettle, stainless steel construction, on legs, serial# 129076, built 1986 (Nameplate partially blocked)....Control #3878-30....(Loading Fee \$40)
-

- 31 60 gallon twin motion Groen kettle, model INA/2/TA-60, stainless steel construction, steam jacket rated 100 psi at 338 F, on legs with load cells, serial# 00252-1, National Board# 140365, built 2002....Control #3878-31....(Loading Fee \$40)
-
- 32 Boedecker rotary airlock, model RU-02, carbon steel construction, 9" x 9" inlet, serial# 95060....Control #3878-32....(Loading Fee \$40)
-
- 33 20 gallon Groen Kettle, model N-20, 316 stainless steel construction, jacketed for 125 psi at 353F, serial# 127632, National Board# 127632, built 1985....Control #3878-33....(Loading Fee \$40)
-
- 34 38" continuous twin-screw mixer, stainless steel construction, on stand....Control #3878-34....(Loading Fee \$40)
-
- 35 Semco Flotronics rotary air lock, model RV-04, carbon steel construction, 9.5" x 11" inlet, serial# 021270, built 1995....Control #3878-35....(Loading Fee \$40)
-
- 39 HEPA filter enclosure, S/S construction, for 28" x 39" filter, no blower....Control #3878-39....(Loading Fee \$40)
-
- 40 Semco Flotronics rotary air lock, carbon steel construction, 12"x 12" inlet....Control #3878-40....(Loading Fee \$40)
-
- 41 Control Panel, with assorted Allen-Bradley VFDs, no PLC, as is....Control #3878-41....(Loading Fee \$40)
-
- 42 control panel, with (9) motor controllers, with Rittal enclosure cooling unit, no PLC, as is....Control #3878-42....(Loading Fee \$40)
-
- 43 Dover Kettle, model TDC /2-20, 316 stainless steel construction, jacket rated 100 psi at 300 F, serial# 59800....Control #3878-43....(Loading Fee \$40)
-
- 44 MEPSCO ULTRACAT needle washer and inspection unit, stainless steel construction, with 84 needle block mounted, with Landa chiller, with sets of needles and drain tub, on portable cart....Control #3787-44....(Loading Fee \$40)
-
- 45 rotary blancher, 304 Stainless Steel. Perforated drum approximately 40" diameter x 98" long, driven by a 2 hp, 3/60/208-230/460 volt, 1755 rpm Reeves variable speed motor, ratio 70.6 to 1, minimum/ maximum rpm 6.6/60. 3/16" Diameter screen holes, side access doors. End feed and discharge. Mounted on ...[more]
-
- 46 Franken dewatering conveyor, stainless steel construction, 18" wide x 168" long seated belt with .75 hp, 230/460 volt motor, bottom belt spray bar with bottom stainless steel catch basin. (43019) Loading Fee \$40.00
-
- 47 Nothum BatterPro batter tempura system, model BP-24, stainless steel construction, 24" wide conveyor, batter/tempura hopper with dual horizontal mixers, rotary lobe feed pump, on unitized base, serial# 42111000.
-
- 48 Bridge patty former, model 240, stainless steel product contact surfaces, approximate 21,600 patties per hour, top self-feeding hopper with paddles, and agitators, bottom mould plate with approximate 4" x 4.5" oval patty die, requires belt for discharge, driven by a 5hp, 3/60/230/460 volt, 1730 rpm ...[more]
-
- 50 Liquid Carbonic CO2 Tunnel, all stainless steel construction Model JE-U4, serial number 30454
-
- 100 Perkin Elmer Spectrum One FT-IR Spectrometer, Equipped with (1) Perkin Elmer Universal ATR Sampling Accessory, serial number PODL190906005, Mfg in 2019; (1) Instec mK200B Precision Temperature Controller, model MK2000B-24DC-5A-B, serial number KSE24Dm21910169; (1) Cure Spot HO Ultra-Violet Curing S ...[more]

- 101 Stokes rotary press, model 571-S, 34 station, D tooled, 80 Kn main compression with 20 Kn pre compression, 25 mm max tablet diameter, 18 mm max depth of fill, keyed upper punch guides, single sided with force feeder and feed hopper, rated up to 153500 tablets/hour, serial# 698021. **Auctioneers ...[more]
-
- 102 DT Industries Kalish Packaging Systems Model 7440 Bottle Unscrambler Mfd 12/1998, Sn 0002, 110V, 1Ph 60Hz, Rotary Bottle In-Feed Unit w/ Pickup and Positioning Head, Laboratory Hooper Feeder, Rotary Positioner, Approx 26 Rotary Bottle Feeder. With Associated Controls; Loading Fee:40..Phase II Lot#2
-
- 103 DT Industries / Lakso Reformer 150mm Slat Style Tablet Counter, 480V, 3ph, 60Hz; Loading Fee:40..Phase II Lot#5
-
- 104 Mettler Toledo Hi-Speed Checkmate 2 Series Inline Bottle Weight Checker w/ Rotational Controls, Marked as sticker A9 BYC 9438; Loading Fee:40..Phase II Lot#6
-
- 105 Lakso Model 93 Slat Counter sn387 w/ Vibratory Feeder, Associated Slats, and Controls, 460V, 3ph, 60Hz, sn 387; Loading Fee:40..Phase II Lot#20
-
- 106 Mettler Toledo Hi-Speed Checkmate 2 Series Inline Bottle Weight Checker w/ Rotational Controls BYC# 9437; Loading Fee:40..Phase II Lot#21
-
- 107 Kaps-All Packaging System Model A-2 Capper sn 32490 w/ Approx 24" dia Laboratory Feeder Bowl w/ Associated Controls, BYC# 14392" with Feed Systems Inc Model FS-B, 8'x 8" Adjustable Angle Conveyor w/ Feed Hooper, Load Out Chute, sn 312"; Loading Fee:100..Phase II Lot#23
-
- 108 DT Industries Kalish Model 8065 (SwiftPack Automation Model B12P3PTS) 12-Lane Dual Head Inline Tablet Counter, sn 802016 (M2773/4), 120V, 1ph, 60Hz Mfd 2000 ***Note: Missing Parts See Pics***** , with DT Industries Packing Systems Swiftpack Model S-lift 120v, 1ph, 60Hz, Mfg 2000, sn M2775, BYC# 1064 ...[more]
-
- 109 Roser Products Incorporated Inline Labeler With 10' x 4" Conveyor (Being Sold Without Belt), (1) Norwood Marking Systems 53LTI Printer w/ Allen Model ULH-01406 Pendant Controller, Associated Inline Code Readers Thermal Printer Heads, (1) Minarik Drives Control Associated Banner Sensor; Loading Fee:4 ...[more]
-
- 110 Thiele Engineering Company Model 34-000 Rotary Placer Topserter sn64891 Mfg 06/89 208V 3Ph 60Hz w/ Laetus Argus 6012 MIT GEHAUSE Model 109836013 Controls w/ Nordson Series Model 3100-1AA12 snAA89D18490 Adhesive Heater , w/ Associated Controls, BYC #14220; Loading Fee:40..Phase II Lot#57
-
- 111 Mettler Toledo Hi-Speed Series 30" x 12" Inline Conveyer Systems Model CS3600GI-XEP sn10021514 P/N Q102215-1 Max Capacity 50 Kg Variable Speed 30-80 Feet Per Minute, *** Note: Also Tagged Model CS3600-9477 Max Capacity 60lbs Max Belt Speed 73 Meters Per Minute/240 Feet Per Minute***; Loading Fee:40.. ...[more]
-
- 112 Lakso Castered Slat Rack With Turn Style And Associated Slats; Loading Fee:25..Phase II Lot#82
-
- 113 Lakso Castered Slat Rack With Turn Style And Associated Slats; Loading Fee:25..Phase II Lot#83
-
- 114 Lakso Castered Slat Rack With Turn Style And Associated Slats; Loading Fee:25..Phase II Lot#84
-
- 115 Lakso Castered Slat Rack With Turn Style And Associated Slats; Loading Fee:25..Phase II Lot#85
-
- 116 Lakso Castered Slat Rack With Turn Style And Associated Slats; Loading Fee:25..Phase II Lot#86
-

117	Lakso Castered Slat Rack With Turn Style And Associated Slats; Loading Fee:25..Phase II Lot#87
118	Lakso Castered Slat Rack With Turn Style And Associated Slats; Loading Fee:25..Phase II Lot#88
119	25.5' x 4.5" PharmaVeyor Conveyor System; Loading Fee:40..Phase II Lot#121
120	DT Industries Kalish PharmaVeyor 88" x 4" Capacity Conveyor Model 7140, Mfd 07/2001, sn B0448, 90V DC Motor, 1ph; Loading Fee:40..Phase II Lot#123
121	DT Industries Kalish PharmaVeyor Model 7140 14.4' x 4.5" Conveyor, Mfd 07/2000, sn 801872, 90v 3/4 HP Motor w/ Associated Air Blow Off and Sensors; Loading Fee:40..Phase II Lot#125
122	DT Industries Kalish Model 7140 33' x 4" Conveyor, Mfd 07/2000, sn 801871,90V 3/4HP DC Motor; Loading Fee:40..Phase II Lot#126
123	DT Industries Kalish Model 7140, 31' x 4" Conveyor, Mfd 07/2000, sn 801874, w/ 90V, 3/4HP DC Motor"; Loading Fee:40..Phase II Lot#129
124	Eagle 48" x 24" 4-Tier Wire Rack w/ Associated Conveyor Belts, Belt Sizes Range From 4"-12"; Loading Fee:25..Phase II Lot#134
125	(2) Inline Weigh Station Bases, Marked B28 of 29 - Part of the B line; Loading Fee:25..Phase II Lot#135
126	(1) Nexel 60" x 24" Stationary Stainless Steel Wire Rack w/ Misc Slat Counter Wares Very Sizes; Loading Fee:25..Phase II Lot#136
127	(1) Nexel 4-Tier 60" x 24" Castered Wire Rack w/ Various Lakso Slat Counter Spares, Including Various Size Slat & Spares; Loading Fee:25..Phase II Lot#138
128	(1) Eagle 60" x 24" 6-Tier Castered Wire Rack & Contents, Including Misc Merril Lakso Manifold Spares, Various Size Manifolds Chutes, Various/Styles - Please Inspect; Loading Fee:25..Phase II Lot#139
129	(1) Eagle 60" x 24" Stainles Steel Wire Rack w/ Various Lakso Spare Brushes and Chutes, Please Note Stainless Steel Shrouds Are Not Included w/ This Lot - They Belong To The Lakso Unit; Loading Fee:25..Phase II Lot#140
130	(1) Skid Lot Of Misc Slat Counter Spares,-Not Limited to Slat Counters Rails and Assorated Other Spares; Loading Fee:25..Phase II Lot#141
131	Millipore Milli-Q Academic Water System Loading Fee : 100 (fmr16); Loading Fee:25..Phase II Lot#216
132	Brinkman 751 GPD Tritino. With keyboard and Stand. (FMR 23); Loading Fee:25..Phase II Lot#223
133	Mork Process CIP System. Model CxP 10/1100. Max Flow 12GPM. Max pressure 1500 PSI. S/N MP1627.A. Made in 2006 ; Loading Fee:40..Phase II Lot#374
134	Mork Process CIP System. Model CxP 10/1100. Max Flow 12GPM. Max pressure 1500 PSI. S/N MP1627.C. Made in 2007 ; Loading Fee:40..Phase II Lot#375
135	Sartorius Lab Balance. Model YDP03-OCE. With Printer. ; Loading Fee:25..Phase II Lot#771

136	Sartorius Lab Balance. Model CP124S ; Loading Fee:25..Phase II Lot#779
137	Benchtop Sieve Measuring ; Loading Fee:25..Phase II Lot#817
150	3M case taper, model 28600 (22A), bottom sealing design, rated up to 27 cases per minute, case capacity 6" to 20" wide x 4.75" to 20" high x 6" to unlimited length, manually adjusted, tape width 1.5" to 2" x up to 15.5" diameter, rated for 5 to 85 lbs boxes, with 1/6 HP 115 volt motor, on stand. L ...[more]
151	Extract Technology mobile powder filling station, stainless steel construction, 8" diameter fill pipe, serial# 3415/IS/001. Loading Fee \$40.00 (27686)
152	IMA tray former, model FR100, serial# 4004, new 1988. 480V/3phase/60HZ Loading Fee \$100.00 (36885)
153	Anser printer, model 930, mounted on Hytrol belt conveyor, 20" wide x 58" long with controls and printer head. Loading \$40.00 (36537)
154	Unused Weiler tamper evident carton labeler, model CL 2000R, dual head, front and back design, top trap carton hold down conveyor, folding tools, rated up to 200 cartons/minute, approximate carton size range from 1" high x 4" wide x X" long to 6" high x 6" wide x X" long, Allen Bradley 505 PLC contr ...[more]
155	CI Electronics tablet/capsule checkweigher, model 265/6, serial# TP-646. Loading \$25.00 (32596)
250	ULVAC oil sealed rotary vacuum pump, model VDN601, 62 cubic meters per hour displacement, driven by 2.95 HP motor, with silencer, serial# NB65B-00334.....(control#: 3612-250) Loading Fee: \$25
251	Lot of (6) gas regulator valves, various brass and stainless steel construction.....(control#: 3612-251) Loading Fee: \$10
252	Lauda water bath heater type B, 1.1 kW, 115 V, 0 to 120C range, serial# R03034.....(control#: 3612-252) Loading Fee: \$25
253	Lightnin pneumatic agitator model XDA-33 with 20" stainless steel shaft with impellor, with side mount, serial# 94/E22603-02.....(control#: 3612-253) Loading Fee: \$25
254	Lot of (8) gas regulator valves, various brass construction.....(control#: 3612-254) Loading Fee: \$10
255	Lot of (6) gas regulator valves, various stainless steel construction.....(control#: 3612-255) Loading Fee: \$10
256	Buchi rotavap model R-205, 120 watts, 120 volts, serial# 409941060001.....(control#: 3612-256) Loading Fee: \$25
257	Barnstead electrothermal standard digital melting point apparatus model 9300, 400 degree C max temperature, 120 volts, serial# 100588091.....(control#: 3612-257) Loading Fee: \$25
258	thermo scientific water bath, model W46 with heater circulation pump, model# SC 150L, stainless steel construction, 35" long X 11.5" wide X 7" deep bath with covers, 115 volts, heater serial# 110083049.....(control#: 3612-258) Loading Fee: \$25
259	thermo scientific water bath, model W46 with heater circulation pump, model# SC 150L, stainless steel construction, approximately 35" long X 11.5" wide X 7" deep bath with covers, 115 volts, heater serial# 110104082.....(control#: 3612-259) Loading Fee: \$25
260	Waters sample pump model 616 serial# K97616082R.....(control#: 3612-260) Loading Fee: \$25

261	Waters scanning fluorescence detector model 470 115v, serial# 470-001674.....(control#: 3612-261) Loading Fee: \$25
262	lot of (2) HPLC column chambers, serial# L99SMH092M and C99SMH453M.....(control#: 3612-262) Loading Fee: \$25
263	Precision waterbath, 5C to 99C, 400 Watt 13"x 12" X 6" s/s bath with s/s platform, 115V Serial # 699111466.....(control#: 3612-263) Loading Fee: \$25
264	Hewlett Packard RI detector model HP1047A, 115 V, serial# LR81547.....(control#: 3612-264) Loading Fee: \$25
265	Gene Mate hot shaker plus model HSP1000, with 19" X 12" X 4" deep stainless steel bath with shaker and temperature controls, 115 volts, serial# IMHSP-252.....(control#: 3612-265) Loading Fee: \$25
266	4 Gallon Justrite sure-grip EX hazardous material storage cabinet, approximately 14" wide X 14" deep X 16" high interior, previously to store bases.....(control#: 3612-266) Loading Fee: \$25
267	(2) 22 Liter chemglass spherical flask, approximately 12" diameter, with (2) 2" and (1) 1" nozzle.....(control#: 3612-267) Loading Fee: \$25
268	36 liter Bellco glass reactor, with agitator, approximately 16" diameter X 10" straight side, with stainless steel lid and agitator.....(control#: 3612-268) Loading Fee: \$25
269	Letsch pressure vessel, 316L stainless steel construction, approximately 22.75" diameter X 32" straight side, dish lid with dish bottom, rated 10 PSI at 100F, serial# 5798-2, built 1984.....(control#: 3612-269) Loading Fee: \$25
270	Letsch pressure vessel, 316L stainless steel construction, approximately 22.75" diameter X 32" straight side, dish lid with dish bottom, rated 10 PSI at 100F, serial# 5798-4, built 1984.....(control#: 3612-270) Loading Fee: \$25
271	Letsch pressure vessel, 316L stainless steel construction, approximately 22.75" diameter X 32" straight side, dish lid with dish bottom, rated 10 PSI at 100F, serial# 5798-1, built 1984.....(control#: 3612-271) Loading Fee: \$25
272	lot of biohazard safety equipment 3 steel receptacles, 2 plastic receptacles, sharps containers, waste bags, and labels.....(control#: 3612-272) Loading Fee: \$25
273	(3) stainless steel gowning dispensers, (2) approximately 20" wide dispensers divided into (2) sections, 44" off ground, with (1) approximately 30" wide dispenser divided into (2) sections, 41" off ground.....(control#: 3612-273) Loading Fee: \$25
274	Chart biomedical liquid nitrogen dewar model MV205, stainless steel construction, approximately 16" diameter X 34" straight side, on wheels, serial# CAB2113490575.....(control#: 3612-274) Loading Fee: \$25
275	Chart liquid nitrogen freezer system model BIO II w/ autofill, with stainless steel construction, approximately 21" diameter X 36" straight side, with liquid nitrogen autofill system, (7) aluminum sample racks, serial# CEEM04H101.....(control#: 3612-275) Loading Fee: \$25
276	Millipore prolab II reverse osmosis skid, with pump and 1.5HP motor, no tank, with controls, serial# M01084001.....(control#: 3612-276) Loading Fee: \$25
277	Mintie Technologies hepa air filtration system model OA600V, 115 volts, stainless steel construction, serial# 602187.....(control#: 3612-277) Loading Fee: \$25
278	Safetech cabin filter model A515-115V, 115 volts, Serial# 02/10/A515-226.....(control#: 3612-278) Loading Fee: \$25

279	Smiths ion scan-LS mobility spectrometer model IONSCAN400B, with autosampler, 115 volts, Serial# 17241.....(control#: 3612-279) Loading Fee: \$25
280	Dionex autosampler model AS3500, 115 volts, with controls, serial# 114/03885.....(control#: 3612-280) Loading Fee: \$25
281	Dionex autosampler model AS3500, 115 volts, with controls, serial# 116/06580.....(control#: 3612-281) Loading Fee: \$25
282	millipore vantage chromatography column model VA60X500X500 approximately 1.5 liter capacity, rated for 7 bar at 20C, serial# VA60-285.....(control#: 3612-282) Loading Fee: \$25
283	millipore vantage chromatography column model VA60X500X500 approximately 1.5 liter capacity, rated for 7 bar at 20C, serial# VA60-286.....(control#: 3612-283) Loading Fee: \$25
284	lot of (4) 48" X 12" stainless steel bench.....(control#: 3612-284) Loading Fee: \$25
285	Agilent Technologies CTC Analytic combipal Autosampler, with serial# 1213176.....(control#: 3612-285) Loading Fee: \$25
286	Agilent Technologies CTC Analytic combipal Autosampler, with serial# 113140.....(control#: 3612-286) Loading Fee: \$25
287	Agilent Technologies CTC Analytic combipal Autosampler, with serial# 1212155.....(control#: 3612-287) Loading Fee: \$25
288	Eppendorf refridgerated centrifuge model 5417R, rated 14000 RPM, 120 volts, serial# 40703317, refridgerated unit serial# 03317 built 1997.....(control#: 3612-288) Loading Fee: \$25
289	Lightnin pneumatic mixer model EV1P25A on stand with tackometer, mixer serial# 605106.....(control#: 3612-289) Loading Fee: \$25
290	Agilent 1100 series LC/MSD trap, model G2445.....(control#: 3612-290) Loading Fee: \$25
291	Bantex Colony Counter Model 920A 115 volts, serial# 060202972.....(control#: 3612-291) Loading Fee: \$25
292	Dionex solvent controller model ASE200, setup for 4 bottles serial# 03070668.....(control#: 3612-292) Loading Fee: \$25
293	VWR reactor heater model 1166, with circulator pump, previously with propylene glycol and water, serial# G18366.....(control#: 3612-293) Loading Fee: \$25
294	Air Liquide monitor annunciator model EM-5000-MD, 120 volts, up to 5 inputs, serial# 16890.....(control#: 3612-294) Loading Fee: \$25
295	Alliance Waters HPLC model 2695, 115 volt with column chamber HPLC Serial# J05SM4991M.....(control#: 3612-295) Loading Fee: \$25
296	Millipore Elix 3 water purifier, 120 volts, serial# F3KN34856K.....(control#: 3612-296) Loading Fee: \$25
297	Agilent gas chromatograph model 6890N, 200 volts, serial# US10248017.....(control#: 3612-297) Loading Fee: \$25
298	Agilent gas chromatograph model 6890N, 200 volts, serial# US10238066.....(control#: 3612-298) Loading Fee: \$25

299 Lindberg/Blue M box furnace model BF51748A-1, 1.8 kW, refractory lined chamber 4" wide X 8" deep X 4" high, maximum temperature 1100C, 120 volts, serial# O190-501488-PO.....(control#: 3612-299) |Loading Fee: \$25

300 Hewlett Packard gas chromatograph model 6890, 200 volts, serial# US00027865.(control#: 3612-300) |Loading Fee: \$25
