



Proxio Group

PHARMACEUTICAL LAB - PROCESSING - PACKAGING EQUIPMENT. MULTIPLE LOCATION AUCTION

Timed Online
Multiple Locations
Delaware
United States

October 18 starting at 11:00AM
Ended Oct 18, 2022 8pm ET (Oct 19, 2022 1am BST)

Lot	Description
0A	INVOICES WILL BE SENT FOLLOWING THE CONCLUSION OF THE AUCTION. All Taxes Are Applicable if you are tax exempt please send a copy of your tax exemption certificate Your Invoice will be addressed to the name and address you provided for registration If you have not received your invoice fo ...[more]
1	Capmatic Rebel PPC-111 Plugging / Capping and De-Pucking Machine, built new in 2013 with minimal use. Serial number RE13082046. 220V/3phase/60Cycle. Equiped with Change parts for 30ml, 50ml, 100ml, 200ml, 300ml, 400ml, and 500ml. 95PSI/25CFM Air Supply required. Link to manuals Link t ...[more]
2	Digital PCR SYSTEM Bio Rad GX 200 Droplet Reader- Serial Number 771BR8520 Input 100-240V 50-60Hz, 1A. and Droplet Generator - Serial Number 772BR7702, 24V-1.5A Lot includes GX 200 Droplet Reader and Droplet Generator, originally purchased and installed in May 2021. Rarely use. Original comput ...[more]
29	**Auctioneers Note** BULK BID FOR DTM Packaging High Speed Filling Line. NOTE: ITEMS ON THIS LINE CAN BE BID ON INDIVIDUALLY LATER IN THIS SALE. If the total of individual lots 47 and 48 exceed the total of this bulk lot #5 by 10%, the individual lots will be confirmed as sold. Otherwise, bulk ...[more]
30	Thermo Scientific Oven Model PR305225M, S/N 300228629, Year of Mfg 2008
31	Climet Air Particle Counter Model CI-750T, S/N 189973, Unit powers on 115v/1ph.
32	Custom Syringe Capper R+D Custom Automation CF Syringe Capper, Year of Mfg 2018, S/N CF0076
33	Custom Syringe Capper R+D Custom Automation CF Syringe Capper, Year of Mfg 2018, S/N CF0079
34	Thermo Scientfic Inclubator Upright design, Model TFFU2065FWA, S/N WB41759688, Year of Mfg 2014. Temperature Range used 27C to 33C,
35	Mettler Toledo PH Meter Model Seven Excellence, S/N B814647815
36	Mettler Toledo PH Meter - Unused in Box Model SG2 Seven Go Year of Mfg 2006
37	Mettler Toledo PH Meter - Unused in Box Model SG2 Seven Go, Year of Mfg 2005
38	Microbial Air Sampler Bioscience International SAS 180 Microbial Air Sampler, type SAS 180, SN 18D 12680, Year of Mfg 2018
39	Baxter Repeater Pump Type H939 099R, SN 3743, Year of Mfg 2018

- 40 Charles River Endotoxin Tester Model Nexus & Endosafe, SN NMBSGE2175, Year of Mfg 2016, with A Charles River MCS Multi Cartridge System, Type EndoSafe MCS Multi Cartridge System, SN 652 Year of Mfg 2016.
-
- 47 DTM Packaging Model Purefil 2000 Walking Beam Six (6) Nozzle Flow Meter Filler simple to operate, clean hygienic machine design, sanitary design, continuous motion (walking beam) servo driven system with speeds up to 300 BPM with proper configuration, bottom-up fill capability for foamy or high visc ...[more]
-
- 48 DTM Packaging 8 head high speed rotary capper for capping vials and bottles with dropper caps. Complete with Hoppmann centrifugal Feeder Model FT/40RD. Capable of running 200 BPM+, comes with four sets of bottle handling change parts for ½ oz, 2 Sets of 1 oz. and 2 oz. glass Boston Round bottles, ru ...[more]
-
- 50 VideoJet Model 1220 Ink Jet Coder S/N 16305082C21ZH Part # 392151-217-01
-
- 51 VideoJet Model 1220 Ink Jet Coder S/N 1605851C21ZH Part # 392151-217-01
-
- 52 VideoJet Model 1220 Ink Jet Coder S/N 1605848C21ZH Part # 392151-217-01
-
- 53 VideoJet Model 1710 Ink Jet Coder S/N 1309741C19ZH Part # 399921
-
- 54 VideoJet Model 1710 Ink Jet Coder S/N 17017012C19ZH Part # 399921-929-01
-
- 55 VideoJet Model 1710 Ink Jet Coder S/N 1306381C19ZH Part # 399921
-
- 56 VideoJet Model 1710 Ink Jet Coder S/N 1504204C192H Part # 399921- 930-01
-
- 57 VideoJet Model 1710 Ink Jet Coder S/N 1605191C192H Part # 399921-929-01
-
- 58 VideoJet Model 1710 Ink Jet Coder S/N 16169076C19ZH Part # 399921-929-01
-
- 59 VideoJet Model 1220 Ink Jet Coder S/N 19197026C212H Part # 392151-217-01
-
- 60 VideoJet Model 1220 Ink Jet Coder S/N 117017008C21ZH Part # 392151-217-01
-
- 62 Associated Environmental Systems Model LH-10 Environmental chamber. Complete wit 2 shelves Electrical120 volts 1 ph. S/N 9771
-
- 63 Vac-u-Max pneumatic conveyance system with 24" diameter vacuum collection chamber and a Vac-u-max vacuum pump, electrical Baldor TEFC 5Hp motor 208/230/460 volts, 3ph/60Hz/14/6.6 amps, both on wheel for portability.
-
- 64 BalPack Model Filling System Automatic Pump Filler with 2 Aesus Model AESFILL AF1-C fill pumps and two bottom-up filling nozzles. Complete with 10'Long X 4" wide conveyer.
-
- 65 42" rotary table adjustable height, variable speed drive 110 volts. (Motor needs replacement)
-
- 66 Conveyor 58" long X 4" wide Delrin chain variable speed drive 110 volts
-
- 67 Pillar Technologies Model Unifoiler-U1P1002 Waterless induction cap sealer. Model #CB10288-35 sealing head 20" long X 5" wide S/N 535374, 110volts, 15 Amps.

68	Guangzhou Mingke Vertical Form Fill Seal vertical strip pack Machine for multiple products per pouch filling. Unit comes with change parts for lay flat material 204mm, 150mm, 176mm, 304mm., and spare feeding disc drives, electrical 220 volts.
69	Guangzhou Mingke Vertical Form Fill Seal vertical strip pack Machine for multiple products per pouch filling. Unit comes with change parts for lay flat material 204mm,254mm,140mm,304mm., and spare feeding disc drives, electrical 220 volts.
70	Guangzhou Mingke Vertical Form Fill Seal vertical strip pack Machine for multiple products per pouch filling. Unit comes with change parts for lay flat material 204mm,254mm,140mm,304mm., and spare feeding disc drives, electrical 220 volts.
71	Guangzhou Mingke Vertical Form Fill Seal vertical strip pack Machine for multiple products per pouch filling. Unit comes with change parts for lay flat material 204mm,254mm,140mm,304mm., and spare feeding disc drives, electrical 220 volts.
72	Guangzhou Mingke Vertical Form Fill Seal vertical strip pack Machine for multiple products per pouch filling. (Parts Machine)
73	Guangzhou Mingke Vertical Form Fill Seal vertical strip pack Machine for sing product packaging with 82mm lay flat Change part, electrical 220 volt.
74	Two (2) stainless steel vacuums, collection canisters 15" diameter X 19" height. Electrical 220 volts.
75	Two (2) stainless steel vacuums, collection canisters 15" diameter X 19" height. Electrical 220 volts.
76	Two (2) stainless steel vacuums, collection canisters 15" diameter X 19" height. Electrical 220 volts.
77	Two (2) stainless steel vacuums, collection canisters 20" diameter X 20" height. Electrical 220 volts.
78	Stainless steel vacuum, collection canisters 20" diameter X 20" height. Electrical 220 volts.
79	Portable Heat Tunnel Model BS-A450, tunnel opening 16" wide X 9" height 220 volts.
80	Liquid Packaging Solutions Model HHCAPPER Single Head pneumatic piston filler, piston size approximately 7" long X 3" diameter, S/N 150678.
81	Jorestech Model E-FP-SOD Single Head Tabletop Piston Filler 110 volts, piston size approximately 9" long X ¾" diameter S/N FP-185502
82	- Jorestech Model E-FP-SOD Single Head Tabletop Piston Filler 110 volts, piston size approximately 9" long X ¾" diameter S/N FP-202502.
83	100 gallon stainless steel mix tank on wheels.
84	Usesd 180 Gallon stainless steel holding tank on wheels. (one leg needs to be straightened)
85	CVC Model CVCS 202-TS Tabletop Tablet/ Capsule Filler, unit equipped touch screen controls with two bottle nozzles for continuous counting and filling capable of filling and counting tablets and capsules. S/N 10272366
86	CVC Model CVCS 202-TS Tabletop Tablet/ Capsule Filler. with two bottle nozzles for continuous counting and filling capable of filling and counting tablets and capsules. S/N 09721375

-
- 87 Automate waterless induction sealer, model AM-20, 2000 watts with 5" wide x 21" long seal head, 220 volt single phase. (Sealing head needs replacement)
-
- 88 Stainless Steel Table with Accutek 6 station pinch filler (not operational) and pump. Table dimensions 36" long X 24" wide X 33 ½" height.
-
- 89 Universal Model L-15 wraparound pressure sensitive Labeler with hot stamp coder, conveyor 6' long X 6'wide, S/NL15H-1011L-06C-A-4770, 110 volts
-
- 90 NJP-260 Liquid Capsule Filler, capable of filling size #00 to #5 and capsules A to E length capsules at 220 -260 capsules per minute. Machine equipped with size "00" change parts. S/N 16114
-
- 91 NJP-260 Liquid Capsule Filler, capable of filling size #00 to #5 and capsules A to E length capsules at 220 -260 capsules per minute. Machine equipped with size "00" change parts. S/N 1704
-
- 92 NJP-260 Liquid Capsule Filler, capable of filling size #00 to #5 and capsules A to E length capsules at 220 -260 capsules per minute. Machine equipped with size "00" change parts. S/N 1703
-
- 93 NSF-600 Automatic Liquid/Hard Capsule Banding Machine, Capable of sealing size #00 to #5, A to E length capsules at speeds of 30,000 to 50,000 capsules per hour. Band sealing material, melted gelatin glue.
-
- 94 Sencorp Stokes 20 Station "D" tooled tablet Press with Pre -Compression SN P-6001
-
- 95 Never 150 CFT stainless steel ribbon blender with stainless steel stand, direct drive gearbox and motor. Blender includes safety grates, full cover, center bottom outlet and control panel. Electrical 480 volt 30 HP motor. Dimensions 17' long X 5' 3" wide height requirement to swing open cover is 13 ...[more]
-
- 96 Balpack Model Dual Station, dual lane Chuck Capper. Set up for large caps, comes two (2) cap feeders/ elevators, sanitary S/S 19' conveyor with 3 sets of change parts for 63mm, 70mm and 89mm caps. Capable of capping a maximum of 80 BPM. Electrical 240 volts, 3ph, air required 80 PSI. Machine manufac ...[more]
-
- 97 Primera Model FX-1200 Digital Label Finishing System FX1200 is an "all-in-one" off-line solution that produces rolls of finished labels produced by a variety of narrow-web output devices. No need for hard-tooled or flexible steel dies, FX1200 utilizes digitally-controlled tungsten carbide steel knif ...[more]
-
- 98 Primera Model CX-1000 digital color label printer designed for short- and medium-run label production, capable of printing 16.25 feet per minute or roughly you can print 500 feet of color labels onto an 8-inch diameter roll in 30 minutes, depending on label type and configuration. This unit includes ...[more]
-
- 99 Primera Model FX 1000 Matrix Removal System remove waste labels matrix from printed rolls of pre-die cut labels, making it a perfect accessory for the Primera CX1000 Color Laser Label Printer. In addition, it slits the liners and rewinds the printed labels into finished rolls that are always perfect ...[more]
-
- 100 Zhejiang Fluid Equipment Company Model GMT -04D 400 Liter stainless steel jacketed mix tank with side scrapers and emulsifier. Scraper speed 0-24 rpm, emulsifier speed 3200 rpm, jacket heating power 18kw. Electrical 480 volts, 3ph, 60Hz. S/N 018050413
-
- 101 Portable aluminum drying rack with space for 20 trays 18" wide X 25" deep.
-

102	Stainless steel portable mixing stand with electrically heated tank, tank dimensions approximately 18" diameter X 21" height. Unit not working.
103	103 - New England Machinery Model NEHCPCL-48 Bottle Unscrambler Bulk Bottle Unscrambler features smaller footprint, simple and fast changeover with hand wheel adjustments, easy container loading, operation and maintenance through the low profile design, provides a steady supply of properly oriented ...[more]
105	3 (three) Stainless steel powder screw feeders with hoppers, Hopper dimensions 26" x 34" X 00" deep, screw dimensions approximately 4 3/4" diameter X 15' long. Electrical 220 volts.
106	Balpack Model CVIS Snap Capper, comes with 2 sets of change parts, conveyor approximately 8' long X 4" wide, S/N 30214, Electrical 240 volts 1 ph, 80 PSI air required. DOM 7/14/2016
107	CapPlus Technologies Model CPT- RC60/3 rapid channel counter with touchscreen controls, three (3) vibratory feeders with 12 lane channels and 3 filling nozzles. S/N 0713-001-0713. This unit needs repair.
108	Speck-tech Systems Inc Automatic Bottle Unscrambler-Model STS BSF 30, this 30" diameter feeding bowl with Hook style up-righting and Pacing belts, includes integrated bulk Stainless Steel hopper and framing. S/N 130611 Electrical 110 volts.
109	Automatic Horizontal Packaging Machine Model 60, S/N 160, this horizontal form, fill and seal machine is equipped with an auger filler for powders and capable of forming and filling 60 pouches per minute. Electrical 380 volts. Machine manufactured January 2018 Overall dimensions 9 1/2' long X 3' wide ...[more]
110	Ketan Model TC-34M variable speed side transfer conveyor, bottles can range from 0.5? in width or diameter to 8? in width or diameter, conveyor bed height can range from 30? to 46?, variable speed and belts are synchronized for bottom coding of various types of packages, electrical 110 volts A/C.
111	Liquid Packaging Solutions Model Chuck Capper with cap elevator, change parts 200cc, 150cc, 75cc, and 4oz. bottles, electrical 240 volts 1ph. S/N 150214.
112	Ketan Model RT-48 Rotary Table. Stainless construction, variable speed drive 48" diameter.
113	Ketan Model RT-36 Rotary Table. Stainless construction, variable speed drive 36" diameter.
114	Ketan Model RT-36 Rotary Table. Stainless construction, variable speed drive 36" diameter.
115	Ketan Model RT-36 Rotary Table. Stainless construction, variable speed drive 36" diameter.
116	Belt Conveyor 15' long X 6" wide belt, 110 volts AC.
117	Belt Conveyor 15' long X 6" wide belt, 110 volts AC.
118	Stainless Steel Conveyor with Delrin chain 10' long X 4" wide, variable speed drive, 110 volts AC.
119	Stainless Steel Conveyor with Delrin chain 10' long X 4" wide, variable speed drive, 110 volts AC.
120	Stainless Steel Conveyor with Delrin chain 10' long X 4 1/2" wide, missing motor.

-
- 121 Metro Rack shelving unit with six (6) shelves 48" wide X 36" deep X 72" height, on wheels for portability.
-
- 122 Spanco Two (2) Ton hoist stand with Strongway 1100 lbs. capacity electric hoist model ZAW1009, S/N 171021-001, on wheels.
-
- 123 Gaobo Machinery Ltd. Model GGS-118-P5 Liquid Form, Fill and Seal machine last producing (5) five 10ML vials per card , finished dimension 4 1/8" wide X 4 1/4" height X vial diameter approximately 1/2". Change parts for 10ML and 5ML vials (See Photo) Unit comes complete with chiller.
-
- 124 Two (2) Spiral dedusters with 6 levels of screens. Condition is unknown.
-
- 125 (Never Used) Eriez Model W/RE7HP grate magnets consist of magnetic tubes arranged in a grid pattern and welded into a rectangular or square housing. The housing allows the magnetic tubes in the grate to slide out for efficient cleaning. The housing can be installed inline into chutes or ducts, makin ...[more]
-
- 126 Zhejiang L & B Fluid Equipment Co. Model GR-200 2000 Liter Jacketed Mix Tank. Unit has side scrap agitation and high sheer mixer. Scraper 5hp motor, speed 23 RPM, high shear mixer 24hp motor, 3200 RPM, electrically heated jacket 36KW. Electrical 208V/60Hz/3Ph. **Auctioneers Note** To ...[more]
-
- 127 Zhejiang L & B Fluid Equipment Co. Model GR-200 2000 Liter Jacketed Mix Tank. Unit has side scrap agitation and high sheer mixer. Scraper 5hp motor, speed 23 RPM, high shear mixer 24hp motor, 3200 RPM, electrically heated jacket 36KW. Electrical 208V/60Hz/3Ph, S/N 0160703 - 2. **Auctioneers ...[more]
-
- 130 One used Metro MBQ-180 Heated Banquet Cart - (180) Plate Capacity
-
- 131 One used GreenBroz 215 Automatic Dry Bud Trimming Machine
-
- 132 One used GreenBroz Model M Automatic Dry Bud Trimming Machine
-
- 133 One used Lang Electric Convection Oven Model: ECOFL-AT
-
- 134 One used Frost Fighter Indirect Fired 420k BTU Portable Heater System (LP/NG)
-
- 135 One used Wacker Neuson Portable Indirect-Fired Construction Heater with Adapter — 329,000 BTU, Natural Gas/Propane, 1 x 20in. Supply, Model# HI400 HD G,1X20 SUPPLY ADPT (KIT)
-
- 136 Lot of 50 Gavita HPS Lights
-
- 137 Lot of 50 Gavita HPS Lights
-
- 138 Lot of 50 Gavita HPS Lights
-
- 139 Lot of 50 Gavita HPS Lights
-
- 140 Lot of 50 Gavita HPS Lights
-
- 141 Lot of 50 Gavita HPS Lights
-

142	Lot of 50 Gavita HPS Lights
143	Lot of 50 Gavita HPS Lights
144	Lot of 50 Gavita HPS Lights
145	Lot of 10 Qmax 8" Fan with filter.
149	Lot of 10 Qmax 8" Fan with filter.
150	Lot of 10 Qmax 8" Fan with filter.
151	Lot of 10 Qmax 8" Fan with filter.
155	Ezclone commercial Pro cloner. Control up to 459 cuts per unit. One electrical point per system. Built in motor, pump, and reservoir.
156	Ezclone commercial Pro cloner. Control up to 459 cuts per unit. One electrical point per system. Built in motor, pump, and reservoir.
157	Ezclone commercial Pro cloner. Control up to 459 cuts per unit. One electrical point per system. Built in motor, pump, and reservoir.
158	Ezclone commercial Pro cloner. Control up to 459 cuts per unit. One electrical point per system. Built in motor, pump, and reservoir.
159	Ezclone commercial Pro cloner. Control up to 459 cuts per unit. One electrical point per system. Built in motor, pump, and reservoir.
160	Ezclone commercial Pro cloner. Control up to 459 cuts per unit. One electrical point per system. Built in motor, pump, and reservoir.
161	Lot of 25 Growray TR6 full spectrum grow lights
162	Lot of 25 Growray TR6 full spectrum grow lights
163	Lot of 25 Growray TR6 full spectrum grow lights
164	Lot of 25 Growray TR6 full spectrum grow lights
165	Lot of 25 Growray TR6 full spectrum grow lights
166	Lot of 30 Growray TR6 full spectrum grow lights
167	Lot of 25 Growray TR4 full spectrum grow lights.
168	Lot of 25 Growray TR4 full spectrum grow lights.
169	Lot of 25 Growray TR4 full spectrum grow lights.

170	Lot of 25 Growray TR4 full spectrum grow lights.
171	Lot of 35 Growray TR4 full spectrum grow lights.
200	Pharma Fill Automatic Tablet / Capsule Filler/Counter filler Speeds up to 3000 tab/min or 1500 caps/min. Unit is Stainless steel has a digital counter, controls electric eye, Stainless steel hopper with cover, Stainless steel dust cover and a 1/4 HP, 115V motor, with conveyor and indexing.
201	Universal Wrap Around Pressure Sensitive Labeler equipped with spacer wheel, 8' L x 6" wide conveyor and 2" wide wrap belt. 110 volts
202	Little David Top & Bottom Case Taper Model L019A 39"L X 12" W, electrical 110 volts, 1Ph , .25Hp motor. S/N 16949019
203	Enercon Model 12854 2Kw Induction Sealer Input 230V,17.4 amps,50/60cyc, 1ph, Wand 19.5" length X 2.5" wide with water recirculatory.
204	All Fill Net Weight Scale/Filler Model #VF-100E linear net-weigher provides precise feeding and weighing of free-flowing and occasionally non free-flowing products such as coffee, beans, granola, and others can be filled at rates of 12-15 containers per minute, depending on model and application. EI ...[more]
205	Perfil Auger Filler Model #Micro-9 for Precise Powder, Granule and Paste Dosing into all types of vials, syringes, pouches, beakers, bottles and jars, complete with extra auger, electrical 120 volts 1Ph, 60Hz. S/N 40223.
206	Kalish 5130 Push Through Single Chuck Capper, variable speed controls, adjustable chuck down force, adjustable chuck spin speed manual height adjustment, vibratory cap feeder, electrical 110 volts 1ph, 60Hz. (Machine needs work)
207	OAL Stainless Steel Heat Tunnel Model F-1, tunnel dimensions 24" L X 4" W Electrical 240, volts 1Ph, 30 amps, mounted on stand. S/N 13881
208	Thermal Label Shrink Heat Tunnel Model BSS-1538B, tunnel dimensions 39"L X 5 3/4" wide X 14 1/2" tall. Electrical 220Volts.
209	Fitzpatrick Model D-6 stainless steel hammer Mill, swing hammers, electrical 220/440, 3ph, 60hz, motor 5Hp 1735rpm. S/N 7119
210	Clamco Model 850-17B heat tunnel chamber opening 15"W x 28"L x 8"H, conveyor 48" long, 0-70 FPM with Teflon mesh belt, electrical requirements 220V, single phase, heating power 6000w.
211	AMS Filling Systems Model #600220 Screw Feeder with S/S Hopper, overall dimensions 11' long X 50" wide X 11' height, discharge height approximately 110", stainless steel hopper dimensions approximately 36" X 36" X 30" deep. Electrical 220 volts, 3ph.
212	Eastey Heat Tunnel Model ET-2016 Chamber approximate dimensions 20" wide X 52" Long X 15" height, electrical 220volt, 3ph, 60hz. SN 5872016TLD.
213	Schafer Model CP-4200 capsule polisher, air operated. S/N CO1-97-122.
214	CapPlus Model CPT-200 Capsule polisher missing brush. S/N 0805225.
215	Zanasi Model 40F capsule filler, stainless steel enclosure, intermittent motion, rated up to 40,000 capsules/hour, Includes (1) Set of Size 0 and (1) set of size 00 change parts. S/N 44506.

216	S/S Screw conveyor, conical hopper 30" diameter X approximately 20" deep, approximately 4 ½" diameter X 114" long screw, discharge height approximately 8', with reversible drive, electrical 220 volts.
217	ConAir Adjustable Incline Belt Conveyor with Vari-speed controller 75" Long X 4" wide, electrical 110 volts
218	Universal Wrap Around Pressure Sensitive Labeler equipped with spacer wheel, 11.75' L x 6" wide conveyor and 2" wide wrap belt. Labeler is operational, missing label head height adjuster. Electrical 110 volts.
219	Mateer Semi-Automatic Model 7800 semi-automatic auger filler, foot pedal operation, overall height 112", 220 volts, tooling not included, S/N 886805.
220	Mateer automatic Powder Filler Model 3909 SN 808956 (Parts Machine)
221	Vac- U-Max System Item ID 264959/01 pneumatic conveying system. S/N 1231917
250	KUKA Robot Arm – Model Number KR-180-2P c/w control panels. Article Number 10008099. Protective guarding/fencing included. CUL certified.
251	KUKA Robot Arms – Model Number KR-180-2P. Article Number 10008099. Protective guarding/fencing included. CUL certified.
252	NOVA PACKAGING TTW-200 Turn Table Stretch Wrapper system c/w control panels, serial number TTW-091008, 575VAC/60Hz/3ph. Full load amps 9.72 and schematic number NR09-0611.
253	(4) Sections Assorted Roller Conveyor Sections - 12" wide (used indoors only)
254	Sections of belt conveyors approximately 10' in length. Packaged.
255	Wexxar WF30 Case Former w/ Hot Glue System
256	Combi Case Taper
257	Orion Stretch Wrapper - Pallet Wrap Machine
258	Ingersoll-Rand SSR Compressor with Intellisys controls
259	TCM 25 Forklift Truck Model FCG25G9, Max Load 24 LC 4300 Lbs, max lift height 188 Inches, Serial number A12W03041. Propane Tank not included. 01244.0 hours.
260	Misc Section racking/cage
262	As Pictured
263	As Pictured
302	Econocorp Model #9772 Carton Former SN#9865. {EG Asset #P1129/1128}

303	Sollas Model #17 Cello Wrap Machine SN#317-008. {EG Asset #P1145}
304	JDA Capsule Counter {EG Asset #P1089}
305	Streamfeader Model #BC1 Tumble Mixer SN#5971408. {EG Asset #P1004}
306	Fromm Packaging Model #AP502 Plastic Bubble Pouch Machine SN#100021. {EG Asset #P1069}
307	Fromm Packaging Model #AP503 Plastic Bubble Pouch Machine SN#200101. {EG Asset #P1068}
308	Cement Mixer - 1975RPM, 120V/60HZ/ 3.5A. (Unused) {EG Asset #N/A}
309	2 pallets, assorted Cello Wrap for P1145SN {EG Asset #N/A}
310	Air bubble plastic for P1069/1068S {EG Asset #N/A}
311	Hauser Powder Filling Machine SN# ESV751NO2YXB {EG Asset #P1166}
312	Gardner Denver Model #HLH32Air Compressor {EG Asset #P1001}
313	Yale Model #MPB040EN24T2748 Electric Walk Behind Lift Truck - 907 hours SN#B827N62298N. {EG Asset #}
314	Yale Model #MPB040EN24T2748 Electric Walk Behind Lift Truck - 580 hours SN#B827N55964L.{EG Asset #}
315	Crown Model #WP2335-45 Electric Walk Behind lift Truck SN# 5A377536. {EG Asset #} Currently not running, battery needs replacing
316	Crown Model #WP2335-45 Electric Walk Behind Pump Truck SN#5A340489. {EG Asset #} Currently not running, battery needs replacing
317	Raymond Model #112TM- FRE 60L Electric Pallet Rider lift truck SN# 112-02-39930. 488.6 HRS. WORKING, NEEDS SAFETY AND CONTROL SWITCH {EG Asset #}
318	Raymond Model #112TM- FRE 60L Electric Pallet Rider lift truck SN#112-03-47107. 7916.1 HRS. WORKING, NEEDS SAFETY AND CONTROL SWITCH. {EG Asset #}
319	ELECTRIC WALK BEHIND FLOOR SCRUBBER-SN#43514. {EG Asset #} NOT WORKING.
320	Model # AC-2 Industrial chiller SN#602073 NOT WORKING {EG Asset #}
321	KAPS ALL Model E CAPPER NOT WORKING {EG Asset #}
322	Toledo Scale Model #8136 SN# 2125308-2ZG. {EG Asset #}
323	Kent Model #9087039020KENT RAZOR PLUS 28D (FLOOR SCRUBBER)SN#60702860. NOT WORKING {EG Asset #}