## **Rabin Worldwide**

mabin

## Manufacturer of Hydrogen Fuel Cells - Day 2

Ended Mar 20, 2024 4:38pm PT (11:38pm GMT)

| Lot  | Description  |
|------|--|
| 315  | Baldor 8" pedestal grinder, model 8107WD, s/n P500, 3/4 HP, 115/230V, 1ph, 60hz, 3600 rpm, with dust collector unit [Maintenance<br>Shop]  |
| 316  | Alexander cutter/grinder, model 2CG, s/n 4009, Deckel type tool grinder, single lip, 5000rpm max, with (6) collette, various grinding wheels as shown [Maintenance Shop]   |
| 317  | Makita cut-off saw, 12" dia, corded metal cutting, on model WST06 compact folding miter saw stand, aluminum, approx 43" wide x 11" material support extension @ 100", 500lbs capacity rating [Maintenance Shop]  |
| 318  | Makita and Ridgid 10" dia miter saw on miter saw utility vehicle, model LS1013 and AC9944, s/n 57184 and AU0933, Slide/compound type, 120v, 13A, 50-60hz, 3700rpm on quick release mount bracket stand, lift assist handle, work support and extension arms, tansport handle, spring loaded legs [Maintenanc[more] |
| 319  | Delta belt / disc sander combo, model Cat No. 52-611, s/n 00F47196, for Woodworking projects, 6" belt x 10" disc [Maintenance Shop]  |
| 320  | Powermatic floor drill press, model 1200HD, s/n 20075, with Baldor AC inverter, variable spindle speed, approx 15"x18" table drill surface, 1-1/2" drill capacity, 2hp, 1740rpm, 208-230/460v [Maintenance Shop]   |
| 321  | Colchester Clausing 13 geared head center lathe machine, model STUDENT 2500, s/n 306567(2000), with Acu-Rite digital milling control, 13"swing center, 40" between centers, Aloris single tool post, model BXA, milling bed, with cross slide, tail stock, 2hp, 2500rpm max, 40rpm min, approx 8"dia, 3 jaws[more] |
| 322  | DI-ACRO-Houdaille hand notcher, model No.1, s/n 4674, 6" x6" blade, 16Ga capacity, benchtop unit, 90 deg max stroke notch<br>[Maintenance Shop]  |
| 323  | Arbor Press, Bench top unit [Maintenance Shop]   |
| 323A | LOT of (2) Arbor Press, Bench top unit [Maintenance Shop]  |
| 323B | LOT of Assorted Tools, including Arbor Press, Pana-Vises, Spin Indexer, type PF7-5C, Royal Products CNC quick mount tools as shown [Maintenance Shop]  |
| 324  | Skilsaw and Ridgid table and cut off saw, model 3400 and, 120vac, 60hz, 4800rpm, 10" dia [Maintenance Shop]  |
| 325  | Wilton steel vise and pipe cutting tools, 6" jaw, swivel, pedestal type, and Ridgid pipe cutting tool/accessories as shown, including flip top portable support stand, and (3) manual pipe cutter [Maintenance Shop]   |
| 326  | Trinco sand blasting system, model 48x36xDP850, s/n 54277-0 and DP850, Dry blast cabinet with dust collector/bag house, abrasive separator as shown 230v [Maintenance Shop]  |

| 327 | Jet pipe bender, model JHPB30-, s/n 0912, stock no. 331910, Hydraulic, 3" schedule 40 max bending capacity rating, with (7) bending dies as shown on pallet [Maintenance Shop]   |
|-----|--|
| 328 | DI Acro Houdaille metal shear, model EF2120, approx 40" total width, foot operated [Maintenance Shop]  |
| 329 | ACRA bender, model FP-S4812, s/n 2010018 (2002), 48" x 12 Ga, 1"thk x 48" width bending capacity [Maintenance Shop]  |
| 330 | Miller welding machine, model Millermatic DVI, Dual voltage input, 115/230v, 19.5/25.4A, 4.7/4.9kw. 1 ph/60hz [Maintenance Shop]   |
| 331 | Haas Automation vertical milling CNC machine, model VF-3SS, s/n 1053305, with tool changer, XYZ axis travel @ 40", 20", 25" @ 1400IPM, milling table x 48" x 18" with (1) milling vise, RH CNC operator's control, 24 pockets side mount tool changer, 833ipm max cut, vector dual drive, 30hp -spindle @ 12[more] |
| 332 | Kurt CNC milling vise, 6" [Maintenance Shop]   |
| 333 | Milling Tools /Accessories, Various types and sizes as shown, including collets,boring heads,milling cutters, platens, punchers, bits,<br>block gauge, angle plates among others, on aluminum extrusion mobile table, included [Maintenance Shop]  |
| 334 | Lathe Chuck, 3 chuck, 10" dia rated for 1700/min max, 81Nm max input force, 94.4kN max clamping force,   |
| 335 | LOT of (12) Electrician's Instruments, Including (1) Der EE LCR meter, model DE5000, (1) Extech phase squencer, (1) Omegaette<br>HHM93 multimeter, (1) Oister current calibrator, (3) Fluke i2000Flex AC current probe, (!) Amsa motion MPI, (2)model 7000 volt meters<br>(1)probe [Maintenance Shop]              |
| 336 | LOT of (6) Differential Probes, 1000Vrms max Cat III [Maintenance Shop]  |
| 337 | LOT of (8) Hand Tube Benders, Including Imperial and Swagelok, various bending capacity and sizes as shown [Maintenance Shop]  |
| 338 | Clamps, Approx 35pieces various sizes C and Kant twist clamps+ 3 wood clamps as shown [Maintenance Shop]   |
| 339 | Craftsman tool chest, 7 drawers, with carry handles, with top tool chest, ball bearing grip latch, approx 40" x 16" [Maintenance Shop]   |
| 340 | Butcher's Block Top Table, Modular type blue painted metal base support, approx 6' long [Maintenance Shop]   |
| 341 | Precision Granite surface plate, O-Ledge model on angular steel framed support, mobile base [Maintenance Shop]   |
| 342 | Workplace modular work bench, with butcher's block table top counter, with 6 drawers, undercounter cabinet, blue painted metal base/frame, table only, back stop, no tools included  |
| 343 | LOT of (2) Porter Cable and Craftsman routers, model 1001- type 8 and 320.17541, fixed base, with (1) carry case, (NOTE: Porter Cable needs bearing replaced) [Maintenance Shop]   |
| 344 | LOT of (5) Weller solders, Various models with associated stand and parts as shown [Maintenance Shop]  |
| 345 | Welder's Accessories and Materials, including welder's mask, eye goggle, welding rods, buffing wheels, flux as shown, on mobile work table, included [Maintenance Shop]  |

346 [LOT] Just Rite acid cabinet and oil cans, including (2) red oil waste cans [Maintenance Shop]

| 347  | LOT of (5) Central Pneumatics air tanks, 7 and 11 gallons portable aluminum type, 125psi and 160psi, 1/4NPT [Maintenance Shop]  |
|------|---|
| 348  | LOT of (3) Electric Fans, Including (2) 30" dia approx stand fans and (1) 24" dia wall /ceiling hang [Maintenance Shop]   |
| 349  | LOT of (6) Pelican equipment case, HD with wheel casters and retractable handles lockable latches, foam paddings [Maintenance Shop]   |
| 350  | LOT of (2) Duo-Fast and Bostitch staple guns, model DSW-3522 and SW-1748, 16 gauge, 1-1/32" crown, 1/2 to 1-1/2" leg, (1) is cordless, 12v with charger and lithium battery, and (1) is pneumatic + staple wires as shown [Maintenance Shop]      |
| 351  | [LOT] Assorted Handtools, Including hammers and mallet, hack saw, measuring tapes, steel brushes, scissors, files, snap on drivers, steel fish tape, harrington 3/4ton come along,wood plain, on rubbermate cart, not included [Maintenance Shop] |
| 352  | Milwaukee saw all, model Orbital, with extra blades, carry case, 11A [Maintenance Shop]   |
| 353  | LOT of (2) Ryobi and Skilsaw circular saw, model HD77M and CSB123, 7-1/4" dia, 120v, 60hz, 12A and DC-AC 120v, 13A, 2-11/32" depth of cut @ 90 deg, 1-29/32 2 45deg [Maintenance Shop]  |
| 354  | Milwaukee portable band saw, model Cat No 6230, s/n 678J406210646, 0-350Fpm, 120vwith carry case [Maintenance Shop]   |
| 354A | HILTI rotary hammer drill, model TE-2-S-02, s/n 254659, 120v, 60hz, n=1200/min, 7/8" max concrete, 1/2" steel max, with carry case<br>[Maintenance Shop]  |
| 355  | Modular Shop/Electrician Work Table, with (5) drawers, stainless counter, with wilton 4" wide jaw steel vise, with tool riser [Maintenance Shop]  |
| 356  | [LOT] Assorted Bits and Blades, Including hole saw blades, drill bits for wood and metal, various sizes as shown and (1) Drill Doctor<br>model 750SP drill sharperne [Maintenance Shop]   |
| 357  | [LOT] Grease and Cauled Dispensers, Including Lincoln professional grease guns, Jin Lao southools, various sealant dispenser and assorted Silicone cartridges [Maintenance Shop]  |
| 358  | [LOT] of (3) Hydraulic Jacks, Including (1) Transmission Jack, model 328.12001 and (2) Husky 6 ton bottle jacks [Maintenance Shop]  |
| 358A | Hydraulic equipment as shown with brass plates as shown [Maintenance Shop   |
| 359  | [Lot] Strapping and Torch Cart, with (5) strapping tensioning and cutting tools plus reel of strap as shown [Maintenance Shop]  |
| 360  | [Lot] Wrench and sockets, various types, sizes as shown on 3 tiers metro rack, not included [Maintenance Shop]  |
| 361  | [Lot] Hex Nut Drivers, Various type, make and sizes of HEX nut driver, plus Allen wrenches as shown on 2 shelves metro rack, not included [Maintenance Shop]  |
| 362  | [Lot] Cutters, Various type including wire cutters/strippers, utility, and others as shown [Maintenance Shop]   |

| 363 | MAXXAIR air circulator, model BF30DD, 30" dia, plus (1) TP industrial 16" dia approx [Maintenance Shop]   |
|-----|---|
| 364 | LOT of (3) Wet Dry Vacuum Machines, Including (@) Stinger-WD2025, (1) Ridgid [Maintenance Shop]   |
| 365 | LOT of (2) Ridgid wet dry vacuum machines, 16 gallons capacity, 6.5HP peak unit [Maintenance Shop]  |
| 366 | LOT of (4) Portable Ladders, 2 and 3 steps [Maintenance Shop]   |
| 367 | LOT of (2) Hand Trucks, plus (1) small foldable [Maintenance Shop]  |
| 368 | Seville butcher's block top workbench, model Classic, Ultra HD, approx 6'long x 25" x 30" to 42" height adjustable @ 1" increment, tubular steel framed legs support [Maintenance Shop]   |
| 369 | Seville butcher's block top workbench, model Classic, Ultra HD, approx 6'long x 25" x 30" to 42" height adjustable @ 1" increment, tubular steel framed legs support [Maintenance Shop]   |
| 370 | Bosch wet dry vacuum machine, model Air Sweep, with power broker, 13 gallons capacity, with 10A battery charger for 12 and 24v [Maintenance Shop]   |
| 371 | [Lot] Pliers and Cutters, Various types of cutters and pliers, including long nose, wire cutters, and others as shown on (16) plastic bins<br>[Maintenance Shop]  |
| 372 | [Lot] Crescent Wrench and Vise Clamps, Various make and models plus (2) alligator pliers as shown on (7) plastic bins [Maintenance Shop]  |
| 373 | [Lot] Screw Drivers, Various make and models, including for electrician use, philips and standard, on (15) plastic bins [Maintenance Shop]  |
| 374 | [LOT] of (17) Wrenches, Including (6) pipe wrenches, 10", 24", 18", and (11) combination wrenches metric and english measure as shown [Maintenance Shop]  |
| 375 | Flir System infrared thermal imaging camera, model i40, s/n 18211, 14400 pixels, (120 x 120)-4 to 662 deg F, sensitivity <0.1 deg C,<br>fusion picture in picture, with HD carry case, plus (1) corded grinder and (!) CMP switching [power supply, 24W multi plug, 100-240vac,<br>50/60hz [Maintenance Shop] |
| 376 | [Lot] Assorted Accessories and Parts Kit, Includes Aimco spring balancers, various electrical parts, O-ring, Magnetics toroid ceramic coil rings, split /snap on ferrite EMI cable cores, shield bids as shown [Maintenance Shop]   |
| 377 | [Lot] Scanners and Flow Meters, Including (9) Dwyer flow meters, (7) Symbol bar code scanners [Maintenance Shop]  |
| 378 | Pick -up Truck Tool Box, Aluminum, diamond plate + (1) BF Goodrich tubeless tire, LT215/85R16 LRE M+S [Maintenance Shop]  |
| 379 | [LOT] of (2) Storage Cabinet, Metal, 2 door with contents as shown [Maintenance Shop]   |
| 380 | [LOT] of (2) Werner and Husky fiberglass ladders, 6' and 7' [Maintenance Shop]  |
| 381 | Husky fiberglass ladders, 12' [Maintenance Shop]  |

| 382 | TriArc roll around safety ladder, 7 steps [Maintenance Shop] |
|-----|--|

| 383 | Predator generator, model 4000, item no. 69676, Gas engine 212cc, mobile base [Mechanical Plant Support]   |
|-----|--|
| 384 | Honda power washer, model Commercial 3200, 4.0GPM, 3200psi, GX340, 11.0 gas engine, mobile base [Mechanical Plant Support]   |
| 385 | Kaiser air compressor, model SM11, 10hp, rotary screw, with digital touch pad Sigma control, 42CFM @ 110psig, 208v, 3ph [Mechanical Plant Support]   |
| 386 | Kaiser refrigerated air dryer, model TA11, s/n 61115, 0.79lb charge, R134a, 260psig, 115v, 60hz [Mechanical Plant Support]   |
| 387 | Kaiser air holding tank, approx 62" straight x 20" dia [Mechanical Plant Support]  |
| 388 | Kaiser air compressor, model ASD 30, s/n 1240 (2006), with digital touch pad Sigma control, 125psig, 134CFM, 3ph/60hz, 3545 rpm, 30hp, 230/208/460v, 81/85/40FLA [Outside Tank/ Storage Conex Area]  |
| 389 | Kaiser refrigerated air dryer, model TD51, s/n 1846 (2018), 230psig, 460v/3/60hz, 6la, 600v max, R-134a @ 3.20lb, 260psig max, 230psig min [Outside Tank/ Storage Conex Area]  |
| 390 | Air Holding Tank, Steel, approx 24" dia x 6' straight [Outside Tank/ Storage Conex Area]   |
| 392 | Ingersoll Rand refrigerated air dryer, model TMS-0280, s/nCCN-42528901, 203psi, R134a @6.17lbs, 0.22kw fan, 460v, 3ph/60hz<br>[Outside by Tank Farm Area]  |
| 393 | LOT of (16) West Air hydrogen storage tanks, Steel, @ 261cu-ft volume, each, CU# HY 300C on diamond plate skid with shut off valves, REE-249mL, TW135.1lb [Outside by Tank Farm Area]  |
| 394 | LOT of (16) West Air hydrogen storage tanks, Steel, @ 261cu-ft volume, each, CU# HY 300C on diamond plate skid with shut off valves, REE-249mL, TW135.1lb [Outside by Tank Farm Area]  |
| 395 | LOT of (16) West Air hydrogen storage tanks, Steel, @ 261cu-ft volume, each, CU# HY 300C on diamond plate skid with shut off valves, REE-249mL, TW135.1lb [Outside by Tank Farm Area]  |
| 396 | LOT of (16) West Air hydrogen storage tanks and storage cabinets, Steel, @ 261cu-ft volume, each, CU# HY 300C on diamond plate skid with shut off valves, REE-249mL, TW135.1lb on (2) metal steel cabinet with vent and door latch with associated valves/manifold block as shown [Outside by Tank Farm Area[more] |
| 397 | LOT of (16) West Air hydrogen storage tanks and storage cabinets, Steel, @ 261cu-ft volume, each, CU# HY 300C on diamond plate skid with shut off valves, REE-249mL, TW135.1lb on (2) metal steel cabinet with vent and door latch with associated valves/manifold block as shown [Outside by Tank Farm Area[more] |
| 398 | LOT of (16) West Air hydrogen storage tanks and storage cabinets, Steel, @ 261cu-ft volume, each, CU# HY 300C on diamond plate skid with shut off valves, REE-249mL, TW135.1lb on (2) metal steel cabinet with vent and door latch with associated valves/manifold block as shown [Outside by Tank Farm Area[more] |
| 400 | LOT of (25) Reliance Metal aluminum sheets, 0.125 x 60"x72", 50lbs/sheet approx only [CONEX]   |
| 401 | LOT of (45) Reliance Metal aluminum sheets, 0.125 x 60"x72", 50lbs/sheet approx only [CONEX]   |

402

| 403  | LOT of (45) Reliance Metal aluminum sheets, 0.125 x 60"x72", 50lbs/sheet approx only [CONEX]   |
|------|--|
| 404  | LOT of (46) Reliance Metal aluminum sheets, 0.125 x 60"x72", 50lbs/sheet approx only [CONEX]   |
| 405  | LOT of (46) Reliance Metal aluminum sheets, 0.125 x 60"x72", 50lbs/sheet approx only [CONEX]   |
| 406  | LOT of (46) Reliance Metal aluminum sheets, 0.125 x 60"x72", 50lbs/sheet approx only [CONEX]   |
| 407  | LOT of (45) Reliance Metal aluminum sheets, 0.125 x 60"x72", 50lbs/sheet approx only [CONEX]   |
| 408  | LOT of (45) Reliance Metal aluminum sheets, 0.125 x 60"x72", 50lbs/sheet approx only [CONEX]   |
| 409  | Container Providers International APS/Conexwest, model Type MS-201-2, s/n 18206 (2019), Max operating gross mass @ 67,200lbs/30,480kg, stack load @ 423,280lbs, 192,000kg @ 150,000newton stack force, approx reinspected 2024, with wood panel inside, provision for window openings, Timber component trea[more] |
| 410  | LOT of (74) Reliance Metal aluminum sheets, 0.125 x 36"x76", 30lbs/sheet approx only, sheet-5052-H32, ASTM-B-209 [CONEX]   |
| 411  | LOT of (83) Reliance Metal aluminum sheets, 0.125 x 36"x76", 30lbs/sheet approx only, sheet-5052-H32, ASTM-B-209 [CONEX]   |
| 412  | LOT of (83) Reliance Metal aluminum sheets, 0.125 x 36"x76", 30lbs/sheet approx only, sheet-5052-H32, ASTM-B-209 [CONEX]   |
| 413  | LOT of (43) GI Sheets, Approx 48" x 48" plus pallet of approx 1"x1" x2" x 12" aluminum rectng tubings as shown [CONEX]   |
| 414  | LOT of (34) Reliance Metal aluminum sheets, 0.125 x 48"x70", 40lbs/sheet approx only, sheet-5052-H32, ASTM-B-209 [CONEX]   |
| 415  | LOT of (29) Reliance Metal aluminum sheets, 0.125 x 48"x70", 40lbs/sheet approx only, sheet-5052-H32, ASTM-B-209 [CONEX]   |
| 416  | LOT of (34) Reliance Metal aluminum sheets, 0.125 x 48"x70", 40lbs/sheet approx only, sheet-5052-H32, ASTM-B-209 [CONEX]   |
| 417  | LOT of (26) Reliance Metal aluminum sheets, 0.125 x 48"x70", 40lbs/sheet approx only, sheet-5052-H32, ASTM-B-209 [CONEX]   |
| 418  | LOT of (34) Reliance Metal aluminum sheets, 0.125 x 48"x70", 40lbs/sheet approx only, sheet-5052-H32, ASTM-B-209 [CONEX]   |
| 419  | Container Providers International APS/Conexwest, model Type MS-201-2, Max operating gross mass @ 67,200lbs/30,480kg, stack load<br>@ 423,280lbs, 192,000kg @ 150,000newton stack force, with wood panel inside, provision for window openings, 8'x8'x8' approx only<br>[CONEX] (NOTE: LATE CHECKOUT)               |
| 420  | LOT of (34) Reliance Metal aluminum sheets, 0.125 x 48"x70", 40lbs/sheet approx only, sheet-5052-H32, ASTM-B-209, (2) stack)<br>[CONEX]  |
| 421  | LOT of (45) Reliance Metal GI Sheets, ASTM-A-653, CSG90, 48" x 72", 75lbs/sheet approx only [CONEX]  |
| 421A | LOT of (45) Reliance Metal GI Sheets, ASTM-A-653, CSG90, 48" x 72", 75lbs/sheet approx only [CONEX]  |

| 421B | LOT of (26) Ryrson aluminum sheets, 0.125" x 36" x76", Alum Coil 5052-H32, 33lbs/sheet approx only [CONEX]  |
|------|---|
| 421C | LOT of (26) Ryrson aluminum sheets, 0.125" x 36" x76", Alum Coil 5052-H32, 33lbs/sheet approx only [CONEX]  |
| 421D | LOT of (26) Ryrson aluminum sheets, 0.125" x 36" x76", Alum Coil 5052-H32, 33lbs/sheet approx only [CONEX]  |
| 422  | CONEX, Approx 8' x 5' x 8' approx only, with provision for window openings [CONEX] (NOTE: LATE CHECKOUT)  |
| 423  | CONEX, Approx 8' x 5' x 8' approx only, with provision for window openings [CONEX] (NOTE: LATE CHECKOUT)  |
| 424  | LOT of (11) Reliance Metal aluminum sheets, 0.125" x 48" x 84" approx only [CONEX]  |
| 425  | LOT of (14) Reliance Metal aluminum sheets, 0.125" x 60" x 130 " approx only [CONEX]  |
| 426  | LOT of (30) Reliance Metal aluminum sheets, 0.125 x 36" x 120", approx only [CONEX]   |
| 427  | LOT of (34) Reliance Metal aluminum sheets, 0.125 x 36" x 28.8", approx 12lbs/sheet, approx only [CONEX]  |
| 428  | LOT of (34) Reliance Metal aluminum sheets, 0.125 x 36" x 28.8", approx 12lbs/sheet, approx only [CONEX]  |
| 429  | LOT of (34) Reliance Metal aluminum sheets, 0.125 x 36" x 28.8", approx 12lbs/sheet, approx only [CONEX]  |
| 431  | Steel Storage Box, Approx 8'x 30' x 8-1/2', with front and back vented dual doors, roof vents, plywood panels on wall, ceiling and floor, power outlet and bar stop socket on (2) raised floor on approx 2" x 6" I-beam base support [CONEX] (NOTE: LATE CHECKOUT)  |
| 432  | LOT of (4) Fanuc production robot assembly, model S-5 Arc Mate, For parts /repair, 6-axis articulated, with (4) R model G-2 control cabinets, associated controls/components as shown, Unit # F19481, 7619, 7941, 19482 [CONEX]                                     |
| 432A | Shop Grinder / Sander Stand, with 1-1/2hp belt driven drive motor, on/off switch + (2) electrical enclosure [CONEX]   |
| 432B | Steel Channels, approx (25) 1"x1" x3" x 30", slotted gray painted [CONEX]   |
| 433  | Fanuc production robot, model S-5 Arc Mate, s/n R91865261, 6-Axis, articulated, light parts handling, with RG2 Controller, servo system, unit F-11508, [CONEX]  |
| 434  | Fanuc production robot, model S-5 Arc Mate, s/n R93865193, 6-Axis, articulated, light parts handling, with RG2 Controller, servo system, unit F-17142, with teach pandant [CONEX]   |
| 435  | Fanuc production robot, model S-5 Arc Mate, s/n R93865193, 6-Axis, articulated, light parts handling, with RG2 Controller, servo system, unit F-7930 and 9179 [CONEX]   |
| 437  | Steel Storage Box, Approx 8'x 30' x 8-1/2', with front and back vented dual doors, roof vents, plywood panels on wall, ceiling and floor, power outlet and bar stop socket on (2) raised floor on approx 2" x 6", I-beam base support [CONEX] (NOTE: LATE CHECKOUT) |
| 438  | [Lot] Roller Ball Transfer Table and Gravity Roller Conveyor Assembly Parts, Steel and aluminum extrusion framings by Roach Conveyors, associated pneumatic components, brace/supports, table segments, as shown [CONEX]  |

| 438A | Equipment Rollers, HD, including (1) set of Hillman rollers, (1) push and swivel type as shown [CONEX]   |
|------|--|
| 439  | LOT of (2) Altergy hydrogen engine, model FCM5, on pallet as shown [CONEX]   |
| 440  | Yellow Stone scaffolding members, model 60600099, 750lbs load capacity [CONEX]   |
| 442  | Steel Storage Box, Approx 8'x 30' x 8-1/2', with front and back vented dual doors, roof vents, plywood panels on wall, ceiling and floor, power outlet and bar stop socket on (2) raised floor on approx 2" x 6", I-beam base support [CONEX] (NOTE: LATE CHECKOUT)  |
| 443  | Pallet Rack, 3 Sections with (10) x 8' cross beams, (4) x 9' uprights, wood slat shelvings [CONEX]   |
| 444  | LOT of (2) Alpha power supply equipment, model PN-3, Rainproof Type 3R, 120/240vac input/87/75/63 output 60hz, 031-103-XX(1-<br>UPS), 2 compartments for fuel cell and battery [CONEX]   |
| 445  | Steel Storage Box, Approx 8'x 20' x 7-1/2', with front vented dual doors, d bar stop socket on (2) raised floor on approx 2" x 6", I-beam base support [CONEX] (NOTE: LATE CHECKOUT)   |
| 445A | Nacelle power supply /backup equipment, Compact unit, pole mounted, 32bit digital signal controller, approx 16" x 47" x 17", was rated for 2.5kw, 48vdc, 52A nominal current, with HD Armando Cases, equipment travel case [CONEX]   |
| 445B | LOT of (3) LKM steel molding equipment components, model B903-23, B903-77, s/n 881269, Side Gate system mold base, spring ejector, with (2) skid of steel mold plates as shown, shipping tag shows 2442lbs [CONEX]   |
| 445C | Dayton pressure fan blower, model 2C890, 10" fan wheel dia, 115v with AC tech SCM series drive control [CONEX]   |
| 445D | Bike Rack Assembly + Miscellaneous Items, bolt on floor bike stand, water cooler, PVC curtain strips, slotted angle frames, PVC pipes [CONEX]  |
| 446  | Power Back up Equipment System Cabinets, Including (1) FCE-5kw and (2) TPM power module components 125A/80VDC, with air cooling fan ductings on pull out tray, air vents, (1) Eaton UPS cabinet system with associated breaker switch, wiring components, digital monitor as shown [CONEX]                               |
| 447  | Power Back up Equipment System Cabinets, Fuel Tank Cabinet for 20kW Fuel Cell, Approx 37"x40"x72", with (3) Lincoln Composite<br>Hydrogen tanks, model RH36A16-0621, (2007) 3600psig, (NOTE: See Photo for warning tanks not to be use by 2027 and buyer is<br>responsible for regulations and paperwork before re[more] |
| 448  | LOT of (5) Fuel Storage Cabinets, approx 24" x 40" x 72", vented doors [CONEX]   |
| 449  | LOT of (5) Fuel Storage Cabinets, approx 24" x 40" x 72", vented doors [CONEX]   |
| 450  | Graco pressure tank, model 236149-series J06A, 5 gallons capacity stand alone spraying HVLP, to 100psi max, ASME rated, 30.5" x 65lbs, stainless, electroplated surface, 3/8"out, NPSM [Back Inside Building]  |
| 451  | Graco pressure tank, model 236149-series J06A, 5 gallons capacity stand alone spraying HVLP, to 100psi max, ASME rated, 30.5" x 65lbs, stainless, electroplated surface, 3/8"out, NPSM [Back Inside Building]  |
| 452  | Graco pressure tank, model 236149-series KO6A, 5 gallons capacity stand alone spraying HVLP, to 100psi max, ASME rated, 30.5" x<br>65lbs, stainless, electroplated surface, 3/8"out, NPSM [Back Inside Building]   |

| 453  | 1 FC Engine unit, mounted on aluminum extrusion frame, battery, power battery cable / terminal, with voltage tap, damper control, stack load PCB controls as shown, mobile base, [Produciton Area]   |
|------|--|
| 454  | 1FC Engine unit, 15 cell stacks, with associated PCB controls as shown [Production Area]   |
| 455  | Reformer Unifier unit, s/n 48008, with catalyst reactor, Fenwal cat# 35-530501-003 ignition control, 12vdc, HGS-M controller, p/n 1901-<br>001-Rev B, with associated electrical/pneumatic flow and burner control [Production Area]   |
| 456  | LOT of (96) Neon Control, Stainless Pressure Regulators, p/n 15-247B1-2AF7-LHUM, 0-100psi [Warehouse Area]   |
| 457  | LOT of (40) Copper Coils and Other Parts, including Reego brass fittings [Warehouse Area]  |
| 458  | LOT of (80) FCE Engine Cabinet Drawer/Tray Slides [Warehouse Area]   |
| 459  | LOT of PCB Control Boards, including voltage taps, FCE engine control processors, FET-Switches, DAC expansion boards, current sensors, among trhers as shown [Warehouse Area]  |
| 460  | LOT of (3) Tank Hold Units, (1) with redundant valve manifold, associated hoses and fill /purge valve as shown, (2) not installed, bare units [Production Area and Outside by FIIIVehicle Area]  |
| 461  | Benning power inverter, model Invertronic Modular, s/n BY2016-114, Pn 6140023088/type INVM-1-2-3-4, with backfeed control unit,<br>bypass switch, 120/208vac, 3ph, 60kw, Led test reset panel, 48vdc input, 1368amps max, 6 feeds, 60kva, 60hz, Invertronic modular,<br>with AC output breaker, Bussmann 50A disco[more] |
| 462  | LOT of (2) Methanol Reformers, 5kw fitted with tachometer speed control, thermocouple, 24v blower, distribution burner tube, control board p/n 109055, associated valves as shown [Back Inside Building]   |
| 463  | LOT of (2) Nokia base station, model Flexi WCDMA -BTS, FSMD system module, (4) ANT, TX/RX, [Back Inside Building]  |
| 464  | LOT of (2) Nokia base station, model Flexi WCDMA -BTS, FSMD system module, (4) ANT, TX/RX, [Back Inside Building]  |
| 465  | BIRC II Fuel Cell Recirculating Engine, model FPS-548, 4kw, 48vdc nominal output, 105A, Stanby power input @ 0.015kw, 48vdc, 0.3A, 40psig min, 150psig max, 300g/hr @ 5kw output, +10 degC min, 45 deg C max [Back Inside Building]  |
| 465A | BIRC II Fuel Cell Recirculating Engine, model FPS-548, 4kw, 48vdc nominal output, 105A, Stanby power input @ 0.015kw, 48vdc, 0.3A, 40psig min, 150psig max, 300g/hr @ 5kw output, +10 degC min, 45 deg C max [Back Inside Building]  |
| 466  | Hydraulic Scissor Lift Table, model H1784, s/n 14666, Lockable whell casters, foot control [Back Inside Building]  |
| 467  | Hydraulic Scissor Lift Table, Lockable wheel casters, foot control [Back Inside Building]  |
| 468  | Hydraulic Scissor Lift Table, Lockable wheel casters, foot control, stainless table top [Back Inside Building]   |
| 469  | 5kw FCE Cabinet, Multiple compartments, for hydrogen gas generator, methanol reformer and batteries, fitted with approx 7 gal yellow air tank, methanol reformer unit, poly methanol tank, demand delivery pump, associated battery cable connector, and enclosure panels as shown approx 60" x 36" x 60", 4[more]       |

| 470  | 5kw FCE Cabinet, Multiple compartments, for hydrogen gas generator, methanol reformer and (4) batteries, fitted with approx 7 gal yellow air tank, methanol reformer unit, poly methanol tank, demand delivery pump, associated battery cable connector, and enclosure panels as shown approx 60" x 36" x 60[more]     |
|------|--|
| 470A | 5kw FCE Cabinet, Multiple compartments, for hydrogen gas generator, methanol reformer and (4) batteries, fitted with approx 7 gal yellow air tank, methanol reformer unit, poly methanol tank, demand delivery pump, associated battery cable connector, and enclosure panels as shown approx 60" x 36" x 60[more]     |
| 470B | 5kw FCE Cabinet, Multiple compartments, for hydrogen gas generator, methanol reformer and (4) batteries, fitted with approx 7 gal yellow air tank, methanol reformer unit, poly methanol tank, demand delivery pump, associated battery cable connector, and enclosure panels as shown approx 60" x 36" x 60[more]     |
| 471  | Integrated Power Back up Equipment Cabinet, Multiple compartments with drawer slide for FCE or TSM, foam insulated interior wall, vented/cooling fan fitted enclosure, with hydrogen storage tank compartment, approx 42" x 60" x 72" [Back Inside Building]   |
| 472  | Integrated Power Cabinet, for 10kw BIRC II installation, insulated interior, pull out drawers with provision for heater assembly, approx 30" x 26" x 72" [Back Inside Building]  |
| 472A | Fuell Cell Storage Cabinet with Composite Hydrogen Fuel Tanks, approx 40" x 25" x72" all weather enclosure, rated to be hot<br>swappable or refillable onsite, lightweight/compact footprint vent on door, including (2) Lincoln Composite, model #RH36A16-06219,<br>3600psi, (2007) (NOTE: notice shows, not to[more] |
| 473  | LOT of (2) Power Cabinet for 2.5kw and 1kw Engine, with built in fuel cabinet below @ 2.5kw + 12 hrs storage, approx 38" x 24" x 84", fitted with door latch, purge valve and supply valve manifold, and approx 24" x 20" x 30" 2 compartment for 1kw fuel cell stack [Back Inside Building]                           |
| 474  | Data Server Power System, Server cabinet fitted with Altergy FPS-5 and TPM power module, plus IT stuff including HP ethernet switches, Dell Poweredge 2950, tape deck with HP 72.8GB Ultra 320 scsi, GT industrial PC units, + (1) mobile, IT rack /cabinet as shown (NOTE: IT instruments might be for part[more]     |
| 475  | LOT of (3) Hydrogen Fuel Tank Storage Cabinet, with Door latches, vent on doors, for (8) tanks, approx 25" x 40" x 72" [Production Area]   |
| 476  | LOT of (3) Hydrogen Fuel Tank Storage Cabinet, with Door latches, vent on doors, for (8) tanks, approx 25" x 40" x 72" [Production Area]   |
| 477  | LOT of (3) Hydrogen Fuel Tank Storage Cabinet, with Door latches, vent on doors, for (8) tanks, approx 25" x 40" x 72" [Back Inside Building]  |
| 478  | LOT of (3) Hydrogen Fuel Tank Storage Cabinet, with Door latches, vent on doors, for (8) tanks, approx 25" x 40" x 72" [Back Inside Building]  |
| 479  | LOT of (3) Hydrogen Fuel Tank Storage Cabinet, with Door latches, vent on doors, (1) with tank hold/straps for (8) approx 25" x 40" x 72" [Back Inside Building]   |
| 480  | Hydrogen Fuel Cell Engine Cabinet Assembly and Parts, Including, (1) bare (2) 3 compartment, for 5kw BIRC II, plus (17) vented door enclosures, [Back Inside Building]   |
| 481  | LOT of (20) Northstar battery, model NSB92FT-HT RED and NSB40FT, rated for -40 degF to 149 degF operation, 3 stage terminal design, fast charge, 12v nominal, 3200A short circuit, varies capacity from 1 hr to 10hr for NSB92Ft, plus (4) CSB - XTV12200, 12v, 20Ah on pallet [Back Inside Building]                  |

| 482  | LOT of (14) Northstar battery, model NSB92FT-HT RED and NSB40FT, rated for -40 degF to 149 degF operation, 3 stage terminal design, fast charge, 12v nominal, 3200A short circuit, varies capacity from 1 hr to 10hr on pallet [Back Inside Building]  |
|------|--|
| 483  | Power Engine Assembly, Including various parts for Nacelle and 5Kw engine cell power module, associated wiring, battery cable, air cooling ducts, panel enclosures, air valves and demand pump components (2) pallets as shown [Back Inside Building]  |
| 484  | LOT of (3) Alpha power platforms / supply cabinet and assembly parts, model PN-3, for 1kw FCE use, 120v/240v input, 60hz, approx 26" x 24" x 44", multi compartment, with space for hydrogen fuel tank for a 2hrs on 3 pallets, all weather, type 3 enclosures, plus (1) gray electrical enclosure [Back Ins[more] |
| 485  | Alpha / Altergy 1kw power platform equipment, model FPS-136F/FPS-148F, Unit is 2sections, (1) for fuel tank storage, (1) for FPP electronic control section, for outdoor application, input 120v/240v, 50/60hz, 87v/75v/63v output, o31-103-XX(1UPS) configuration, rainproof-type 3 enclosure [Back Inside[more]  |
| 486  | Alpha 1kw power platform cabinet, model PN3, For outdoor application, cabinet is model PN3, rated for CATV equipment, input 120v/240v, 50/60hz, 87v/75v/63v output, o31-103-XX(1UPS) configuration, rainproof-type 3 enclosure (2020) [Back Inside Building]   |
| 487  | Alpha / Altergy 1kw power platform equipment, Unit is 2sections, (1) for fuel tank storage, (1) for FPP electronic with associated valve manifold and electrical and control parts, for outdoor application, input 120v/240v, 50/60hz, 87v/75v/63v output, o31-103-XX(1UPS) configuration, rainproof-type 3[more]  |
| 488  | 1kw Power Platform Equipment, with Clary SP1250LE universal power conditioner, Alita-AL20SB air compressor, 2 compartments, for<br>1kw fuel cell stack and (2) fuel tanks with associated supply manifold and valves, regulators, gauges, power batteries, vented door<br>enclosure [Back Inside Building]         |
| 489  | Outback Power sine wave inverter charger, model VFX3648, 120vac, 60hz nominal values, AC input 60A, Ac output power @ 3600va<br>@ 25 degC, AC continuous -30A, 45ADC battery charger current, 48vdc nominal, 42 to 68vdc input range, 90ADC max as shown [Back<br>Inside Building]                                 |
| 489A | Outback Power sine wave inverter charger, model VFX3648, 120vac, 60hz nominal values, AC input 60A, Ac output power @ 3600va<br>@ 25 degC, AC continuous -30A, 45ADC battery charger current, 48vdc nominal, 42 to 68vdc input range, 90ADC max as shown [Back<br>Inside Building]                                 |
| 489B | Outback Power sine wave inverter charger, model VFX3648, 120vac, 60hz nominal values, AC input 60A, Ac output power @ 3600va<br>@ 25 degC, AC continuous -30A, 45ADC battery charger current, 48vdc nominal, 42 to 68vdc input range, 90ADC max as shown [Back<br>Inside Building]                                 |
| 489C | Power Converter Equipment/Components, Including, (6) Unipower model TPCMQR1U3-24, DC to DC converters, p/n 001-5209-0007, 3600w, 48vdc @ 75A, max power output, Delta CU-22WB, with Argus, MC-100amp, 36-60vdc, STSSS-1-1EA-1U-19A, 100-240vac, 50amp, STS-050A, 100-240vac, 50amp, 50/60hz, Inverter shelf,[more] |
| 490  | LOT of (7) Wiegmann electrical enclosure, model N412243008C, 23" x 30" x 8", gray [Back Inside Building]   |
| 491  | Semiconductor Parts, Including DIGI KEY and Ferroxcube semiconductor products, tape reel resistors, cores, and reels of MWS wire Industries product [Back Inside Building]   |
| 492  | AAVID Thermalloy aluminum heat sink extrusion products, (10) boxes @ 24 pieces/ box ( approx 240 pieces @ 24lbs/box) low fin type<br>[Back Inside Building]  |
|      |  |

| 493  | LOT of (78) Parker and Solenoid Solutions manifold redundant valves, model ALT-A01834-001 and 2713X-A806-00, 12vdc, 8psig under seat, 11W and 100psi input, 3.5psi output on (21) boxes [Back Inside Building]                        |
|------|---|
| 494  | PRE Plastics fuel cell frame manifold, (38) boxes @ 50pieces/box, approx 13" x 6-1/2" [Back Inside Building]  |
| 495  | Rework Boards /PCB, Including (8) boxes, including RMA # 1-181221001 @ 20 boards/box, stack load PCB-107316 rev4 and GE 1085T series surface mount terminals, p/n 10085TN-10PKG [Back Inside Building]                                |
| 496  | GreenHeck air cooling duct assembly, 16Ga GI materials, with end seal, axial fans, air dampers/vents, on (2) pallets [Back Inside Building]   |
| 497  | LOT of (136) Control Board, model PCB no - 106970 Rev 5, with Current sensor -300A, on 2 pallets [Back Inside Building]   |
| 498  | Aluminum Screens and Copper Sheets, with Various size and cut of copper sheet /panels and approx (10)rolls, approx 40" wide aluminum screen [Back Inside Building]  |
| 499  | Switching Test Station, with bank of (10) axial fans, plus (8) MW-SD-1000L-24 power supply circuit, 24V input and output with current sensor, associated DC input/output battery power cable and terminal [Back Inside Building]      |
| 500  | LOT of (10) FPS Service Control Modules, FPS-5(Freedom Power System) 5kw, with ethernet/CIB/Recirculation ports and cap charging / error/ communication / status lights, on/off switch [Tested FPS Storage Racks]                     |
| 501  | LOT of (10) FPS Service Control Modules, FPS-5(Freedom Power System) 5kw, with ethernet/CIB/Recirculation ports and cap charging<br>/ error/ communication / status lights, on/off switch [Tested FPS Storage Racks]                  |
| 502  | LOT of (8) BIRC II Fuel Cell Engine Assembly, partially fitted with manifold valves, ALITA air compressors, truck cooling fans, battery power cable connectors, (1) with engine control service module, [BIRC Engine Production Line] |
| 503  | [Lot] 5kw Fuel Cell Engine Components, Including, tray mounts, stack and exhaust ductings, tie rods, partly assembled engine cooling fan, braces, support assembly, some have manifold valves as shown [Back Inside Building]         |
| 504  | Whalen Storage Racks, 2 -Sections, approx 150" x 24" x 50" 3-tiers, (3) uprights x (12)cross beams [Back Inside Building]   |
| 505  | Whalen Storage Racks, 2 -Sections, approx 77" x 24" x 72" 3-tiers, (4) uprights x (12)cross beams [Back Inside Building]  |
| 506  | LOT of (2) Butcher's Block Top Work Bench, approx 6' long with tubular steel legs support [Back Inside Building]  |
| 507  | LOT of Tubings and Trims, including (6) rolls of yellow plastic tubings, (6) rolls of Trim-Lok trim and seal materials as shown Production<br>Area]   |
| 507A | Dymax Fluid Path Parts, including p/n T18353, flex hose tube cutter, Fluid path kit -1050, GA140 ultra light weld adhesives, Production<br>Area]  |
| 508  | Whalen Storage Racks, 2- Sections, approx 150" x 24" x 72", 2 tiers, (3) uprights x 12 crossbeams, Production Area]   |
| 509  | Storage Racks, 2 -Sections, approx 150" x 24" x 48" 3-tiers, (3) uprights x (12)cross beams [Back Inside Building]  |

| 510 | LOT of Electrical Wires and Cables, various sizes /gauges / reels, on pallet and tubular steel wire reel mobile rack as shown Production<br>Area]  |
|-----|--|
| 511 | LOT of Parts Rack, mobile with slotted bin storage panel, assorted valves, connection / precision fittings / pressure gauges, on yellow<br>plastic parts bin Production Area]  |
| 512 | LOT of (4) Pallets, Fuel Cell Engine stack components/parts, for CPTL, APTL, A-Cells, including stainless filled fins and A cell plates, poly stacking manifold, nickle foam catalyst, MEA -membrane electrode sheets, end plate rubber gaskets, and various parts too for reformer/purifier assembly as sho[more] |
| 513 | LOT of (3) 50 Stack FC Engine Units, made up of aluminum end plates, stainless A cell plates and filled fins Production Area]  |
| 514 | LOT of (3) 50 Stack FC Engine Units, made up of aluminum end plates, stainless A cell plates and filled fins Production Area]  |
| 515 | LOT of (3) 50 Stack FC Engine Units, made up of aluminum end plates, stainless A cell plates and filled fins Production Area]  |
| 516 | LOT of (10) Reformer/Purifier Subassembly parts, (1) Xxilink platform cable USB connector, model DLC 10, inlet/outlet fittings, made up of aluminum and stainless components as shown Production Area]   |
| 517 | LOT of (2) Dynatek -DyneCel composite fuel tanks, model 7M180H350M8C-EL, Luxfer advanced lightweight fuel storage, fast fill, with Tescom- model TV-011, 6400psi valve control, approx 20" straight, x 20" dia, (NOTE: See Photo for warning, do not use after 2026, buyer is responsible for regulations an[more] |
| 518 | LOT of (2) Dynatek -DyneCel composite fuel tanks, model 7M180H350M8C-EL, Luxfer advanced lightweight fuel storage, fast fill, with Tescom- model TV-011, 6400psi valve control, approx 20" straight, x 20" dia, (NOTE: See Photo for warning, do not use after 2026, buyer is responsible for regulations an[more] |
| 519 | LOTof (168) End Plates, [Lot] Aluminum Fuel Cell End Plates, 1 Pallet, approx 168 plates, p/n 108735 Rev 3, approx 1" x 8" x 13", non threaded, [Back Inside Building]   |
| 520 | LOT of (91) Stainless tubings, threaded, approx 1/2" dia x 6'long on wooden crate  |
| 521 | Parts, Various components, including frames, dampers, (2) Poly methanol tanks, Insulation ceramic heat blocks on 2 sections storage rack, not included [Back Inside Building]  |
| 522 | Batteries, (66) Various sizes plus (3) boxes @ 10pieces/box, on pallet and carts, not included, Northstar, H-powersonic, PowerSafe, Podyssey, 12v, with associated power terminal / charging cables as shown [Back Inside Building]  |
| 523 | Cascade hydraulic scissor lift table, Stainless top/platform, foot pump control, with lockable wheel casters [Back Inside Building]  |
| 524 | Cascade hydraulic scissor lift table, Stainless top/platform, foot pump control, with lockable wheel casters [Back Inside Building]  |
| 525 | LOT of (3) Moeller Marine Product methanol tank, Poly, 50 to 60gal capacity, 3psi test pressure, (adaptable for below deck boat fuel tank) with anti siphon valve, associated, valves and coonection fittings as shown [Back Inside Building]  |
| 526 | LOT of (6) Moeller Marine Product methanol poly tanks, model FT2913, 29gal / 106 ltr capacity, 3psi test pressure, ( adaptable for below deck boat fuel tank) with anti siphon valve, associated, valves and connection fittings as shown [Back Inside Building]   |
| 507 |  |

| 528  | Seville butcher's block top workbench, model Classic, Ultra HD, approx 6'long x 25" x 30" to 42" height adjustable @ 1" increment, tubular steel framed legs support, with blue suede cover [Back Inside Building]  |
|------|---|
| 529  | Seville butcher's block top workbench, model Classic, Ultra HD, approx 6'long x 25" x 30" to 42" height adjustable @ 1" increment, tubular steel framed legs support, with blue suede cover, and table top plastic bin storage [Back Inside Building]   |
| 530  | Seville butcher's block top workbench, model Classic, Ultra HD, approx 6'long x 25" x 30" to 42" height adjustable @ 1" increment, tubular steel framed legs support, with manual bench top cutter as shown [Back Inside Building]  |
| 531  | LOT of (40) FCE Assembly Stacking Trays, for 50 stacks unit, aluminum extrusion base frame on (2) pallets Production Area]  |
| 531A | LOT] of (14) Bosch Conveyor Anti-Static Guard Tables on pallet, Production Area]  |
| 532  | LOT of (79) FCE Stack End Plates, aluminum, threaded as shown on pallet and (4) boxes as shown approx 3/4"thk x 8" x 13", plus (6)Nacelle non threaded end plates, (4) reformer components with copper tube line as shown Production Area]  |
| 533  | LOT of (3) Pallets, Reformer/Purifier Subassembly Parts, including stacking plates, stainless and aluminum as shown Production Area]  |
| 534  | World Wide Advantage big lot of stainless fuel stack component for BIRC I - FCE, (193) boxes @ 50sheets/box, approx 6-1/4" x 13"(<br>stainless A-Cell) [Back Inside Building]   |
| 535  | LOT of Fuel Cell Engine Parts and Patterns, including (3) aluminum cell stackings patterns for 1kw, 2.5kw and 5kw FCE, plus (2)partial cell stack with stainless fins, plates, and (2) packets of nickle foams sheets as shown  |
| 536  | LOT of (3) Metro racks for tray assembly, with (10) vertical divider/organizers, lockable wheel casters [Back Inside Building]  |
| 537  | Niagara Thermal Product LLC stainless fuel stack component for BIRC 1 - FCE, model MFR-61228-53395A, (27) Boxes @ 68 pieces/box, P/N 102992, (filled fin /blocked fin) approx 13" x 6-1/4" @ approx 20lbs/box [Back Inside Building]  |
| 538  | Metro Racks for FCE Tray Stacking, 2 Tiers, with lockable wheel casters, poly rail for Assembly trays [Back Inside Building]  |
| 539  | Metro Racks for FCE Tray Stacking, 2Tiers, with lockable wheel casters, with poly manifold for FCE stack assembly as shown, included [Back Inside Building]   |
| 540  | Pneumatic Fittings, Various types, sizes, quick connect/precision and valves on(8) boxes [Back Inside Building]   |
| 541  | [Lot] PCB Boards, (6) Pallets, including, stack, current sensor, voltage taps and control boards as shown [Back Inside Building]  |
| 542  | Parker and Solenoid Solutions fuel storage dispensing valves, model ALT-A01834-001 and 2713X-A806-00, (3) Pallets, including Parker, Solenoid manifold redundant control valves, 12vdc, 8psig under seat, 11W and 100psi input, 3.5psi output plus EATON Synflex connection hoses with tank fittings, regula[more]        |
| 543  | Electrical / Electronic Parts, (8) Pallets of assorted types, makes, models for FCE and power equipment production [Back Inside Building]   |
| 544  | Generac standby generator assembly, model G0070301, s/n 3005194998 (2019), 60hz, air cooled, 9kw to 22kw, 1ph/60hz, 75/37.5A -<br>LPV, controller P/n 10000003293, 25 degC, with KGNXS-4262DB engine, 426cc, 3600rpm, Generac load center panel, radiator<br>assembly, as shown, Evolution digital touch control, 7[more] |

| 545 | LOT of (2) Rework Tables, approx 4' x 3' with light riser /overhead top shelf, tubular steel legs support with power outlets [Back Inside Building]  |
|-----|--|
| 546 | LOT of (5) Metro Racks, 2-Tiers, with lockable wheel casters [Back Inside Building]  |
| 547 | Insulation Work Table, Modular type, with laminated table top, tubular steel legs support, and insulation roll rack, approx 36" x 5' [Back Inside Building]  |
| 548 | Granite Finish Work Table, black polished table top, approx 20" x 7' long with tubular steel legs support, plus (1) Perforated wood tool organizer, wall mount [Back Inside Building]  |
| 549 | Assorted Hand Tools, Including drill bit set, socket wrench set, various tool and shop parts/ materials, clamps, carpenters belt bags, riveters, bump caps, zip ties gun as shown [Back Inside Building]                                       |
| 550 | Bosch tool, chargers and batteries, including (1) model FL10 and 1200, rechargeable flash light and dual temp glue gun, (9) and (9) of 30 minutes charger-model BC430, 120vac, 60hz, and batteries-model BAT411, 10.8v, [Back Inside Building] |
| 551 | Lamps and Lights, Including spot light, ring lights, among others as shown [Back Inside Building]  |
| 552 | Mouser, Bussmann, Total Source battery connector and charging cables, Various sizes contact sets, for 12v to 36v, plus terminals, 350A, 600v red/blue and gray, [Back Inside Building]   |
| 553 | Storage Racks, 2 -Sections, approx 150" x 24" x 72" 3-tiers, (3) uprights x (12)cross beams [Back Inside Building]   |
| 554 | Assembly Table, Blue laminate top with gravity roller bin/box feeded under table, with lockable wheel casters, with pipe rack and side bin storage as shown, 48" x 30" x 36" [Back Inside Building]  |
| 555 | Assembly Table, Blue laminate top with gravity roller bin/box feeder under table, with lockable wheel casters, with pipe rack, slotted bin rack, and side bin storage as shown, approx 54"x30"x 36" [Back Inside Building]                     |
| 556 | Assembly Table, blue laminate top with gravity roller bin/box feeder under table, with lockable wheel casters, with pipe rack, slotted bin rack, approx 72" x 30" x 36" [Back Inside Building]   |
| 557 | LOT of (2) Assembly Tables, blue laminate top, (1) with 2 tier shelvings and back frame with slotted metal plastic bin storage panel, approx 22" and 16" x 4' x 3', lockable wheel casters [Production Area]                                   |
| 558 | Assembly Table, blue laminate top, approx 30" x 8', with back frame, (2) slotted metal plastic bin storage panels, lockable wheel casters [Production Area]  |
| 559 | Assembly Table, blue laminate top, approx 30" x 6', with back frame, slotted metal plastic bin storage panels, lockable wheel casters [Production Area]  |
| 560 | Production Industries, Electricians Work Bench, with light riser, postform laminated top counter, tubular steel legs supports, with (1) tools drawer as shwon, approx 36"x 5' [Production Area]  |
| 561 | LOT of (2) Assembly Tables, (1) 1 with pipe hanger rack, and (1) 2 tiers, white laminate top, lockable wheel casters [Back Inside Building]  |
|     |  |

| 562  | Hot Plate, on postform laminate edge table, tubular steel legs support, approx 30" x 5' [Back Inside Building]  |
|------|---|
| 563  | Modular Electrician Table, laminated table top, with riser shelf, blue painted tubular metal legs support, with power outlets, back and side stop, wire reel hanger, approx 30" x 6', underside riser work lamp [Back Inside Building]                                |
| 564  | Modular Electrician Table, laminated table top, (5) drawers with lock, riser shelf, blue painted metal legs/frame support, with power outlets, back and side stop, wire reel hanger, approx 30" x 6', underside riser work lamp [Back Inside Building]                |
| 564A | Small Parts Storage, (6) Multi compartments / drawers small parts storage with parts contents, included [Back Inside Building]  |
| 565  | Semiconductor Parts, Various types, electronic devices/components, makes, including resistor tape reels, PCB boards, light reels, Digi-<br>Key, Mouser, Arrow, Kemlet, on 5 tiers metro rack, not included [Back Inside Building]                                     |
| 565A | Ceramic Cores, (3) Boxes Magnetic ceramic cores, and custom coils for 7.5kw engine [Back Inside Building]   |
| 566  | Semiconductor Parts, on (96) 3 drawers plastic small parts storage cabinets, with various electronic divices/components, on (1) 5-tiers metro rack, included, with lockable wheel casters [Back Inside Building]  |
| 566A | Semiconductor Parts, on (96) 3 drawers plastic small parts storage cabinets, with various electronic divices/components, on (1) 5-tiers metro rack, included, with lockable wheel casters [Back Inside Building]  |
| 567  | Work Bench, butcher's block top counter, blue painted tubular steel legs  |
| 568  | Work Bench, butcher's block top counter, blue painted tubular steel legs  |
| 569  | Metal Storage Rack, 3 Sections, with (4) slotted uprights x 6', (18) crossbeams, x 6', wire weld deckings   |
| 570  | Modular Work Desk, L type, with (3) under counter file drawers, computer pull out ttray, power outlet on back stop, laminated table top,<br>blue tubular metal legs support [Back Inside Building]  |
| 571  | FCE Misc Production Materials, Including SPL Pressurex Film, ultra low film, Sonotek-017-1907-003, Gore DRP diffuse reflector material, Ballard 1120GDS, and AVCARB GDS 3215, p/n DEV-80055-001, DEV 80091-001, on pallet [Back Inside Building]                      |
| 572  | Stack Cycling Station with 5Kw FCE Controls, (6) Stations, insulated chambers with (12) heating fans, (1) MW and (2) Phoenix Contact power supply, (6) FPS-5kw control units, [Back Inside Building]  |
| 574  | Wire and Cables, (2) Pallets of assorted wires, cables, connectors, extension chords, circuit wiring as shown [Back Inside Building]  |
| 575  | [LOT] of (4) Pallets, Electrical/Electronic Parts, including semiconductors, coils, PCB, terminal connectors and others as shown [Production Area]  |
| 576  | Securall flammable cabinet, 2 Door, 3tiers [Back Inside Building]   |
| 577  | Work /Test Station, Butcher's block top, approx 24" x 6', back to back set up, with Foot rest, under counter bin shelvings, slotted metal center plastic bin storage rack, tubular steel legs support, with yellow plastic parts bin, included [Back Inside Building] |
| 578  | Work /Test Station, Butcher's block top, approx 24" x 6', back to back set up, with Foot rest, under counter bin shelvings, slotted metal   |

center plastic bin storage rack, tubular steel legs support, with yellow plastic parts bin, included [Back Inside Building]

| 579 | Storage Racks, 2 -Sections, approx 150" x 24" x 72" 3-tiers, (3) uprights x (12)cross beams [Back Inside Building]   |
|-----|--|
| 580 | Purifier Sub Assembly Parts, Assorted parts and materials, including, 304 stainless tubings, methonal inlets, recuperator plates, ceramic, thin plate/grapite gaskets, core burner, nuts/bolts, reels of plastic tubings, semi rigid nylon, Insulation blocks on 2 sections storage rack, not included [Back[more] |
| 581 | Roseville Precision Inc duct/burner/ spun parts, model Duct ESM, Stainless, (3) Pallets and (2) wooden crates, with welded ducting, domed and coil components plus with boxes of aluminum domed parts as shown [Back Inside Building]  |
| 582 | FV-SE and Co. KG-Fraudenberg fuel cell production materials, model H24C3, (4) Boxes, 450mm wide, and Shandong Polymer material, -PFSA membrane [Back Inside Building]  |
| 583 | Modular Work Desk, approx 6' long x 30" wide, with (6) drawers, Laminated top, blue painted tubular steel legs / framing plus (1) Sheet cutter as shown [Back Inside Building]   |
| 584 | LOT of (5) Metro Racks, 5 Tiers, with lockable wheel casters, back stop rail [Back Inside Building]  |
| 586 | LOT of (5) Metro Racks, 2 Tiers, with lockable wheel casters, back stop rail [Back Inside Building]  |
| 588 | LOT of (5) Metro Racks, 2 Tiers, with lockable wheel casters, back stop rail [Back Inside Building]  |
| 589 | LOT of (2) Mobile Computer Tables, wire weld style, with overhead shelvings, lockable wheel casters [Back Inside Building]   |
| 590 | LOT of (5) Metro Racks, 2 Tiers, with lockable wheel casters, back stop rail [Back Inside Building]  |
| 591 | LOT of (5) Metro Racks, 2 Tiers, with lockable wheel casters, back stop rail [Back Inside Building]  |
| 592 | LOT of (5) Metro Racks, 2 Tiers, no wheel casters [Back Inside Building]   |
| 593 | LOT of (2) Storage Shelvings, Wire weld type with incline basket trays as shown [Back Inside Building]   |
| 594 | Storage Shelvings, Wire weld type with incline basket trays and (1) tool spring balancer, and material reel rack as shown [Back Inside Building]   |
| 595 | Various PCB, Assorted type, including FCE 5kw control boards, busbar panels, current sensors, power module controls, C@K/Ethernet boards, stack boards, on (2) pallets and (1) 2 Tiers metro rack, not included [Back Inside Building]   |
| 596 | Assorted Hardwares, (2) Pallets [Back Inside Building]   |
| 597 | LOT of (2) Electricians Work Table, Laminated top, with riser shelves, on tubular steel legs and frame support, with power outlets [Back<br>Inside Building]   |
| 598 | Heating Mats, (2) Boxes as shown [Back Inside Building]  |
| 599 | Granite Finish Work Table, black polished table top, approx 20" x 7' long with tubular steel legs support, plus (1) Perforated wood tool organizer, wall mount [Back Inside Building]  |

| 600  | Regulators, Assorted supply regulators as shown [Back Inside Building]   |
|------|--|
| 601  | LOT of (13) Altergy 5kw engine control assembly, model FPS 5, on 5 Tiers metro rack, not included [Back Inside Building]   |
| 602  | LOT of (18) Altergy 5kw engine control assembly, model FPS 5, (4) Pallets [Back Inside Building]   |
| 603  | LOT of (2) 5kw FPS 5kw BIRC II Engines, on pallet [Back Inside Building]   |
| 603A | Sorensen modular dc power supply, model DCR 65-180, s/n 119, input @ 187-299vac, 3ph, 60hz, out put @ 0-55vdc, 0-180 A, plus plus (1) Eaton Powerware UPS [Back Inside Building]   |
| 603B | Avista Labs modular pem generator, model SR12, s/n 42, 500w power rating, 24-36vdc, [Back Inside Building]   |
| 603C | FC Control Modules, Including (1) transient power module, 1kw FCM, ultra cap transient modules and (1) [Back Inside Building]  |
| 603D | FC Engine, (1) FE Engine approx 1kw with voltae regulator, truck engine air cooling fan, plus (1) 1kw FC module, [Back Inside Building]  |
| 604  | Power Back Up Engine Assembly, Including (1) integrated power engine cabinet, with associated FC engines, parts and accessories as shown [Back Inside Building]  |
| 605  | Parts Cabinet and Shelvings, with Parts contents as shown, included [Back Inside Building]   |
| 606  | LOT Of (3) Pallet Rack, Total 6 sections, approx (10) 12' x 42" uprights, (30) 8' cross beams [Back Inside Building]   |
| 608  | LOT Assorted Scrap, Various sizes and cut out pieces, stainless and aluminum plus steel on pallet, and on metal storage, not included,<br>and on pallet rack LOT 606, and metal shavings on plastic trash cans as shown [Back Inside Building]   |
| 609  | LOT Parts Bin Organizer, Including (12) metal bins each with 6 plastic bins with electrical parts/ hardware contents as shown included,<br>on 2 Tiers metal rack, with lockable wheel casters, included [Back Inside Building]   |
| 609A | LOT Parts Bin Organizer, Including (12) metal bins each with 6 plastic bins with electrical parts/ hardware contents as shown included,<br>on 2 Tiers metal rack, with lockable wheel casters, included [Back Inside Building]   |
| 610  | LOT Hurst NIDEC synchronous motors, (49)12vdc, direct drive, plus (390 pieces approx total) from (13) boxes @ 32/box of turntable type mini synchronous motors as shown [Back Inside Building]   |
| 610A | LOT Damper Controller PCB, model 109407 rev 2, (280 total) on (7) Boxes [Back Inside Building]   |
| 611  | LOT Changsha Lyrum Materials Co Ltd. nickel foam, FC stack component - electrode catalyst, (196) Packets @ 45packet (8000 to 8820 sheets approx total) on pallet, p/n 102858 [Back Inside Building]  |
| 612  | LOT Changsha Lyrum Materials Co Ltd. nickel foam, FC stack component - electrode catalyst, (220) Packets @ 45packet ( 9000 to 9900 sheets approx total) on pallet [Back Inside Building]   |
| 613  | LOT IMI Nordgren and Solenoid Solutions solenoid valves, (700 to 720 pieces approx total) of p/n 244162, 12vdc, 100MOPD, 1/16 x 1/16, 3 way multi purpose, p/n 351118, s3, 1/4NPT, Grom, BRS, 2WNC, 1/4ORF, p/n 27M3X-A161-100, 13.6vdc, 14.2W, 1/4ORF, 50MOPD, on (16) boxes [Back Inside Building] |

| 614  | LOT of (6) Weigmann electrical enclosure, model N412243008C, 24" x 30" x 8, N4, single door, ANSI61, polyester powder gray, with NP3024CG x 28.2" x 22.2" panels [Back Inside Building]   |
|------|---|
| 614A | LOT of (6) Weigmann electrical enclosure, model N412243008C, 24" x 30" x 8, N4, single door, ANSI61, polyester powder gray, with NP3024CG x 28.2" x 22.2" panels [Back Inside Building]   |
| 615  | LOT of (24) Sigmatron Int'l/Ablemex power board assembly, Conf coated on (12 )boxes @ 2/box, p/n S52-103286-RevA, 103284 Rev C<br>[Back Inside Building]  |
| 616  | LOT 1kw Fuel Cell Parts, (6) Pallets and on (3) rack shelvings as shown, including fan ductings, enclosures, panel components, 1kw housing [Back Inside Building]   |
| 617  | LOT Various Electrical/Electronic Components, Including (8) boxes@ 10/ box, Panduit copper lug/ one hole/flared barrel entry, and (3) boxes LCDX2 series connectors, (2) trays@ 73 pieces, Carling Tech breaker switches, x 20A, p/n HWI34HHelical flat wire conductors, end fittings, cable wiring terminal[more]      |
| 617A | LOT PROMP PCB, including control/ power boards on (2) boxes [Back Inside Building]  |
| 618  | LOT of (120) DIGI -Key DC brushless cooling fans, model THB2048CT, DC 48v rating, 4.80A max input, 5800rpm, 23.410cu-mtr/min @ 827.37 CFM on (12 boxes) [Back Inside Building]  |
| 619  | LOT Advanced Fabrication Tech 5kw fuel cell parts, Including Louver inlet/exhaust components, engine fan ducting panel, fan bumpout and bumpout fuel bay, [Back Inside Building]  |
| 620  | LOT Equipment Travel Boxes, Metal with side handles as shown [Back Inside Building]   |
| 621  | LOT Advanced Fabrication Tech various fuel cell assembly parts, Including truck engine cooling fans/ductings, housing panel, semi assembly with EMP -11" F11 series fans, Hubell resistor, [Back Inside Building]   |
| 622  | LOT of (3) Fuel Cell Engine and Sub-Assembly, model FPS-548C and FPS-32.548C, 48vdc, 5.5kva 114.6A nominal output, 0.035kw,<br>48vdc, 0.73A nominal input, 275kpa (40psig min, 13034kpa (150psig) max inlet pressure, 405 grams/hr @ 5.5kw output, 10 degC to 46<br>degc max, 2.5kva, 48vdc, plus some parts as s[more] |
| 622A | LOT Assorted Hardware, on 8 Tiers metro rack, not included [Back Inside Building]   |
| 623  | LOT of (3) Metro Racks, 5 and 8 Tiers, lockable wheel casters [Back Inside Building]  |
| 624  | LOT of (28) PCB Control Boards, model 106970 Rev 5, 48v, R130=10K, to R52=NI [Back Inside Building]   |
| 625  | LOT of (2) Methanol Reformers, 5kw units [Back Inside Building]   |
| 626  | LOT Niagara Thermal Product LLC stainless fuel stack component for BIRC I-FCE, model MFR-61228-53395A, (32) Boxes @ 68 pieces/box, P/N 102992, (filled fin /blocked fin) approx 13" x 6-1/4"(approx 2000pieces total) [Back Inside Building]  |
| 626A | LOT Niagara Thermal Product LLC stainless fuel stack component for BIRC I -FCE model MFR-61228-53395A, [Lot] Stainless Fuel Cell Components, 1 Pallet, 32boxes @ 68/box (approx 2000 pieces total) [Back Inside Building]   |
| 627  | LOT ELGIN Fastener Group fuel cell stack tie studs, (5) Boxes, 5/16.25 x 6.050x0.750 min indented, Hex washer head, black E coat<br>[Back Inside Building]  |

| 628  | LOT Hydrogen Tank, model 1104, s/n 1104-003, UN3468, hydrogen in metal hydride storage system prototype, -10deg C min, 85 degC max, 1200psig max, on wood crate, with valve control as shown [Back Inside Building]  |
|------|--|
| 628A | LOT Swagelok, Hi-Lok, Western, Breeze fittings, Brass and stainless, precision/quck connect, 2, 3 and 4 ways, on pallet [Back Inside Building]   |
| 629  | LOT Pipes, Rods and Channels, Brass, copper, stainless, some PVC, aluminum, various length and sizes [Back Inside Building]  |
| 630  | LOT Purge Blocks, model 104642, (110) Purge blocks with PCB controls, (3) boxes aluminum alodine MIL-DTL-5541F-type 1 class 1a<br>purge block contains hexavalent chromium, plus Parker pneumatic/hydrogen gas media and Eaton synflex manifold hose, plus Digi Key<br>power distribution block IPOS 115A, 600v, o[more] |
| 631  | LOT Delfina purifier sub-assembly parts, model 108749, 0.9mm thk, 304 -2B, stainless plates, (2600 approx) on 26 boxes, plus (#) boxes Frenzelit, p/n 107981 thin graphite gaskets as shown [Back Inside Building]   |
| 632  | LOT of (24) Interface Fans, model 104199A, with (3) axial cooling fans, on heat shrink panel with PCB control board each unit, on (2) boxes [Back Inside Building]   |
| 633  | LOT DIGI -Key, Os-Con, electrical/electronic parts, Approx (11) boxes, including alum capacitors, p/n P16512TR-NO, RES-SMD, p/n 311-24.9KFRDKR-NP and varous p/n as shown, on pallet [Back Inside Building]  |
| 634  | LOT Assorted BIRC Parts /Components, Including Parker hydrogen tank manifold hoses, tubings, foam tapes, stainless exhaust screen, as shown, on pallet [Back Inside Building]  |
| 635  | LOT DIGI -KEY/Delta Electronics tube axial fans, model PFR0912XHE-SP00, (192 units) on (4) Boxes plus approx (70) on (4) smaller boxes various sizes as shown [Back Inside Building]   |
| 636  | LOT DIGI -KEY, JST, Mouser electrical /electronic parts, Various parts including connectors and terminals, p/n 107003, capacitors, 2-<br>input logic gates among others as shown on pallet [Back Inside Building]  |
| 637  | LOT Roseville Precisions copper busbars, model 104626, (80 pieces) on (4) boxes [Back Inside Building]   |
| 638  | LOT BIRC II Electrical/Electronic Components, (8) boxes, including p/n S52-104633-RevB, PCB purge block heater, Hubell capacitor on pallet [Back Inside Building]  |
| 639  | LOT ALITA air compressors, model AL20SB, (84units approx total) on (17) Boxes, 12v, 3.2A, 20ltr/min @ 10kPa, 5-15kPa Nominal operating range [Back Inside Building]  |
| 640  | LOT of (24) Alita air compressors, model AL40SB, on (3) Boxes, AC 12 v, 6amps, plus (1) box of long tie studs (2017) [Back Inside Building]  |
| 641  | LOT RES-Q bolt stack stud, for 14 Cells UC-340F, on (9) Boxes @ 160studs/box, 5/16"-24 x 6.050 x 0.750min, indented hex washer head, GR.5 - Zinc clear - trivalent /bake, 0.0003min, plus (2) boxes of FC stack rubber end plate gaskets, p/n 106944 [Back Inside Building]  |
| 642  | LOT Sigma International pcb assembly for BIRC II-FPC for Temperature Sensorsfor, fuel bank, among others (10) boxes as shown on, p/n S52-104328-RevA, 106935, 106930, 104098, [Back Inside Building]   |
|      |  |

| 667 | LOT Coffee Makers, Including (1) BUNN p/n 38700-0011, model Axiom DV-TC series, plus (3) pots and (1) thermos plus coffee mugs as shown [Offices/Work Stations]   |
|-----|---|
| 663 | LOT of (14) Roll On Tables, approx 30" x 5', lockable wheel casters, [Back Inside Building]   |
| 662 | LOT Air/Gas Tanks, Including 24) Luxfer- WK 498872, Oxygen first responder tanksTC-3HWM-153, DOTE-7235-2216, 45SCF, 2216psig, p/n L45N, expansion range 75-90cc, and (4) methane air gas calibration [Back Inside Building] |
| 661 | LOT of (7) Assorted Stools, with and without back rest as shown [Back Inside Building]  |
| 660 | LOT of (6) Rolling Stand, Stainless, plus (1) mobile worker stool with small plastic bin slotter storage panel [Back Inside Building]   |
| 656 | HAAG collapsible canopy, steel support, polyester covers, with storage bag, approx 10' x 10' x 7' [Back Inside Building]  |
| 655 | LOT of (3) Patio/Beach Umbrella, Navy blue [Back Inside Building]   |
| 654 | LOT Conventions/Trade Shows Display Equipment, Including collapsible pop ups/ modular displays and half moon wave counter plus interlocking floor tiles with carrying cases as shown [Back Inside Building]                 |
| 653 | BENQ 32" LCD wide screen monitor, model BL3200-B, s/n ETE7E05248SL9, Type BL3200PT, 100-240v, 50/50hz, 1.20A, with HD traveling case [Back Inside Building]   |
| 652 | LOT Pallet Racks with Safety Gates, (4) Sections, with (5) x 12' x 42" uprights, (20) x 8' and (5) x 6' long crossbeams with (6) welded wire safety gate enclosures, approx 4' x 12 per gate [Back Inside Building]         |
| 651 | Pallet Racks, (5) Sections, with (7) 12' x 42" uprights, (27) x 8' cross beams, wood block deckings [Back Inside Building]  |
| 650 | Pallet Racks, (7) sections, with (7) x 12' x 42" uprights, (47) x 8' crossbeams, wood block deckings [Back Inside Building]   |
| 649 | Pallet Racks, (6) sections with (7) x 12' x 42" uprights, (40) x 8' crossbeams, wood block deckings [Back Inside Building]  |
| 648 | LOT Floor Mat, plus anti fatigue foam on pallet as shown [Back Inside Building]   |
| 647 | Haler wine cooler, model BD01U0E0100, s/n BD01U0E0100BQ3CB019, Glass front door [Back Inside Building]  |
| 646 | Koolspace wine cooler, model C-Series, 2- Door unit with (11) wire racks as shown [Back Inside Building]  |
| 645 | LOT of (9) FPS 5kw BIRC Engine Support Modules, model PFS-5, 48v, no Vtap clamp, with aux port, on/of switch, CIB/Recirculating/ethernet/ports, cap charge/communication/error/status light warning, [Back Inside Building] |
| 644 | LOT of (9) FPS 5kw BIRC Engine Support Modules, model PFS-5, 48v, no Vtap clamp, with aux port, on/of switch, CIB/Recirculating/ethernet/ports, cap charge/communication/error/status light warning, [Back Inside Building] |
| 643 | LOT Farnam Tutco heating fans, (196 pieces approx total) on (4) Boxes @ 50/boxes, 175w, 120v, p/n AF201751200624 [Back Inside Building]   |

| 668  | LOT of (5) Herman Miller Aeron-AE123AWB office swivel arm chairs [Offices/Work Stations]  |
|------|---|
| 669  | LOT of (5) Herman Miller Aeron-AE123AWB office swivel arm chairs [Offices/Work Stations]  |
| 670  | LOT of (5) Herman Miller Aeron-AE123AWB office swivel arm chairs [Offices/Work Stations]  |
| 671  | LOT of (5) Herman Miller Aeron-AE123AWB office swivel arm chairs [Offices/Work Stations]  |
| 672  | LOT of (5) Herman Miller Aeron-AE123AWB office swivel arm chairs [Offices/Work Stations]  |
| 673  | LOT of (5) Herman Miller Aeron-AE123AWB office swivel arm chairs [Offices/Work Stations]  |
| 674  | LOT of (6) Herman Miller Aeron-AE123AWB office swivel arm chairs [Offices/Work Stations]  |
| 674A | LOT of (7) Herman Miller Aeron-AE123AWB office swivel arm chairs [Offices/Work Stations]  |
| 675  | LOT of (30) Visitor Arm Chairs, Stackable [Offices/Work Stations]   |
| 676  | LOT of (25) Visitor Arm Chairs, Stackable, fabric upholstered [Offices/Work Stations]   |
| 677  | LOT of (2) Accent Tables, on Back up power -UPS frame (bare, frame only) [Offices/Work Stations]  |
| 678  | HP 44" wide print printer, model Q668A-DesignJEt -T1100ps, s/n MY7450C01T, 200w, 50/60hz, 100-240v, 2a, with extra toner as shown [Offices/Work Stations]                 |
| 679  | HP printer/copier, model Laser Jet MFP series, Digital control, [Offices/Work Stations]   |
| 680  | LOT of (2) Brother and HP printer/copier, model DCP-7040 and Laser Jet 4 [Offices/Work Stations]  |
| 680A | LOT of (2) Brother printer/copier, model 2300W [Offices/Work Stations]  |
| 680B | LOT of (2) HP and Canon printer/copier, model Super G3-Faxphone L60 and LaserJt P1006 [Offices/Work Stations]   |
| 681  | Kyocera printer/copier, model Taskalfa 3051ci, Digital control [Offices/Work Stations]  |
| 682  | Formax document shredder, model FD8400CC, Touch digital control, cross cut auto stop start, 20 shts capacity rating, high security setting, 30fpm [Offices/Work Stations] |
| 683  | Fellowes document shredder, model DM1SC, Cross cut, 15 sheets capacity rating [Offices/Work Stations]   |
| 684  | LOT of (11) AOV flat screen computer monitors, model ASO T38, 20" [Offices/Work Stations]   |
| 685  | LOT of (6) Dell flat screen computer monitors, 24" [Offices/Work Stations]  |
|      |   |

686 LOT of (8) Dell flat screen computer monitors, 20" [Offices/Work Stations]

| 687  | LOT of (13) Dell flat screen computer monitors, 20", 24", 18" [Offices/Work Stations]  |
|------|--|
| 688  | LOT of (4) Lap Top Computers, (3) Dell-Latitude E6400, P46G, PTOP30, (1) Compaq-EvoN400C [Offices/Work Stations]   |
| 689  | LOT of (5) Lenovo and Dell lap top computers, T43 and Precision M4800 [Offices/Work Stations]  |
| 689A | LOT of (5) Compaq, lap top computers, NC600, Bang and Olufsen-Zbook, HP-ASLT18 [Offices/Work Stations]   |
| 689B | LOT Desk Top Computer Assembly, approx 20, various make and models, for parts, or for recycle [Offices/Work Stations]  |
| 690  | LOT of (8) Dell desk top computer tower cpu, Various models, plus (1) Sea Gate Think center, 4T capacity, p/n 9SP5Ar-500<br>[Offices/Work Stations]  |
| 691  | LOT of (8) Dell desk top cpu, model Optiflex 3060, 3040, [Offices/Work Stations]   |
| 692  | LOT of (7) Dell mini desk top cpu, model Optiflex 0020 [Offices/Work Stations]   |
| 693  | LOT Big Lot of IT Parts, Paraphernelia /Accessories, Including keyboards, mouse, monitor stands, lap top bags, cablewares, power<br>supply, communication cables, PCB-control boards, memory chip, internal drives, Windows softwares, lap top dock, [Offices/Work<br>Stations]                                    |
| 694  | LOT of (39) 3 and 2 Drawers beige and brown metal file cabinets [Modular Office Workstation Area]  |
| 695  | LOT of (39) 3 and 2 Drawers beige and brown metal file cabinets [Modular Office Workstation Area]  |
| 696  | LOT of Modular office work station with (16) Single and Double cubicles, laminated work top, base mount power outlets, overhead book shelves with flip up cover, [Office/Workstation]  |
| 697  | LOT of Modular office work station with (15) Single and Double cubicles, laminated work top, base mount power outlets, overhead book shelves as shown[Officce/Workstation]   |
| 697A | LOT of Modular office work station with (9) Single and Double cubicles, laminated work top, base mount power outlets, overhead book shelves as shown [Office/Workstation]  |
| 698  | Main Conference Table, approx 36"and 48" x 10' with (11) arm chairs [Conference Room]  |
| 699  | Conference Room side storage cabinet, approx 24" x 8'  |
| 701  | LOT Executive Office Work Station, L shape, 3 drawers with approx 36" dia conference end, side return, attached book and file storage cabinet with (4) top and (2) bottom doors enclosure, 5 drawers, and desk height counter, plus (2) 5 tiers book shelves with books from energy, management, finance tit[more] |
| 702  | Lot of (2) Wide Screen Television, Wall hang, [Offices/Work Stations]  |
|      |  |

| 703  | LOT Chaise Lounge Chair, Purple suede, plus (1) 2 drawer lateralwooden cabinet, (1) side table cum foot rest [Offices/Work Stations]  |
|------|---|
| 704  | LOT Display Rug and Paintings, (2) wall arts as shown [Offices/Work Stations]   |
| 705  | LOT File Storage Racks, (5) Sections, approx (7) 14" x 9' uprights, (26) x 8' and 4' crossbeams, with steel plate base, beige [Offices/Work Stations]   |
| 706  | LOT of (4) Lateral File Cabinet, Metal, 3 drawers [Offices/Work Stations]   |
| 707  | LOT of (7) Lateral File Cabinet, Metal, 3 drawers [Offices/Work Stations]   |
| 708  | Roll Around Safety Ladder, 7 step x 16" approx [Offices/Work Stations]  |
| 709  | Record Custodian Work Station, modular, L shape, 45 deg cut on corner, with laminated counter top, document receiving counter, overhead book shelf with hinged up cover, plus (3) 2 drawers file cabinets, panels pn 3 corners, with power outlet [Offices/Work Stations]   |
| 711  | LOT Office Work Station, L shape, 3 drawers with approx 36" dia conference end, side return, attached book and file storage cabinet, plus (2) 5 tiers approx 3' wide book shelves [Offices/Work Stations]   |
| 712  | LOT Executive Office Work Station, L shape, 3 drawers with approx 36" dia conference end, side return, attached book and file storage cabinet, plus (2) 5 tiers approx 3' wide book shelves, plus, (1) cabinet with top bookcase, over cabinet counter, (1) 2 drawer lateral file wooden cabinet, (1) metal[more] |
| 713  | LOT Conference Table, Stone Glossy laminate top, with (6) arm chairs [Offices/Work Stations]  |
| 714  | LOT Executive Office Work Station, L shape, 3 drawers with approx 36" dia conference end, side return, overhead book shelve with doors, document and letter cubbies, (2) 2 drawers lateral wooden file cabinet, (1) 5 tiers book shelve, (1) metal 4 drawers metal file cabinet [Offices/Work Stations]           |
| 715  | Lot Receiving/Reception Work Station, Modular, U shape, with angled front, laminated top counter, receiving riser/counter, with (2) 2 drawers metal file cabinets, (1) 4 sections, 36 slots document storage, overhead bookcase, fabric finish wall panels, with power outlets [Offices/Work Stations]            |
| 716  | LOT Executive Office Work Station, L shape, 3 drawers with approx 36" dia conference end, side return, attached book and file storage cabinet with (1) 2 drawers lateral wood file cabinet, [Offices/Work Stations]   |
| 717  | LOT of (2) Executive Office Work Station, L shape, 3 drawers with approx 36" dia conference end, side return, attached book and file storage cabinet with (1) 2 drawers lateral wood file cabinet, (1) Cornice top book shelve [Offices/Work Stations]  |
| 718  | Modular Electrician Table, U-shape, angled on two corners, with (2) 3 drawers file/tools and parts cabinet, power panel with (6) power outlets, laminated top cpounter, blue painted tubular steel support [Offices/Work Stations]  |
| 718A | LOT Semiconductor Parts, Assorted type and make, on 5 tiers metro rack, included, plus (3)metal small parts storage bins [Offices/Work Stations]  |
| 720  | Conference Table, Stone Glossy laminate top, with (6) arm chairs [Offices/Work Stations]  |

| 720B | LOT Projector, Including (1) Ceiling installed View Sonic, and (1) Kodak type carousel type with (1) White board as shown [Offices/Work Stations]   |
|------|---|
| 721  | LOT of (2) Executive Office Work Station, L shape, 3 drawers with approx 36" dia conference end, side return, attached book and file storage cabinet with (1) 2 drawers lateral wood file cabinet, (1) book shelve [Offices/Work Stations]  |
| 722  | LOT of (2) Royal Aire commercial vacuum cleaner, 12 A motor, [Offices/Work Stations]  |
| 723  | LOT of (3) Electrolux and Panasonic carpet and vacuum cleaner, (1) Floor Pro and (1) Platinum plus, (1) light duty [Offices/Work Stations]  |
| 724  | LOT IBICO and Carl BIDEX paper trimmer and binder, model IBIMATIC, DC250, 25" HD rotary trimmer [Offices/Work Stations]   |
| 725  | Employee Locker, (6) Sections, 2 high, vented doors, gray [Offices/Work Stations]   |
| 726  | LOT of (7) Frame Right altergy wall arts, Abstract, athmospheric theme [Offices/Work Stations]  |
| 728  | LOT of (2) Executive Office Work Station, L shape, 3 drawers with approx 36" dia conference end, side return, overhead book shelve with doors, document and letter cubbies [Offices/Work Stations]  |
| 729  | Folding Partition, 6 Panels, approx 7 to 8' high x 24" wide per panel on mobile base [Offices/Work Stations]  |
| 730  | LOT White Boards, Plantwide, as counted and marked, various sizes, approx 15 [Offices/Work Stations]  |
| 731  | LOT Operators's Desk, Modular type, with laminated top with under counter blue (4) drawers file cabinet, plus (2) extra 2 drawers brown file cabinets [Offices/Work Stations]   |
| 732  | Work Table, approx 40" wide x 12" deep x 40" high with 8" back counter, steel support, (2) slotted small bin metal rack panel, end wings for tool storage, lockable wheel casters [Offices/Work Stations]   |
| 733  | LOT of (2) APC ups, One is inside server room [Offices/Work Stations]   |
| 733A | LOT of (2) Radio Communication Equipment, Including (1) True Position, model ANYPHONE, local measuring devise, (1) Exalt, EX-5i-<br>16, s/n PE391154847, Mac add - 00170900696E, microwave backhaul radio triband TDD, expandable 4-16xT1/E1 + 10/100 base T, 5<br>ghz, plus (1)exterior PELCO - IQeyes security ca[more] |
| 736  | LOT Portable Packaging Equipment, (1) Better Packaging paper tape dispenser (1) Corner rounder-Mold 20, (1) tape dispenser, plus (1)<br>6" x 6" scissor stand, and (1) XACTO sharpener [Offices/Work Stations]  |
| 737  | LOT Assorted Materials, Including shipping carton corner /edges protection, threaded rods, channels, on aluminum extrusion rack, included, plus (boxes of scrubber) [Offices/Work Stations]   |
| 738  | LOT of (3) Roll On Tables, Lockable wheel casters [Offices/Work Stations]   |
|      |   |

| 739  | LOT of (25) IT/ Ethernet Equipment lot of (25), Including Netgear- ProSafe VPN firewall-FVS318, dual speed hub, fast ethernet, FS108, workgroup hub, Magnum converter switch, Motorola development kit, Garrett, Linksys, D-link, Nokia Siemens Network, p/n AT3003-<br>00AA-S-09, s/n 1006B00006588,TrendNet- G[more] |
|------|--|
| 740  | LOT Barrel Pump Components, Stainless, with various fittings, and tubings, (6) tubes with heating elements as shown [Back to Warehouse]  |
| 741  | LOT of (4) Plastic Tarps [Back to Warehouse]   |
| 743  | LOT of (3) Portable Heaters, Including (1) Honeywell, (1) Holmes and (1) Sunbeam [Back to Warehouse]   |
| 744  | LOT of (6) Neon Controls regulators, with pressure gaugs, stainless [Back to Warehouse]  |
| 745  | LOT Compressed Air Tank, 28.7lbs capacity, TW with swagelok control valve, supply/discharge filter and valve control on wall as shown<br>[Back to Warehouse]   |
| 747  | LOT of (2) Pallets with Reformer Components, including Rolls of Robinson stainless fins, graphite sheets, PFSA membranes-DMR100 [Production Area]  |
| 748  | LOT Reformer panel Components, on 2 pallets as shown, plus Injection Mould assembly, steel for fan duct, for parts or recycle, spring loaded /eject [Back to Warehouse]  |
| 749  | LOT of (2) Modular Work Bench, with hinged doors, parts drawers, laminated top counters as sohwn [Back to Warehouse]   |
| 750  | Modular Work Bench, L shaped with 3 drawers under counter file/parts and tools cabinet, pull out computer tray, laminated top counter, painted blue tubular legs support [Back to Warehouse]   |
| 751  | LOT Various Solutions/ Chemicals, Some are Partial, including, Methanol, Hazmatpac-IDATECH Biohydroplus, methanol/water fuel mix,<br>EMCO-N-Propyl Alcohol, Stellar Solutions CITRISURE 2050 cleaning treatment, plus bag of activated aluminum oxide (SUBJECT FOR<br>APPROVAL) [Back to Warehouse]                    |
| 752  | LOT of (2) Engine Stack Test Bay, Including (4) Truck Cooling Fan Duct assembly and (2) 50 Stack fuel cell units as shown [Back to Warehouse]  |
| 753  | LOT of (13) Safety Bollard, High visibility orange, on rubber and plastic base [Back to Warehouse]   |
| 754  | LOT of (4) Nitrogen Compressed Air Tanks [Back to Warehouse]   |
| 755  | LOT of (16) Fuel Cell Engine Service/Control Modules, FPS and FPS-5, [Back to Warehouse]   |
| 756  | LOT Various Tubular Steel, Including Power Panel for modular table with (8) power outlet, plus (approx (15) cross beams [Back to Warehouse]  |
| 757  | LOT Fuel Storage Cabinet Parts, Including valve inlet/outlet panels, as shown [Back to Warehouse]  |
| 757A | LOT of (40) Plastic Trash Cans, 2 sizes as shown, + (3) multi porpose containrs with flip up lid covers [Back to Warehouse]  |
|      |  |

| 759  | Element 1 hydrogen generator, model H75, s/n K075X-130007 (2013), with Catalyst unit, 48vdc, with data and communication ports,<br>hydrogen vent/output and methanol/water input switch control, with SSR-SO5-DD -H relay, fuel processor control PCB, flow HEX on<br>Board model as shown [Back to Warehouse] |
|------|--|
| 759A | LOT of (640) SUNON axial fans, PMD-1212PTB3-A, DC 12v, 6.5W, on (16) boxes, p/n P52-103854 [Back to Warehouse]   |
| 760  | LOT of (2) Frame Manifold, model 101400, HD steel, [Back to Warehouse]   |
| 761  | LOT Office Supply, Including, punchers, staples, toners, bond papers, pencil sharpeners, tape holders/dispensers, binder coils, stamper<br>[Back to Warehouse]   |
| 762  | LOT Foot Rest /Massager, plus (1) folding table as shown [Back to Warehouse]   |
| 762A | LOT Assorted Organizers, Documents and pen organizers [Back to Warehouse]  |
| 763  | LOT Battery Case, with terminals as shown [Back to Warehouse]  |
| 763A | LOT of (3) Heat Sealers, Including(2) GBC H212,H65, (1) Scotch, [Back to Warehouse]  |
| 764  | LOT Assorted Office Stuff, Including (1) Chinese new year cat (5) wall clocks, (1) Eagle table display, plus (1) Canvass stand, (1)plastic ornamental plant and others as shown [Back to Warehouse]  |
| 765  | LOT Altergy Printed Robotic and FC Stack Photos /Print on aluminum board, [located at front desk]  |
| 766  | Portable Drum/Bucket Pump [Production Area]  |
| 767  | LOT Assorted Electrical/Pneumatic Parts, on (2) 2 Tiers metro racks, not included, plus portable hydrogen bottles as shown [Production Area]   |
| 768  | LOT of (3) Metro Racks, 2 Tiers, lockable wheel casters [Production Area]  |
| 769  | LOT of (4) Cart and Dollies, as Shown [Production Area]  |
| 770  | LOT of (2) Metro Rack, no wheel casters, 2 tiers [Production Area]   |
| 771  | LOT of (3) PVC Carts, (1) 2 tiers [Production Area]  |
| 772  | LOT Safety Harness, Ropes and Straps, Including MSA and Chuhu rachet tie downs, and others as shown [Production Area]  |
| 773  | LOT of assorted parts and consumables, as Shown on wooden counter, [Production Area]   |
| 774  | Work Table, Black glossy top, rounded edge, approx 24" x 8', tubular legs support [Production Area]  |
| 775  | Metal Shelving, 5 tiers, approx 12" x 8' x 6', wood block side supports,   |

| 776 | LOT of (90) Fuel Cell Stack End Plates, aluminum, approx 3/4" x 6-1/4" x 13" each, non threaded, for Nacelle on pallet [Warehouse on top of Pallelt Rack]   |
|-----|---|
| 777 | LOT of (120) Fuel Cell Stack End Plates, aluminum, approx 3/4" x 6-1/4" x 13" each, non threaded, for Nacelle on pallet [Warehouse on top of Pallelt Rack]  |
| 778 | LOT of (10) Sigmatron International FPS 5kw BIRC engine support modules, 48v, no Vtap clamp, with aux port, on/of switch, CIB/Recirculating/ethernet/ports, cap charge/communication/error/status light warning, p/n A52-105998-RevA [Production Area]    |
| 779 | LOT Chains and grommet covers, as shown [Production Area]   |
| 780 | LOT of (12) Sigmatron International FPS 5kw birc engine support modules, 48v, no Vtap clamp, with aux port, on/of switch,<br>CIB/Recirculating/ethernet/ports, cap charge/communication/error/status light warning, p/n A52-105998-RevA [Production Area] |
| 781 | Modular Work Bench, L shaped with 3 drawers under counter file/parts and tools cabinet, pull out computer tray, laminated top counter, painted blue tubular legs support [Production Area]  |
| 784 | Hydraulic Scissor Lift Table, Foot pump control [Production Area]   |
| 785 | Mobile Electronic Load, 3 Units as shown [Production Area]  |
| 786 | LOT Pneumatic Tubings, (6) Yellow plastic reels, (1) black, (1) white and edge packing, trims and gasket materials as shown [Inside Electrical/HVAC ROOM]   |
| 787 | LOT Electrical Parts, on (1) 2 door metal storage cabinet, not included (NOTE: SUBJECT TO APPROVAL) [Inside Electrical/HVAC ROOM]   |
| 788 | LOT Electrical Parts, on (1) 2 door metal storage cabinet, not included ( NOTE:SUBJECT TO APPROVAL) [Inside Electrical/HVAC ROOM]   |
| 789 | LOT Electrical Parts, on (1) 2 door metal storage cabinet, not included (NOTE: SUBJECT TO APPROVAL) [Inside Electrical/HVAC ROOM]   |
| 790 | LOT Assorted Service Parts, on (2) Metro racks, not included (NOTE: SUBJECT TO APPROVAL [Inside Electrical/HVAC ROOM]   |
| 791 | LOT Assorted Service Parts, on (1) 2 Tiers metro rack, not included (NOTE: SUBJECT TO APPROVAL) [Inside Electrical/HVAC ROOM]   |
| 792 | TEFC pumps, Centrifugal (NOTE: SUBJECT TO APPROVAL) [Inside Electrical/HVAC ROOM]   |
| 793 | Electrical Parts, (3) Transformers as shown [Inside Electrical/HVAC ROOM]   |
| 794 | Pneumatic Cylinders, Plus various valves/controls, gauges as shown [Inside Electrical/HVAC ROOM]  |
| 795 | LOT of (2) FC BIRC II, 5kw Engine, located by conference at front, displaymodels, with stand included [Office Area Inside]  |
| 796 | LOT of (2) Nacelle Back Up Power Cabinets, (1) by front conference area and (1) by production area, cabinet only, [Office Area]   |

| 797 | LOT of (6) Arm Ch | irs, Printed fabric | c upholstered | [Inside Office | Area Inside] |
|-----|-------------------|---------------------|---------------|----------------|--------------|
|-----|-------------------|---------------------|---------------|----------------|--------------|

| 798 | LOT Desk Chair Mats, As shown [Office Area]  |
|-----|--|
| 799 | LOT TEAC Radio, entertainment package, with (10) for radio/computer speakers [Production Area]                                   |
| 800 | LOT of (10) Computer monitors, Various make, models and sizes as shown [Office Area]   |
| 801 | LOT of (35) Visitor's Arm Chairs, Stackable [Office Area]  |
| 802 | LOT of (2) Portable Airconditioner, Mobile [Conex]   |
| 803 | LOT of (3) IBC Bulk Containers [Outside Tank Farm Area]  |
| 804 | LOT Hose Reel Carts [Outside Tank Farm Area]   |
| 805 | Hose Reel, Red [Outside Tank Farm Area]  |
| 806 | LOT of Packaging Foams and Blank Cartons, approx (2)" thk black foam, and half Gaylord Box Sizes on (2) Pallets [Warehouse Area] |
| 807 | [LOT] of (21) Convoy plastic pallets [Top of Conex by Tank Farm]   |
| 808 | Portable ramp acccess to container, aluminum [Outside by Conex]  |
| 809 | Tubular Steel framed tank cylinder pallet, approx 7 to 8' long x 6' wide [ Top of Conex by Tank Farm]                            |
|     |  |