

Machinery Network Auctions



Late Model Laser Cutting, Welding, Stamping & Machining Facility

Featuring: Trumpf Lasers, Kuka Laser Welding Robots, Stamping, Welding, Fabrication, CNC, EDM, Inspection, Toolroom Equipment, As new As 2017

C. Cam. a San Lorenzo
1202
Sanctorum
Puebla
72730
Mexico

Started 10 feb. 2023 10:00 PT (18:00 GMT)

Lot	Description
12	100 KVA Messer Griesheim UP100E Spot Welder, MPS1043 Control, Harms & Wende System, s/n 1290410470, New 1990
13	100 KVA Messer Griesheim UP100E Spot Welder, MPS1043 Control, Harms & Wende, s/n 99410770, New 1983 *Needs New Board*
14	100 KVA Messer Griesheim UP100E Spot Welder, MPS1043 Control, Harms Wende System, s/n 8110018393, New 1983
18	Atlas Copco FX11 (A9) AIR DRAYER, s/n CAI208790, New 2006
19	{ Choice of lots: 19 } SCA PPW57-200P16-R--E Pneumatic Seal Pump, Max Temp. 100 C, Material Pressure 350 BAR, Air Pressure 6 BAR, with SCA PU3000900100 Control Panel, SCA Manual Gun with Control, s/n 2411670108, New 2004
20	{ Choice of lots: 20 } SCA PPW57-200P16-R--E Pneumatic Seal Pump, Max Temp. 100 C, Material Pressure 350 BAR, Air Pressure 6 BAR, SCA PU3000900100 Control Panel, SCA Seal Feeder, (2) SCA Manual Guns, Hydraulic Unit and Contorol, s/n 231159020A, New 2003
21	{ Choice of lots: 21, 22 } SCA PPW57-200P16-R--E SEAL PUMP, Max Temp. 100 C, Material Pressure 350 BAR, Air Pressure 6 BAR, SCA PU3000900100 Control Panel, s/n 231159010A, New 2003
22	{ Choice of lots: 21, 22 } SCA PPW57-200P16-R--E Pneumatic Seal Pump, SCA Seal Feeder and SCA Manual Gun with Control, s/n 231158030A
24	{ Choice of lots: 24 } ECKOLD DFB 377/049652 Clinching Machine, ECKOLD 109/049971 Hydraulic Unit, New 2003
25	{ Choice of lots: 25, 26 } ECKOLD DFB 381/049576 Clinching Machine, ECKOLD 110/050030 Hydraulic Unit, s/n 2172-6677, New 2005
26	{ Choice of lots: 25, 26 } ECKOLD DFB 384/ 0 49712 Clinching Machine, ECKOLD 109/049971 Hydraulic Unit, s/n 2172-6678, New 2005
27	{ Choice of lots: 27, 31 } ECKOLD DFB 377/ 0 49652 Clinching Machine, ECKOLD 109/049971 Hydraulic Unit, s/n 2172-6675, New 2005
28	{ Choice of lots: 28, 29, 30, 30A, 30B, 31A } ECKOLD DFB 376/0 49646 Clinching Machine, ECKOLD 110/050030 Hydraulic Unit, s/n 2172-6674, New 2005

29	{ Choice of lots: 28, 29, 30, 30A, 30B, 31A } ECKOLD DFB-378/ 049654 Clinching Machine, ECKOLD 109/049971 Hydraulic Unit, s/n 21726679, New 2005
30	{ Choice of lots: 28, 29, 30, 30A, 30B, 31A } ECKOLD DFB-495/055043 Clinching Machine, ECKOLD 109/049971 Hydraulic Unit, s/n 2144/6537, New 2004
30A	{ Choice of lots: 28, 29, 30, 30A, 30B, 31A } ECKOLD DFB 380/ 0 49658 Clinching Machine, Hydraulic Unit, s/n 2048-6060
30B	{ Choice of lots: 28, 29, 30, 30A, 30B, 31A } ECKOLD DFB 379/ 0 49656 Clinching Machine, with Hydraulic Unit
31	{ Choice of lots: 27, 31 } ECKOLD DFB 730/ 0 49632 Clinching Machine, ECKOLD 109/049971 Hydraulic Unit, s/n 2171/6672, New 2005
31A	{ Choice of lots: 28, 29, 30, 30A, 30B, 31A } ECKOLD DFB 730/ 0 75927 Clinching Machine, ECKOLD 109/049971 Hydraulic Unit, s/n 90011276, New 2005
48	{ Choice of lots: 48 } 110 TON GEKA HYD 110 SD Hydraulic Iron Worker, Cut: 6-1/2" X 6-1/2" X 1/2", 2" Max, 90°, s/n 107759, New 2012
49	110 Ton GEKA HYD 110 SD Hydraulic Iron Worker, Cut: 6-1/2" X 6-1/2" X 1/2", 2" Max, 90°, s/n 107789, New 2012
50	85 Ton Metalurgica Souza Ltda (MSL Maquina Limeira) P.E. ENG 85 Gap Frame Press, 31.5" x 27.5" Table, 9" Vertical Travel, 60 SPM, 7.5-HP, s/n 414, New 2001 *Needs Repair*
51	88 US Ton Aida NC1-80 Gap Frame Press, Slide Stroke: 6.29", 40 - 75 SPM, Die Height: 12.59", Slide Adjustment: 3.14", Slide Area L.R X F.B: 21.25" x 18.11", Bolster Area L.R X F.B: 37.40" X 23.62", Main Motor: 10 Hp, Required Air Pressure: 71 Psi, s/n 00208-6854 *Needs New Control*
52	121 US Ton Aida NC1-1100 Gap Frame Press, Slide Stroke: 180mm (7.09"), 35 - 70 SPM, Die Height: 350mm (13.78"), Slide Adjustment: 90mm (3.54"), Slide Area L.R X F.B: 630mm X 520mm (24.8 X 20.5"), Bolster Area L.R X F.B: 1070mm X 680mm (42.1 X 26.8"), Main, Motor: 7.5 Kw (10-Hp) , Required Air Pressu ...[more]
53	224 US Ton Hartmann Maschinenbau RP 200-2000 Single Ram Mechanical Press, Over Travel (Nachlaufweg): 99mm, Follow Up Time (Nachlaufzeit): 140 ms, Control, s/n 857-05, New 2005 *Parts Only*
54	110-Ton Brown Boggs S20LJA OBI Press, 5" Stroke, 15 1/2" X 19 1/2" Shut Height, 3 1/2" Adjustment, 42" X 27" Bed Area, 28" X 21" Ram Area, 60 - 120 SPM, Cage, s/n 81113, New 1981 *Parts Only*
55	165 US Ton Aida NC1-1500 (2) E Single Point Straight Side Stamping Press, Blanking Capacity: 132 US Ton, Slide Stroke: 7.87", 30 - 60 SPM, Die Height: 15.7", Slide Adjustment: 3.93", Slide Area: 27.5" X 22.8", Bolster Area: 46" X 29.9", Main Motor: 15 HP, Light Curtain, Touchpad Controller, s/n C041 ...[more]
56	281 Ton Heilbronn Rep 250 Gap Frame Single Column Eccentric Press, Stroke: 500mm, 40 - 80 SPM, Adjustment: 125mm, Electric Power Motor: 48 Kw, Siemens Control, Wintress Press Automation Smartpac 2, Associated Equipment, s/n 105804, New 2001 *Needs Repair*
57	800 Ton USI S2-800-120-72 Straight Side Stamping Press, Stroke: 20", Shut Height: 48", Adjustment: 30", Table Size: 120" X 72", 12 SPM, (2) Beds, 10 Ton Cushion Pressure, 11" Cushion Travel, 36" Cylinder Diameter, Associated Equipment, Serial: 10-1776

58	Tishken 12-HMW-1 1/2 Cold Roll Forming Machine, 12-Stand, 15-Hp, Roll Space: 304.8 mm (12"), Arbor Diameter: 38.1 mm (1 1/2"), Horizontal Distance Between Centers: 9", Vertical Distance Between Centers: 4 1/2" - 6 1/2", Coolant System, Variable Speed, Associated Equipment, s/n 12066-366 *Parts Only*
60	Cincinnati CFV 800 Vertical Machining Center, GE Fanuc 18I-MB Control, Table 33" X 20.5", 31.5" x 20" x 20" Travels, 25 ATC, CAT 40, 15 HP, 12K RPM, s/n 7088-F00-KI0032, New 2004 Associated Equipment *Needs Repair*
62	Littell No. 10 Uncoiler, 1,000 Lbs. Cap., Coil Width 12", Coil I.D. 12" - 16", Maximum Coil O.D 48", Non Motorized
63	Heilbronn Haemr 3200/500 Roll Uncoiler, Capacity: 4,000 Lb, Mandrel Width: 36", Thickness at Full Width: .210", Maximum Velocity: 325 FPM, Motorized, s/n 205985
64	COE Press Equipment Roll Uncoiler: Capacity: 4,000 Lb, Mandrel Width: 24", Coil ID 20", Coil O.D.: 48", Motorized *Needs Repair*
65	COE Press Equipment No. 10 Roll Uncoiler: Capacity: 4,000 Lb, Mandrel Width: 24", Coil ID: 20", Coil O.D.: 48", Motorized *Needs Repair*
66	Heilbronn Strip Feeder: Maximum Material Width: 24", Thickness at Full Width: .250", Maximum Velocity: 325 FPM, Maximum Acceleration: 50 FPS, Standard Drive Ratio: 4.8:1 *Needs Repair*
68	COE Press Equipment CPRF-S224 Strip Feeder, Maximum Material Width: 24", Thickness at Full Width: 0.250", 325-FPM, Standard Drive Ratio: 4.8:1, s/n 38708-1, New 2007 *Needs Repair*
69	Automated Industrial Machinery, Inc. (Aim, Inc.) AFE-3D8T-P8 CNC 8-MM Wire Bending Machine, Wire Range Diameter: 2-mm (0.80") 8-mm (0.313"), Max. Wire Tensile at Max. Wire Diameter: 550 N/mm2, Turret Axis Tool Change Time: 400 M/Sec, Change Feeder Rollers & Bending Tools: 15 Minutes, Feeder Axis ...[more]
70	GF Agie Charmilles Cut 20 CNC Wire EDM, Work Tank Inside Size: 41.3" x 30.1" x 22", Size: 27.5" x 18.8", Max. Work Piece Size: 35.4" x 26.7" x 9.8", Max. Work Piece Weight: 880 Lbs., 13.7" x 9.8" x 9.8" Travels, Programmable Speed Wire: 1.18 - 12.99, Control, Coolant, Associated Equipment, s/n 027-0 ...[more]
72	Trumpf Trudisk 4006 CNC Laser Machine, 4000W (5) Soldering Heads, (5) Micro Wire Feeders, s/n L4216L0005, New 2015
72A	{ Choice of lots: 72A, 72B, 72C, 72D, 72E, 72F } Kuka KR-150 Robot, Maximum Reach: 2,700 mm, Rated Payload: 150 Kg, with Robot Controller, Remote Control. (Laser Heads Not Included), s/n 809633, New 2003
72B	{ Choice of lots: 72A, 72B, 72C, 72D, 72E, 72F } Kuka KR-150 Robot, Maximum Reach: 2,700 mm, Rated Payload: 150 Kg, with Robot Controller, Remote Control. (Laser Heads Not Included), s/n 809117, New2003
72C	{ Choice of lots: 72A, 72B, 72C, 72D, 72E, 72F } Kuka KR-2150L130 Robot, Maximum Reach: 2,900 mm, Rated Payload: 130 Kg, with Robot Controller, Remote Control. (Laser Head Not Included), s/n 809791, New2003
72D	{ Choice of lots: 72A, 72B, 72C, 72D, 72E, 72F } Kuka KR-150 Robot, Maximum Reach: 2,700 mm, Rated Payload: 150 kg, with Robot Controller, Remote Control (Laser Head Not Included), s/n 809616, New 2003
72E	{ Choice of lots: 72A, 72B, 72C, 72D, 72E, 72F } Kuka KR-150 Robot, Maximum Reach: 2,700 mm, Rated Payload: 150 Kg, with Robot Controller, Remote Control (Laser Head Not Included), s/n 809785, New 2003

72F	{ Choice of lots: 72A, 72B, 72C, 72D, 72E, 72F } Kuka KR-150 Robot, Maximum Reach: 2,700 mm, Rated Payload: 150 Kg, with Robot Controller, Remote Control (Laser Head Not Included), s/n 809615, New 2003
73	Riedel TW2-2215-001 Water Cooling Chiller, s/n 741051
74	Trumpf HL4006D CNC Laser Machine, Includes (2) Soldering Heads, (2) Micro Wire Feeders, s/n 353A5001, New 2003
74A	Kuka KR-210 Robot, Maximum Reach: 2,700 mm, Rated Payload: 210 Kg, with Robot Controller, Remote Control. (Laser Head Not Included), s/n 808831, New 2003
74B	Kuka KR-210 Robot, Maximum Reach: 2,700 mm, Rated Payload: 210 Kg, with Robot Controller, Remote Control (Laser Head Not Included), s/n 809021, New 2003
75	Riedel TW2-2215-001 Water Cooling Chiller, s/n 742994, New 2003
76	Trumpf HL4006D CNC Laser, 4000W, s/n 353A5002, New 2003
77	Riedel TW2-2215-001 Water Cooling Chiller, s/n 741050, New 2003
78	Trumpf HL4006D CNC Laser, 4000 W, s/n 353A5019, New 2003 *Needs Repair*
82	Trumpf Trulaser Cell 7040 3D Laser Cutter, 4000 W, 85 KVA, X Travel: 40000 mm; Y Travel: 1500/2000 mm, Z Travel 750 mm/1000 mm, Speed 100 M/Min, s/n S0540C0333, New 2017
83	Trumpf Trulaser Cell 7040 3D Laser Cutter, 4000 W, 85 KVA, X Travel: 40000 mm; Y Travel: 1500/2000 mm, Z Travel 750 mm/1000 mm, Speed 100 M/Min, s/n S0540C0334, New 2017 *Subject to Confirmation*
84	FINN-POWER LP6 SWU LASER PUNCH PRESS, S/N: 11.0-LP609402, YEAR: 2002, CAPACITY 30 TON, MAX SHEET SIZE 120.5" X 60"; 20 STATION TURRET PUCH- MAX PUNCH DIAMETER 3.51"; FOUR AUTOINDEX STATIONS; SIEMENS SINUMERIK CNC CONTROL; ROFIN 2500 WATT TR025 LASER; KRAUS TYPE KLB 25FP60 CHILLER; FUCHS ...[more]
85	AMADA APELIO III 2510V LASER PUNCH PRESS, s/n A3251023, New 2004, CAPACITY 196 KN, LASER CAPACITY 4.0 KW, NO. OF TURRET STATIONS, POWER REQUIRED 75 KVA; WORKING RANGE FOR LASER (X x Y) : 2500 X 1270 MM; WITH DOWNFLO ADF-4 DUST COLLECTOR, SERIAL: 91448301, 7.5 HP; ORION QSQ180-11CA A ...[more]
87	Almesa 25-Ton Double Girder Bridge Crane, Span 16 Meters, Kuli Electric Hoist, Pendant Control, New 2010 *No Rails*
92	{ Choice of lots: 92, 93, 95 } Kuka KR-150 Robot, Maximum Reach: 2,700 mm, Rated Payload: 150 Kg, with Robot Controller, Remote Control (Laser Head Not Included), s/n 809636, New 2003
92A	{ Choice of lots: 92A, 94, 96 } Kuka KR-210 Robot, Maximum Reach: 2,700 mm, Rated Payload: 210 Kg, with Robot Controller, Remote Control (Laser Head Not Included), s/n 809589, New 2003
93	{ Choice of lots: 92, 93, 95 } Kuka KR-150 Robot, Maximum Reach: 2,700 mm, Rated Payload: 150 Kg, with Robot Controller, Remote Control, (Laser Head Not Included), s/n 809778
94	{ Choice of lots: 92A, 94, 96 } Kuka KR-150 Robot, Maximum Reach: 2,700 mm, Rated Payload: 150 Kg, with Robot Controller, Remote Control, (Laser Head Not Included), s/n 809587, New 2003

95	{ Choice of lots: 92, 93, 95 } Kuka KR-150 Robot, Maximum Reach: 2,700 mm, Rated Payload: 150 Kg, with Robot Controller, Remote Control, (Laser Head Not Included), s/n 808364, New 2003
96	{ Choice of lots: 92A, 94, 96 } Kuka KR-150 Robot, Maximum Reach: 2,700 mm, Rated Payload: 150 Kg, with Robot Controller, Remote Control, (Laser Head Not Included), s/n 809639, New 2003
97	{ Choice of lots: 97, 99, 100 } Kuka KR-180 Robot, Maximum Reach: 3,100 mm, Rated Payload: 180 Kg, with Robot Controller, Remote Control, (Laser Head Not Included), s/n 809610, New 2003
98	{ Choice of lots: 98 } Kuka KR-180 Robot, Maximum Reach: 3,100 mm, Rated Payload: 180 Kg, with Robot Controller, Remote Control, (Laser Head Not Included), s/n 809104, New 2003
99	{ Choice of lots: 97, 99, 100 } Kuka KR-180 Robot, Maximum Reach: 3,100 mm, Rated Payload: 180 Kg, with Robot Controller, Remote Control, (Laser Head Not Included)
100	{ Choice of lots: 97, 99, 100 } Kuka KR-180 Robot, Maximum Reach: 3,100 mm, Rated Payload: 180 Kg, with Robot Controller, Remote Control, (Laser Head Not Included), s/n 809103
100A	{ Choice of lots: 100A, 100B } Tucker PFS 400 90 P 40`T12/3 0160 Assembly Device, s/n 49167
100B	{ Choice of lots: 100A, 100B } Tucker PFS 400 90 P 40`T12/3 0160 Assembly Device, s/n 52929
101	Kuka Robot (No Control)
102	Kuka KR-180L150 Robot, Maximum Reach: 3,100 mm, Rated Payload: 180 Kg, with Robot Controller, Remote Control. (Head Attachment Not Included), s/n 809613, New 2003
103	Kuka KR210L150 Robot, Maximum Reach: 3,100 mm, Rated Payload: 150 Kg, Robot Controller, Remote Control. (Fixture on Head Not Included), s/n 809716, New 2003
104	Kuka KR210L150 Robot, Maximum Reach: 3,100 mm, Rated Payload: 150 Kg, Robot Controller, Remote Control. (Fixture on Head Not Included), s/n 809079, New 2003
105	{ Choice of lots: 105 } Kuka KR210 Robot, Maximum Reach: 2,700 mm, Rated Payload: 210 Kg, Robot Controller, Remote Control (Head Attachment Not Included), s/n 809827, New 2003
106	{ Choice of lots: 106, 108 } Kuka KR210 Robot, Maximum Reach: 2,700 mm, Rated Payload: 210 Kg, With Robot Controller, Remote Control (Head Attachment Not Included), s/n 808989
107	{ Choice of lots: 107 } Kuka KR210L150 Robot, Maximum Reach: 3,100 mm, Rated Payload: 150 Kg, Robot Controller, Remote Control. (Head Attachment Not Included), s/n 809714, New 2003
108	{ Choice of lots: 106, 108 } Kuka KR240L210-2 2000 Robot, Maximum Reach: 2,900 Mm, Rated Payload: 210 Kg, Robot Controller, Remote Control. (Head Attachment Not Included), s/n 911521
109	{ Choice of lots: 109 } Kuka KR240-2 2000 Robot, Maximum Reach: 2,700 mm, Rated Payload: 240 Kg, Robot Controller, Remote Control. (Head Attachment Not Included), s/n 910757

109A	{ Choice of lots: 109A } Geo Spannvorrichtung Assembly Device, Carbon Steel Frame, Pneumatic Cylinders, Electronical Sensor, Control Panel, New 2003
109B	{ Choice of lots: 109B, 109C, 109D } Geo Spannvorrichtung Assembly Device, Carbon Steel Frame, Pneumatic Cylinders, Electronical Sensor, Control Panel, New 2003
109C	{ Choice of lots: 109B, 109C, 109D } Geo Spannvorrichtung Assembly Device, Carbon Steel Frame, Pneumatic Cylinders, Electronical Sensor, Control Panel, New 2003
109D	{ Choice of lots: 109B, 109C, 109D } Geo Spannvorrichtung Assembly Device, Carbon Steel Frame, Pneumatic Cylinders, Electronical Sensor, Control Panel, New 2003
109E	{ Choice of lots: 109E } Geo Spannvorrichtung Assembly Device, Carbon Steel Frame, Pneumatic Cylinders, Electronical Sensor, Control Panel, New 2003
110	{ Choice of lots: 110 } Geo Spannvorrichtung Assembly Device, Carbon Steel Frame, Pneumatic Cylinders, Electronical Sensor, Control Panel, New 2003